



AN ROINN SLÁINTE

---

TUARASCÁIL

AN

ARD-CHLÁRAITHEORA

1952

---

COMPILED BY THE CENTRAL STATISTICS OFFICE  
FROM DATA SUPPLIED BY AN T-ARD CHLÁRAITHEOIR  
PUBLISHED BY THE STATIONERY OFFICE.

---

To be purchased directly through the  
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,  
or through any Bookseller.

---

1954

*Price: Seven Shillings*

(Pr. 2555)





# ERRATA

Page xxi : Table XIII. Abbreviated List Number for Cause of Death - "Other diseases of circulatory system" should read B.24, B.28, B.29 & B.46a instead of B28, B29 & B.46a.

Page xxiv : Last paragraph. Waterford Co. Borough (0.84) should read Waterford Co. Borough (1.29). Limerick County (0.83) should read Limerick Co. Borough (0.83).

Page xxix : International List Numbers 151-153. "Large and small intestine (excl. rectum)" should read "Stomach, large and small intestine (excl. rectum)".

Page 13 : Females, 1921-30, second column 14.53 should read 14.52.

Page 157 : Cause of Death 32, pneumonia, Mallow U.D.

M.1 should read M.O.  
F.O.    "    "    F.1.





# CONTENTS

## PART I - TEXT AND DIAGRAMS

	Page
GENERAL SUMMARY	
Marriages, Births, Deaths and Population	vi
MARRIAGES:	
Number and rate	viii
Mode of celebration	viii
Age at marriage	x
BIRTHS:	
Number and rate	xii
Rates by counties, etc.	xiii
Illegitimate births	xiv
Sex ratio at birth	xiv
Multiple births	xv
DEATHS:	
Number and rate	xv
Rates by counties	xvii
Causes of death:	
General observations	xix
Principal causes	xx
Infectious diseases	xxii
Tuberculosis	xxii
Malignant neoplasms, etc.	xxix
Heart diseases	xxxii
Respiratory diseases	xxxii
Pregnancy, childbirth and the puerperium	xxxii
Accidents, poisonings and violence	xxxii
Infant mortality	xxxii
Uncertified deaths	xxxv
Inquests and post mortems	xxxvi
Diagram I. Birth, Death and Marriage rates, 1938-1952	vii
" II. Standardised death rate from all causes, 1952, by counties	xviii
" III. Tuberculosis and cancer mortality, 1938-1952	xxvi
" IV. Infant and neo-natal mortality, 1938-1952	xxxiii



## PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1. Estimated population in thousands at the middle of each year, 1851 to 1952	2
Population by age	State	Table 2. Total population by sex and age in 1951	3
Population	Counties	Table 3. Population by sex in each county and county borough in 1951	4
Marriages, Births, Deaths, 1864-1952	State	Table 4. Marriages, Births and Deaths registered and natural increase (excess of births over deaths) 1864-1952	5
Marriage, Birth, Death rates, 1864-1952	State	Table 5. Marriage, Birth, Death and infant mortality rates and rate of natural increase, 1864-1952	6
Marriages, Births, Deaths, 1941-1952	State	Table 6. Marriages, Births and deaths registered during each of the years 1941-1952 with the average annual rates for the ten years 1941-1950 and the rates for 1951 and 1952 per 1,000 of the population	7
Deaths by cause, 1921-50	State	Table 7. Average annual number of deaths from principal causes, 1921-1950, with rates per 100,000 population	8
Deaths by principal causes, 1952, with rates	State and Six Counties	Table 8. Deaths from principal causes in Ireland and the Six Counties, 1952, with rates per 100,000 population	9
Deaths by age, 1864-1952	State	Table 9. Average annual numbers of deaths of males and females, classified by age, registered during the years 1864-1950, and in 1951 and 1952	12
Death rates by age, 1864-1952	State	Table 10. Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950, and in 1951 and 1952	13
Marriages, Births, Deaths, 1952	Counties	Table 11. Marriages, Births and Deaths, registered during 1952, in each county and county borough	14
Marriages, Births, Illegitimate Births, Deaths, 1952	Counties	Table 12. Marriages, Births and Deaths classified by sex, registered during 1952, showing illegitimate births and deaths from some principal causes separately in each county and county borough	16
Marriage, Birth and Death rates, 1952	Counties	Table 13. Marriage, Birth and Death rates in 1952 in each county and county borough, showing also the proportion of illegitimate births and the death rates for some of the principal diseases	17
Births, Illegitimate Births, Deaths, 1952	Principal Towns, Agg. U.D's. and Agg. R.D's.	Table 14. Births and Deaths, classified by sex, registered during 1952, showing illegitimate births and deaths from some of the principal causes separately, in the principal towns and in aggregate urban and aggregate rural districts	18
Birth, Illegitimate Birth, Death rates, 1952	Principal Towns, Agg. U.D's. and Agg. R.D's.	Table 15. Birth and Death rates in 1952 in the principal towns and in aggregate urban and aggregate rural districts showing also the proportion of illegitimate births and the death rates for some of the principal diseases	19



Contents	Area	Title	Page
Marriages, 1952	Counties	Table 16. Marriages registered in each county and county borough during 1952	20
Deaths by age, 1952	Agg. U.D's. and Agg. R.D's.	Table 17. Deaths in 1952 at each year of age in the aggregate urban districts and in the aggregate rural districts.	22
Deaths by age, 1952	Counties	Table 18. Deaths, classified by sex and age during 1952, for each county and county borough	26
Deaths by cause and age, 1952	State	Table 19. Deaths in 1952, classified by cause (extension of International Intermediate List 6th Revision, 1948), and by sex and age	32
Deaths by cause, sex and age, 1952	Dublin C.B., Other U.D's and Agg. R.D's.	Table 20. Deaths in 1952 in Dublin County Borough, remaining urban districts and in aggregate rural districts, classified by cause (International Abbreviated List) and by sex and age	48
Deaths by cause, place of occurrence and uncertified, 1952	Counties	Table 21. Deaths in 1952, classified by cause (Abbreviated List as adopted by the Ard Chlaraitheoir) and by sex, place of occurrence and the number of uncertified deaths for each county and county borough	54
Deaths by cause, sex and age, 1952	Counties	Table 22. Deaths in 1952, classified by principal groups of causes, sex and age for each county and county borough	130
Deaths by cause, 1952 Births, Population	Principal Towns, U.D's. and R.D's.	Table 23. Deaths in 1952, classified by cause (Abbreviated List as adopted by the Ard Chlaraitheoir) and by sex for each urban district and for the aggregate rural districts in each province and showing the numbers of deaths at ages under 1, 1 to 64 years and 65 years and over and the number of births and the population	150
Infant mortality, 1952	State	Table 24. Infant mortality - Total deaths under 1 year of age in 1952, classified by sex, age and principal groups of causes	164
Infant mortality, 1952	Principal Towns, U.D's. and R.D's.	Table 25. Infant mortality - Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1952, classified by sex and cause for the principal towns, other urban districts and rural districts	166
Infant mortality (Illegitimate), 1952	State	Table 26. Infant mortality - Deaths of illegitimate children under 1 year of age, classified by sex, age and cause	167
Infant mortality, 1952	Counties	Table 27. Infant mortality - Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1952, classified by sex and cause for each county and county borough	168
Infectious diseases	Co. Boroughs, U.D's. and R.D's.	Table 28. Summary of cases of infectious diseases notified to the Department of Health during the year 1952	174



# REPORT OF AN tÁRD-CHLÁRAITHEOIR FOR THE YEAR 1952

Do'n Aire Sláinte.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósanna cláraithe sa bhliain, 1952.

P. Ó CINNÉIDE,

Árd-Chláraitheoir.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1952 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1952 is exclusive of non-residents.

## GENERAL SUMMARY

*Marriages* - There were 15,876 marriages registered during the year 1952 compared with 16,017 in 1951. The marriage rate per 1,000 population was 5.4. This rate has been comparatively stable since 1947. It is, however, abnormally low when comparison is made with other countries. The average annual marriage rate in 1942-51 was 5.6 per 1,000 population.

*Births* - The number of births registered during 1952 was 64,631 and the birth rate was 21.9 per 1,000 population compared with 21.2 per 1,000 population in 1951. There was a small decline in the birth rate each year from 1948 to 1951. The average annual rate for 1942-51 was 22.1 per 1,000 population.

The number of illegitimate births registered was 1,619 which is 2.5 per cent of all births. This proportion is considerably lower than that of 3.4 per cent for the years 1942-51.

*Deaths* - The number of deaths registered during 1952 was 35,105 and the death rate was 11.9 per 1,000 population. This rate is the lowest rate recorded up to 1952. The average annual rate for the period 1942-51 was 13.9 per 1,000 population.

Of the deaths registered in 1952, 28.4 per cent were stated to be due to heart disease, 11.9 to malignant neoplasms, 8.6 to vascular lesions affecting the central nervous system and 4.5 to tuberculosis (all forms).

The number of deaths from tuberculosis was 1,579 and the rate was 0.54 per 1,000 population. This is the lowest rate recorded up to 1952. There has been a considerable decline in this rate since 1947 when the rate was 1.24 per 1,000 population.

There were 4,207 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1952 was 1.43 per 1,000 population compared with 1.44 in 1951.

During 1952 the deaths of 2,674 infants under 1 year were registered, equivalent to a rate of 41 per 1,000 live births which is the lowest rate recorded up to 1952.

The total number of deaths from accidents and other external causes in 1952 was 862 of which road transport accidents account for 239 deaths.


*Issue of Authority for Registration* - Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of an tÁrd-Chláraitheoir. The actual number of births registered on the authority of an tÁrd-Chláraitheoir in 1952 was 1,288 and the number of deaths registered was 210. Throughout the tables in this Report these births and deaths have been excluded.

*Population* - The estimated population at mid-1952 was 2,949,000.



Diagram I.

BIRTH, MARRIAGE AND DEATH RATES, 1938 - 1952.





## MARRIAGES

There were 15,876 marriages registered during the year 1952. This figure is 808 less than the average for the decennial period 1942-51.

The annual rate per 1,000 population for the year 1952 was 5.38 compared with 5.41 in 1951. The rate for the decennial period ended with 1951 was 5.63 per 1,000 population. Table 1 shows the marriage rate for Ireland, The Six Counties, England and Wales and Scotland for each of the years 1938-52.

TABLE 1

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938-1952

Years	Ireland*	Six Counties	England and Wales	Scotland
1938	5.1	6.7	8.8	7.8
1939	5.2	7.1	10.6	9.2
1940	5.1	7.6	11.3	10.7
1941	5.0	9.3	9.4	9.5
1942	5.9	9.0	8.9	9.5
1943	5.9	7.8	7.2	7.6
1944	5.7	7.2	7.1	7.2
1945	5.9	7.9	9.3	9.5
1946	5.9	7.4	9.0	8.9
1947	5.5	7.1	9.3	8.6
1948	5.4	6.9	9.0	8.5
1949	5.4	6.8	8.5	8.1
1950	5.4	6.6	8.2	7.8
1951	5.4	6.8	8.2	8.1
1952	5.4	6.8	8.0	8.0

\* Exclusive of the Six Counties.

The marriage rate in Ireland is very low when comparison is made with England and Wales, Scotland and the Six Counties. The rate in 1952 is only about two-thirds that in England and Wales and Scotland. The rate in this country has been practically stable since 1947 but in the other areas shown there have been significant declines since 1947. From 1942 to 1946 the marriage rate was about 5.9 per 1,000 population. Although it has fallen somewhat since 1947 it is still higher than the rates in the decade preceding World War II.

#### Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered during 1952 amounted to 14,985 (equal to 94.4 per cent of the total) and other marriages numbered 891. In the year 1952 the number of marriages other than Catholic recorded include 582 according to the rites and ceremonies of the Protestant Episcopal Church, 147 in Presbyterian Meeting Houses, 32 in registered buildings belonging to various other religious denominations, 98 by civil contract in the registrars' offices, 2 according to the usage of the Society of Friends and 30 according to Jewish rites.

At the Census of 1946 Catholics represented 94.3 per cent of the population, Protestant Episcopalians 4.2 per cent, Presbyterians 0.8 per cent, Methodists 0.3 per cent and Other Denominations 0.4 per cent.

The number of Catholic marriages recorded during 1952 corresponds to a rate of 5.39 per 1,000 of the estimated Catholic population, a rate which is 0.28 below the average rate for the preceding ten years and the rate for all other marriages is 5.30 per 1,000 of all persons other than Catholics in the population or 0.36 above the average.

Corresponding rates for each year from 1942 to 1952 are shown in Table 11.



TABLE 11

MARRIAGES REGISTERED IN 1952 AND IN EACH OF THE PREVIOUS TEN YEARS ACCORDING TO THE MODES OF CELEBRATION; WITH THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES

Years	Marriages registered other than Catholic							Catholic marriages	Total marriages registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic marriages	All other marriages	Total marriages
1942	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
1944	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
1945	632	124	51	57	4	8	876	16,425	17,301	5.96	4.50	5.86
1946	639	108	36	31	1	5	820	16,705	17,525	5.98	4.85	5.91
1947	623	160	58	54	6	10	911	15,379	16,290	5.49	5.38	5.49
1948	559	127	68	50	2	16	822	15,293	16,115	5.41	4.81	5.38
1949	578	105	60	48	2	11	804	15,205	16,009	5.39	4.73	5.36
1950	671	145	64	70	3	16	969	15,049	16,018	5.38	5.70	5.40
1951	570	131	50	63	2	6	822	15,195	16,017	5.44	4.85	5.41
Yearly average 1942-51	631	133	55	54	3	9	886	15,798	16,684	5.67	4.94	5.63
1952	582	147	32	98	2	30	891	14,985	15,876	5.39	5.30	5.38

### Marriage Rates by Counties

The marriage rates in the counties and county boroughs are shown in Table 13. In making comparisons of these marriage rates it must be remembered that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages shows that many persons living in the rural portions of the country are married in the county boroughs or other urban areas. This fact accounts in some measure for the high rates for the county boroughs. In 1952 these were, Dublin County Borough 8.39 per 1,000 population, Cork County Borough 9.72, Limerick County Borough 8.52, Waterford County Borough 6.90. The lowest rates were recorded in County Clare 3.23 per 1,000 population and in Leitrim 3.32 per 1,000 population.

### Age at Marriage

The schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary only that each party should be described as of full age or minor as the case may be with the result that a complete record of the ages of the persons married is not available.

TABLE 111

PROPORTION OF PERSONS MARRIED NOT OF FULL AGE DURING THE YEARS 1942-52

Year	Total marriages	Persons not of full age	
		Of 100 men married	Of 100 women married
1942	17,470	1.99	8.51
1943	17,328	1.56	7.48
1944	16,772	2.07	8.49
1945	17,301	1.51	7.69
1946	17,525	1.13	6.39
1947	16,290	1.50	7.03
1948	16,115	1.97	8.51
1949	16,009	2.09	7.35
1950	16,018	1.23	6.74
1951	16,017	1.82	8.54
1952	15,876	1.83	8.49

Table 111 shows the proportion of persons married not of full age during the years 1942-52. The proportion of husbands who were stated to have married under age in 1952 was 1.83 per cent; in the case of wives the proportion was 8.49 per cent.

### BIRTHS

The information on births contained in this Report relates to live births only. All the figures relate to the year of registration and no figures are compiled for the year of occurrence. Up to the year 1942 the figures published for the numbers of births included all births registered, irrespective of the period between date of birth and date of registration. From 1943 the published figures exclude late registrations (births registered more than one year after the date of birth).

The downward trend in the number of births and in the birth rate, which was evident from 1948 to 1951 was reversed in 1952. The total number of births registered (excluding late registrations) was 64,631 compared with 62,878 in 1951. The birth rate per 1,000 population increased from 21.2 in 1951 to 21.9 in 1952. The following table shows the number of births and the birth rate for each year since 1938, together with the birth rate in the Six Counties, England and Wales and Scotland during the same period.



TABLE 1V

NUMBER OF BIRTHS IN IRELAND\* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1938-1952

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of Births (thousands)	Birth rate per 1,000 population	Birth rate per 1,000 population		
1938	56.9	19.4	20.0	15.1	17.7
1939	56.1	19.1	19.5	14.9	17.4
1940	56.6	19.1	19.6	14.6	17.1
1941	56.8	19.0	20.8	14.2	17.9
1942	66.1	22.3	22.8	15.8	18.1
1943	64.4	21.9	24.2	16.2	18.4
1944	65.4	22.2	23.5	17.7	18.5
1945	66.9	22.7	22.0	15.9	16.9
1946	67.9	22.9	22.6	19.2	20.3
1947	69.0	23.2	23.3	20.5	22.0
1948	65.9	22.0	21.9	17.8	19.4
1949	64.2	21.5	21.4	16.7	18.5
1950	63.6	21.4	21.0	15.9	17.9
1951	62.9	21.2	20.7	15.5	17.7
1952	64.6	21.9	20.9	15.3	17.7

\* Exclusive of the Six Counties

There was a fairly sharp increase in the birth rate from about 19 per thousand in the years 1938 to 1941 to 22.3 per 1,000 population in 1942. A slight decline occurred in 1943 and, thereafter, there was a continuous rise each year up to 1947 when the rate of 23.2 was recorded. This was the highest rate recorded for any individual year since 1884. On account of the introduction of rationing in 1941, there was a reduction in the time interval between birth and registration with the result that more births were registered in 1942 than would otherwise have been the case. The rate shown for 1942 must, therefore, be considered as somewhat overstated in comparison with the other rates. From 1948 to 1951 there was a decline each year in the birth rate but the 1952 rate increased to 21.9 per 1,000 population. This rate is considerably higher than the pre-war average of 19.5 in the years 1929-1938.

The war-time and post-war increase in the birth rate also occurred in the Six Counties, England and Wales and Scotland as the table above shows. In England and Wales and in Scotland the highest birth rate in the period also occurred in 1947 and there has also been a decline each year since 1947 in these countries. In the Six Counties there was a slight increase in the birth rate in 1952 compared with 1951.

#### Birth Rate by Area

Table V shows the crude birth rates in the provinces and in the aggregate urban and aggregate rural districts in 1938 and for each year since 1945.

The interesting feature of this table is the tendency towards uniformity in the provincial and in the urban and rural rates. In 1938 the difference between the highest birth rate (23.8 per 1,000 population in Dublin County and County Borough) and the lowest rate (17.3 per 1,000 population in Ulster (part of) ) was 6.5; in 1952, however, the corresponding difference was only 5.1. In 1952 the birth rate in Dublin County and County Borough was 0.3 per 1,000 above that of 1938 and the rates in the rest of Leinster and in the other provinces were also higher than in 1938. The large increase in the birth rate during World War II was practically confined to that part of the country outside Dublin County and County Borough. In 1952 the difference between the urban and rural rate was only 0.6 compared with 4.9 in 1938.

TABLE V

BIRTH RATES PER 1,000 POPULATION IN THE PROVINCES AND IN THE RURAL DISTRICTS

Area	1938	1945	1946	1947	1948	1949	1950	1951	1952
Dublin Co. Borough and County	23.8	23.6	25.0	25.5	24.9	24.2	22.6	22.8	24.1
Rest of Leinster	18.9	23.9	24.3	24.8	23.4	22.9	22.1	22.3	22.9
Munster	18.0	22.1	22.4	22.7	21.6	21.0	21.0	20.8	21.4
Connacht	17.4	20.6	20.7	20.9	20.0	19.4	20.2	19.4	19.3
Ulster (part of)	17.3	21.3	21.5	21.4	20.4	19.7	20.1	19.2	19.0
TOTAL	19.4	22.7	22.9	23.2	22.0	21.5	21.4	21.2	21.9
All county boroughs and urban districts	22.7	24.4	25.1	25.9	24.7	23.8	21.9	21.7	22.2
All rural districts	17.8	21.8	21.9	22.0	21.1	20.7	21.1	21.0	21.6

EXPRESSED AS A PERCENTAGE OF THE BIRTH RATE IN THE STATE

Dublin Co. Borough and County	123	104	109	110	113	113	106	108	110
Rest of Leinster	97	105	106	107	106	107	103	105	105
Munster	93	97	98	98	98	98	98	98	98
Connacht	90	91	90	90	91	90	94	92	88
Ulster (part of)	89	94	94	92	93	92	94	91	87
TOTAL	100	100	100	100	100	100	100	100	100
All county boroughs and urban districts	117	107	110	112	112	111	102	102	101
All rural districts	92	96	96	95	96	96	99	99	99

The crude birth rates for the counties and county boroughs are shown in Table 13. They range from 16.7 per 1,000 population in Roscommon to 34.3 in Dublin County (excluding Dun Laoghaire Borough).

The crude birth rate is higher in the county boroughs and in the more urbanised counties of Leinster and Munster than it is in the counties of the west and north west. On account, however, of the large volume of migration of young women to the larger towns the total births per 1,000 women aged 15-44 is lower in the county boroughs of Dublin and Cork than in the counties of Connacht and Ulster. Birth rates depend on the proportions of women at the reproductive ages, their age distribution and the proportion married, as well as on the fertility of married women. In the last two columns of Table VI the crude and standardised fertility rates of married women are shown. Standardisation eliminates the effect of variation in the fertility rates on account of different age distributions of the married women in the local areas. The standardised fertility rates are lower in the county boroughs and in Dun Laoghaire Borough than in some of the counties of Connacht and Ulster.



Table VI shows crude birth rates per 1,000 population per 1,000 women aged 15-44 together with the legitimate births per 1,000 married women aged 15-44 years.

TABLE VI

NUMBER OF BIRTHS IN 1952 PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15-44 AND  
NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES 15-44 IN EACH COUNTY AND  
COUNTY BOROUGH

County or County Boro'	Total births per 1,000 population	Total births per 1,000 women aged 15-44	Legitimate births per 1,000 married women 15-44 years	
			Crude	Standardised*
Carlow County	24.1	132.2	282.3	276.4
Dublin County Boro'	22.0	89.1	233.8	228.2
Dun Laoghaire Boro'	20.0	79.1	209.4	212.3
Dublin County (Rem.)	34.3	150.6	298.6	275.3
Kildare County	26.1	143.6	271.5	253.0
Kilkenny "	21.1	119.1	261.4	261.4
Laoighis "	22.3	126.9	282.1	279.6
Longford "	20.0	113.2	244.1	247.8
Louth "	23.9	114.7	257.7	245.6
Meath "	21.6	117.6	250.4	245.9
Offaly "	22.5	126.5	271.4	259.2
Westmeath "	25.0	137.6	291.2	273.4
Wexford "	22.1	120.1	248.7	246.7
Wicklow "	22.9	114.0	235.9	228.4
LEINSTER	23.5	108.9	252.7	244.9
Clare County	19.3	113.1	248.5	259.9
Cork County Boro'	22.7	96.3	246.0	242.1
Cork County	20.0	102.8	237.9	251.0
Kerry County	20.8	116.0	262.1	286.2
Limerick County Boro'	25.3	108.8	252.6	238.2
Limerick County	23.0	129.6	271.1	280.0
Tipperary N.R.	23.8	127.1	287.2	290.6
Tipperary S.R.	21.9	121.6	257.4	253.0
Waterford County Boro'	23.0	103.3	255.9	246.7
Waterford County	20.0	111.5	236.8	235.9
MUNSTER	21.4	111.0	252.3	258.9
Galway County	21.4	118.8	278.4	287.3
Leitrim "	18.3	112.3	250.0	272.0
Mayo "	18.6	105.6	240.4	253.1
Roscommon "	16.7	97.5	226.4	240.0
Sligo "	19.0	103.8	237.9	245.5
CONNACHT	19.3	109.4	251.9	263.7
Cavan County	18.0	106.1	237.0	244.3
Donegal "	19.2	105.1	238.4	243.4
Monaghan "	20.0	106.9	261.4	267.2
ULSTER (part of)	19.0	105.7	243.0	248.6
TOTAL	21.9	109.3	251.7	251.7

\* The standardisation was indirect. Figures for the number of births per married women in each quinquennial age group from 15 years to 45 years were found from data relating to births in Dublin County Borough in 1941-45. For any particular county this fixed set of fertility rates was multiplied by the married women in the county in the corresponding age groups in 1951. The sum of the resulting products (the "expected" births) was divided by the number of married women aged 15-44 to derive an "expected" fertility rate. This "expected" rate was divided by the Irish crude rate in 1951 to obtain a "standardising" ratio which was then transferred to base Ireland = 1. By multiplying the crude fertility rate for any particular county by its corresponding standardising ratio the standardised fertility rate was obtained.

### Illegitimate Births

There were 1,619 illegitimate births registered in 1952. This represents a proportion of 2.5 per cent of all births registered. The proportion of illegitimate births rose from 3.7 per cent in 1942 to 3.9 per cent in the years 1944-46. Between 1946 and 1951 there was a decline each year in the proportion. The percentage of illegitimate births in each of the provinces is shown in Table V11.

TABLE V11

ILLEGITIMATE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS 1942-1952 IN EACH PROVINCE

Year	Total	Dublin Co. Borough and County	Rest of Leinster	Munster	Connacht	Ulster (part of)
1942	3.7	2.5	5.0	3.8	2.5	4.6
1943	3.8	3.0	5.0	4.2	2.3	4.2
1944	3.9	3.0	5.2	4.0	2.4	5.0
1945	3.9	3.0	5.3	4.1	2.4	4.7
1946	3.9	2.8	5.2	4.2	2.6	4.5
1947	3.4	2.8	4.4	3.5	2.2	4.3
1948	3.3	2.5	4.3	3.7	1.7	4.0
1949	3.1	2.4	4.2	3.2	1.9	4.0
1950	2.6	2.0	3.5	2.8	1.5	2.9
1951	2.5	1.9	3.6	2.5	1.5	3.6
Average 1942-51	3.4	2.6	4.6	3.6	2.1	4.2
1952	2.5	1.9	3.5	2.6	1.5	3.1

The highest percentages occur in Leinster (excluding Dublin County and County Borough) and in Ulster (part of) while the lowest percentages occur in Connacht. The highest percentages in 1952 were in the following counties: Wicklow (4.9), Waterford and Limerick (4.6) and Wexford (4.3).

### Proportion of Males to Females

The number of male births registered in 1952 was 33,026 and the number of females was 31,605. The sex ratio was 1,045 males per 1,000 females compared with 1,057 in 1951. The sex ratio for each year since 1942 is shown in Table V111 and legitimate and illegitimate births are distinguished.

TABLE V111

NUMBER OF MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1942-1952

Year	Legitimate	Illegitimate	Total
1942	1056	1158	1059
1943	1070	1008	1068
1944	1059	1028	1058
1945	1057	1014	1056
1946	1070	1092	1071
1947	1071	1089	1071
1948	1064	1076	1064
1949	1050	1101	1051
1950	1074	965	1071
1951	1055	1103	1057
Average 1942-51	1063	1063	1063
1952	1046	1016	1045



Since 1942 the sex ratio for all births has varied from 1045 to 1071. As is to be expected on account of the smaller numbers of illegitimate births the variation is wider for these than the legitimate births; the lowest figure is 965 and the highest 1158. The variability in the ratio from year to year in both the legitimate and illegitimate classes may be attributed to chance.

#### Multiple Births

The number of infants born alive in multiple births registered during 1952 was 2,003 consisting of 985 pairs of twins and 11 sets of triplets as compared with 1,799 (892 pairs of twins and 5 sets of triplets) for the previous year. The numbers of multiple births as a percentage of total births for each year since 1942 are shown in Table IX, distinguishing legitimate and illegitimate births.

TABLE IX  
MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1942-52

Year	Legitimate Births	Illegitimate Births
1942	2.4	2.8
1943	2.6	2.2
1944	2.7	2.6
1945	2.8	1.6
1946	2.3	1.7
1947	2.8	2.3
1948	2.6	2.0
1949	2.9	1.5
1950	2.8	2.5
1951	2.9	1.9
Average 1942-51	2.7	2.1
1952	3.1	2.2

The percentage of multiple births was higher for legitimate births than for illegitimate births in each year except in 1942.

#### Late Registrations

As stated on Page VI, the figures for numbers of births exclude late registrations, i.e. births registered more than 1 year after occurrence. A considerable number of such births is registered every year. The number in 1952 was 1,288. The inclusion of these births would change the birth rate from 21.9 to 22.4 per 1,000 population.

#### DEATHS

The number of deaths registered during the year 1952 was 35,105, the males numbering 18,918 and the females 16,187. The total is 7,277 less than the number for 1951 and 6,203 less than the average for the decennial period 1942-51.

The death rate in 1952 was 11.9 per thousand population, 2.4 below that for 1951. This rate is the lowest annual definitive rate ever recorded. The average rate for the period 1942-51 was 13.9 per thousand population.

Table X shows the number of deaths in the country for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales and Scotland.

TABLE X

DEATH RATE PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938-1952

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of deaths (thousands)	Death rate per 1,000 population	Death rate per 1,000 population		
1938	40.0	13.6	13.7	11.6	12.6
1939	41.7	14.2	13.5	12.1	12.9
1940	41.9	14.2	14.6	14.4	14.9
1941	43.8	14.6	15.2	13.5	14.7
1942	41.6	14.1	13.3	12.3	13.3
1943	43.5	14.8	13.4	13.0	14.0
1944	45.1	15.3	12.8	12.7	13.6
1945	42.8	14.5	12.3	12.6	13.2
1946	41.5	14.0	12.5	12.0	13.1
1947	44.1	14.8	12.6	12.3	12.9
1948	36.4	12.1	11.2	11.0	11.8
1949	38.1	12.7	11.5	11.8	12.3
1950	37.7	12.7	11.6	11.6	12.4
1951	42.4	14.3	12.8	12.5	12.9
1952	35.1	11.9	10.8	11.3	12.0

\* Exclusive of the Six Counties

For each year from 1942 to 1951 the death rate in this country is the highest in the table. In 1951 the crude death rate was over 10 per cent. higher than the death rates in the Six Counties, England and Wales and Scotland. In 1952 however, the rate was slightly less than that in Scotland and only about 5 per cent. higher than the rate in England and Wales.

The decrease in the death rate since 1947 resulted in a large improvement in the expectation of life at birth in 1951 compared with earlier periods. The 1951 official life tables have not been compiled at the time of writing and for comparative purposes the expectations of life at birth in 1951 have been compiled by an abridged method of computation. These rates compare with corresponding rates in 1941 and 1946 as follows:-

## Expectations of life at birth

Year	Males	Females
1941	59.0	61.0
1946	60.5	62.4
1951	63.7	66.6

Between 1946 and 1951 the male expectation increased by 3.2 years compared with 1.5 years in the preceding 5 years. The increase for females was 4.2 years compared with 1.4 years in the earlier period.

In Tables 13 and 15 death rates are given for each of the provinces, counties, county boroughs, principal towns and aggregate urban and aggregate rural districts. Care must be taken in drawing inferences from the differences in death rates in the different areas of the country. Since the rates of mortality are higher in the older sections of any population it is obvious that the crude death rate for all ages in a population may be affected markedly by the age distribution of the population. If the proportion of elderly persons is higher in a particular section of the population than it is in the general population then the death rate in this section will be higher than it is in the general population even though health conditions are the same in this section of the population. In order to compare death rates by areas it is necessary, therefore, to standardise the death rates for age. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products. This sum is then



divided by the total population in the country at all ages to deduce the standardised rate for the county. Differences arising from variations in the age distributions of the population in the counties are eliminated by using standardised rates. Table X1 shows the crude and standardised rates for each county and county borough.


TABLE X1  
CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1952

County, etc.	Deaths per 1,000 population	
	Crude	Standardised
Carlow	12.21	12.58
Dublin County Borough	10.00	12.75
Dun Laoghaire Borough	11.81	12.62
Dublin County (remainder)	9.12	12.70
Kildare County	10.60	12.79
Kilkenny "	11.97	11.64
Laoighis "	12.78	12.01
Longford "	12.36	10.92
Louth "	11.20	12.21
Meath "	11.65	12.07
Offaly "	12.18	12.43
Westmeath "	12.28	12.07
Wexford "	13.04	12.56
Wicklow "	11.41	12.07
LEINSTER	10.95	12.44
Clare County	12.74	10.89
Cork County Borough	11.95	13.25
Cork County	13.00	11.98
Kerry County	12.70	11.38
Limerick County Borough	10.43	12.83
Limerick County	12.72	12.13
Tipperary N.R.	13.02	12.62
Tipperary S.R.	12.38	12.12
Waterford County Borough	12.41	14.10
Waterford County	12.64	11.62
MUNSTER	12.58	12.04
Galway	10.97	10.30
Leitrim	13.71	11.06
Mayo	12.69	10.16
Roscommon	14.36	11.42
Sligo	14.15	11.89
CONNACHT	12.63	10.71
Cavan	13.05	11.51
Donegal	12.57	10.98
Monaghan	12.38	11.96
ULSTER (part of)	12.65	11.31
TOTAL	11.90	11.90

In certain areas the standardised rates are quite different from the crude rates. Leinster which has the lowest crude death rate has the highest standardised rate among the provinces and Connacht which has the second highest crude rate has the lowest standardised rate. Standardisation raises the rates in the county boroughs and in

## Diagram 2.

STANDARDISED DEATH RATES (PER 1000 POPULATION)  
FROM ALL CAUSES 1952.





counties Carlow, Dublin, Kildare, Louth, Meath, Offaly and Wicklow and lowers them everywhere else. The crude rate varies from 9.12 per 1,000 population in Dublin County (excluding Dun Laoghaire Borough) to 14.36 in Roscommon. The standardised rates are more uniform, the range of variation being from 10.16 in Mayo to 14.10 in Waterford County Borough.

For valid comparisons between the death rates in different counties and county boroughs, it is, of course, the standardised rates which should be used. These show that, in general, having allowed for differences in age constitution of the population, death rates are lowest in the counties of Longford, Clare, Galway, Leitrim, Mayo and Donegal. They are highest in the County Boroughs of Limerick, Waterford, Cork and Dublin and in County Kildare.

#### Causes of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organization. The Sixth Revision was used for the first time in classifying deaths by cause in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

In Table 19 which shows causes of death by age for the whole country the classification of cause of death used is the Intermediate International List with some further subdivision of causes shown by small letters placed after the intermediate list numbers. The Abbreviated International List is used to classify deaths in Table 20. Certain causes in the Abbreviated List are, however, subdivided further and these are shown by small letters placed after the abbreviated list number. For example B40 is divided into B40a (complications of pregnancy and childbirth), B40b (puerperal sepsis) and B40c (other complications of the puerperium). In Tables 21 and 23 a special list of 47 causes is used and the relationship between this list and the International List is shown at the beginning of Table 21. In Table 22 a short list of 12 causes is used and the relationship between this list and the International List is shown at the beginning of the Table. For infant mortality a special list of causes has been adopted and these are used in Tables 24 to 27.

Table XII shows the numbers of deaths and death rates from some of the principal causes in 1935-37, 1945-47 and for each year since 1948.

For comparability the classification used in this table is based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, and, therefore, the numbers of deaths and death rates in certain causes for years prior to 1950 do not agree with the figures published in the annual reports for those years.

Compared with 1935-37 the 1952 figures show marked declines in the numbers of deaths from tuberculosis, diphtheria and other infective and parasitic diseases. In 1952 there were 1,579 deaths from tuberculosis compared with an annual average of 3,629 in 1935-37 and there were only 7 deaths from diphtheria compared with an annual average of 339 in 1935-37. The death rate from all forms of tuberculosis which was 122.2 per 100,000 population in 1935-37 was only 53.5 in 1952 and the death rate from diphtheria, which was 11.4 per 100,000 population in 1935-37 fell to 0.2 in 1952. In each of the years 1949-52 the number of deaths from diphtheria did not exceed 10 in number.

Over the period shown in the table the death rates from cancer and other malignant neoplasms, vascular lesions affecting the central nervous system, diseases of the heart and other diseases of the circulatory system, have shown an upward tendency. The 1952 death rate for each of these causes is larger than the average of the corresponding rates in 1935-37.

The death rate from influenza shows no definite trend and on account of a severe influenza epidemic which occurred in 1951, the 1951 figure is higher than that for any single year since 1937. There was a large decrease in the death rate from other

respiratory diseases between 1935-37 and 1948 and an increase occurred between 1948 and 1951, but the 1952 figure shows a considerable decline from that of 1951. There were increases in the death rates from senility and other diseases between 1948 and 1951, but the 1951 figures are considerably lower than those of 1935-37 for which period the average death rate from all causes was much the same as in 1951: in 1952 there were large decreases in the death rates from these diseases. There was no appreciable variation in the death rate from accidents and other external causes over the whole period.

TABLE X11

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1948, 1949, 1950, 1951 AND 1952

Cause of death	Period						
	1935-37	1945-47	1948	1949	1950	1951	1952
	Annual average		Numbers				
Tuberculosis of respiratory system	2,851	2,731	2,452	2,142	1,876	1,712	1,207
Tuberculosis, other forms	778	863	651	570	504	450	372
Diphtheria	339	144	30	10	5	8	7
Other infective and parasitic diseases	929	569	516	451	324	371	353
Cancer and other malignant neoplasms	3,601	3,980	4,074	4,161	4,099	4,275	4,207
Vascular lesions affecting central nervous system	2,350	2,810	2,656	2,842	2,661	3,025	3,034
Diseases of the heart	7,509	10,459	9,564	10,016	10,463	11,117	9,977
Other diseases of the circulatory system	907	948	923	1,063	1,424	1,712	1,725
Influenza	1,473	575	201	280	325	2,399	238
Other diseases of the respiratory system	5,253	3,473	2,589	2,696	2,531	3,250	2,221
Senility	6,176	6,229	4,762	5,591	4,734	4,982	3,591
Other diseases	9,924	9,069	7,017	7,261	7,890	8,085	7,311
Accidents and other external causes	982	910	922	979	905	996	862
ALL CAUSES	43,072	42,760	36,357	38,062	37,741	42,382	35,105
	Rates per 100,000 population						
Tuberculosis of respiratory system	96.0	92.4	81.8	71.7	63.2	57.8	40.9
Tuberculosis, other forms	26.2	29.2	21.7	19.1	17.0	15.2	12.6
Diphtheria	11.4	4.9	1.0	0.3	0.2	0.3	0.2
Other infective and parasitic diseases	31.3	19.2	17.2	15.1	10.9	12.5	12.0
Cancer and other malignant neoplasms	121.3	134.7	135.9	139.2	138.1	144.4	142.7
Vascular lesions affecting central nervous system	79.2	95.1	88.6	95.0	89.6	102.2	102.9
Diseases of the heart	253.0	353.9	319.0	335.0	352.4	375.5	338.3
Other diseases of the circulatory system	30.6	32.1	30.8	35.6	48.0	57.8	58.5
Influenza	49.6	19.5	6.7	9.4	10.9	81.0	8.1
Other diseases of the respiratory system	177.0	117.5	86.4	90.2	85.2	109.8	75.3
Senility	208.0	210.8	158.8	187.1	159.4	168.3	121.8
Other diseases	334.3	306.9	234.0	242.9	265.8	273.1	247.9
Accidents and other external causes	33.1	30.8	30.8	32.8	30.5	33.6	29.2
ALL CAUSES	1451.0	1447.0	1212.7	1273.4	1271.2	1431.5	1190.4



The proportions of deaths in 1952 from the principal causes in certain age groups are shown in Table X111.

TABLE X111

PROPORTIONS OF DEATHS FROM THE PRINCIPAL CAUSES IN CERTAIN AGE GROUPS, 1952

Abbreviated List No.	Cause of Death	All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & over
B.9	Whooping cough	2	24	38	8	.	.	.	.	.	.	.
B.8	Diphtheria	.	.	6	8	.	.	.	.	.	.	.
B.1	Tuberculosis of respiratory system	34	1	23	53	244	330	184	77	50	12	2
B.2	All other forms of tuberculosis	11	9	117	157	147	52	25	12	4	2	.
B.30	Influenza	7	6	8	11	6	4	7	2	6	7	8
B.14	Measles	1	7	46	16	4	.	.	.	.	.	.
B.18a	Malignant neoplasms	119	1	15	13	44	69	157	216	206	160	79
B.18b, B.19	Other neoplasms	10	2	33	66	37	33	37	23	15	6	3
B.20	Diabetes mellitus	6	.	2	8	6	4	8	8	8	7	4
B.22	Vascular lesions affecting the central nervous system	86	5	2	11	29	19	48	77	111	121	89
B.25B.26, B.27	Diseases of the heart	284	1	13	50	57	95	172	251	302	364	337
B.28, B.29 & B.46a	Other diseases of the circulatory system	49	2	2	40	22	37	28	53	51	64	54
B.32	Bronchitis	27	14	23	11	4	4	9	28	29	31	30
B.31	Pneumonia (excluding pneumonia of newborn)	28	118	169	53	22	15	17	19	17	18	17
B.46b	Other diseases of the respiratory system	9	5	17	21	11	19	8	12	10	9	7
B.33	Ulcer of stomach and duodenum	6	.	.	.	2	11	21	13	13	8	2
B.36b & B.43a	Diarrhoea and gastro-enteritis	6	53	55	13	.	4	1	1	1	1	1
B.34	Appendicitis	1	.	17	16	7	3	2	3	2	.	1
B.37	Cirrhosis of liver	2	.	2	3	4	4	6	4	4	2	1
B.35	Intestinal obstruction and hernia	6	6	17	13	6	4	3	7	8	6	5
B.46c & B.46d	Other diseases of the digestive system	9	7	8	19	6	15	21	14	9	11	5
B.38	Nephritis	16	1	6	24	35	19	36	29	22	17	11
B.41, 42, 43b & 44	Congenital malformations, birth injuries etc.	51	648	48	45	11	9	1	2	.	.	.
B.45a	Senility	103	.	.	.	.	.	.	.	.	32	250
BE.47, 48, 49 & 50	Accidents poisoning and violence	25	16	81	160	148	90	56	30	27	15	13
	Other causes	102	74	252	181	148	160	153	119	105	107	81
TOTAL		1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

It will be observed that diseases of the heart caused the largest proportions of deaths, namely 284 in each 1,000 deaths. The next in order are malignant neoplasms (119), Senility (103) and vascular lesions affecting central nervous system (86). At ages under 1 year congenital malformations and diseases of early infancy accounted for 648 out of every 1,000 deaths, while pneumonia caused a further 118 deaths and 53 were due to diarrhoea and enteritis. At ages 1-4 years pneumonia caused 169 per 1,000 deaths and tuberculosis 140 per 1,000 deaths. The proportion of deaths caused by tuberculosis increases considerably in the early adult age groups. At ages 5-14 years 210 out of every 1,000 deaths were caused by this disease. At ages 15-24 the proportion was 391 per 1,000 deaths and at ages 25-34 it was 382 per 1,000 deaths. At ages 35-44 years tuberculosis was still the most important single cause of death, the proportion of deaths being 209 per 1,000 deaths. Between ages 45 and 75 years the chief causes of death

were diseases of the heart and malignant neoplasms, while at ages over 75 years diseases of the heart accounted for about one-third of the deaths at these ages and senility accounted for a further one-quarter.

### Infective Diseases

In 1952 there were 1,939 deaths caused by infective and parasitic diseases. Tuberculosis caused 1,579 of these deaths. The number caused by typhoid and paratyphoid fevers was 3, scarlet fever caused 10 deaths, diphtheria 7 deaths, whooping cough caused 86 deaths and 52 deaths were due to measles. Acute poliomyelitis (including late effects) caused 13 deaths and acute encephalitis (including late effects) caused 12 deaths.

### Tuberculosis

Table XIV shows the death rates from all forms of tuberculosis in Ireland and neighbouring countries since 1938.

TABLE XIV

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS IN IRELAND AND NEIGHBOURING COUNTRIES, 1938-1952

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1.09	0.92	0.64	0.69
1939	1.13	0.84	0.63	0.70
1940	1.25	0.98	0.70	0.82
1941	1.24	1.04	0.73	0.83
1942	1.47	0.97	0.66	0.80
1943	1.46	0.91	0.67	0.79
1944	1.30	0.89	0.63	0.82
1945	1.25	0.80	0.56	0.79
1946	1.14	0.83	0.53	0.79
1947	1.24	0.72	0.56	0.79
1948	1.04	0.69	0.51	0.76
1949	0.91	0.59	0.46	0.67
1950	0.80	0.48	0.36	0.54
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32

\* Exclusive of the Six Counties

The death rate in this country, which was 1.09 per thousand population in 1938, increased during the war years to 1.47 in 1942 since when, with the exception of the year 1947, there has been a downward trend. The improvement between 1938 and 1952 has been less marked here than in the other areas. The 1952 rate in this country is more than twice that in England and Wales and is also considerably higher than the rates in the Six Counties and in Scotland.

Table XV shows the number of deaths and death rates from tuberculosis of the respiratory system and from all other forms of tuberculosis per thousand population for each year since 1938.

In 1952 there were 1,579 deaths from tuberculosis, of which 1,207 were caused by tuberculosis of the respiratory system and 372 by all other forms of tuberculosis. The decrease between 1938 and 1952 in the rate for tuberculosis of the respiratory system was 52 per cent and for all other forms of tuberculosis it was 46 per cent.



TABLE XV

NUMBERS OF DEATHS AND DEATH RATE PER 1,000 POPULATION FROM TUBERCULOSIS OF RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS

Year	Tuberculosis of respiratory system		Other forms of tuberculosis	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
1938	2,498	0.85	718	0.24
1939	2,617	0.89	687	0.23
1940	2,907	0.98	778	0.26
1941	2,882	0.96	829	0.28
1942	3,512	1.19	835	0.28
1943	3,398	1.15	908	0.31
1944	2,935	1.00	904	0.31
1945	2,777	0.94	917	0.31
1946	2,585	0.87	805	0.27
1947	2,831	0.95	869	0.29
1948	2,452	0.82	651	0.22
1949	2,142	0.72	570	0.19
1950	1,876	0.63	504	0.17
1951	1,712	0.58	450	0.15
1952	1,207	0.41	372	0.13

Table XVI shows the number of deaths and death rate from tuberculosis in each year since 1947, classified by sex and age group.

TABLE XVI

DEATHS FROM ALL FORMS OF TUBERCULOSIS AND DEATH RATES PER 1,000 OF THE POPULATION AT THE SAME AGE, DURING EACH OF THE YEARS 1947-1952

Years	All ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
Deaths of males												
1947	1,904	147	47	44	128	189	422	335	273	215	89	15
1948	1,639	102	43	39	100	183	368	297	244	176	76	11
1949	1,405	74	40	22	81	155	281	226	241	176	93	16
1950	1,278	78	26	15	45	104	259	233	232	172	91	23
1951	1,190	77	14	21	60	94	201	223	217	183	80	20
1952	923	67	24	15	37	53	145	161	149	169	89	14
Deaths of females												
1947	1,796	102	47	69	215	300	425	269	167	106	85	11
1948	1,464	80	24	40	164	232	385	228	156	98	48	9
1949	1,307	81	34	42	100	202	351	199	139	81	66	12
1950	1,102	54	24	35	103	142	278	207	110	83	53	13
1951	972	62	13	24	74	121	227	180	121	74	62	14
1952	656	34	22	18	55	68	155	113	72	65	39	15
Deaths of males and females												
1947	3,700	249	94	113	343	489	847	604	440	321	174	26
1948	3,103	182	67	79	264	415	753	525	400	274	124	20
1949	2,712	155	74	64	181	357	632	425	380	257	159	28
1950	2,380	132	50	50	148	246	537	440	342	255	144	36
1951	2,162	139	27	45	134	215	428	403	338	257	142	34
1952	1,579	101	46	33	92	121	300	274	221	234	128	29
Males - rate per 1,000 population												
1947	1.27	0.97	0.35	0.33	1.00	1.59	2.02	1.83	1.73	1.68	0.82	0.32
1948	1.08	0.67	0.31	0.29	0.77	1.53	1.75	1.61	1.53	1.36	0.69	0.23
1949	0.93	0.49	0.29	0.16	0.63	1.30	1.34	1.23	1.52	1.36	0.85	0.34
1950	0.85	0.51	0.19	0.11	0.35	0.87	1.23	1.27	1.46	1.33	0.83	0.48
1951	0.79	0.48	0.10	0.16	0.48	0.89	1.03	1.14	1.31	1.45	0.77	0.39
1952	0.62	0.42	0.17	0.11	0.30	0.51	0.74	0.82	0.91	1.34	0.87	0.27
Females - rate per 1,000 population												
1947	1.22	0.70	0.36	0.53	1.73	2.64	2.06	1.52	1.08	0.83	0.79	0.21
1948	0.99	0.55	0.18	0.31	1.31	2.02	1.85	1.28	1.00	0.76	0.45	0.17
1949	0.88	0.56	0.26	0.32	0.80	1.76	1.69	1.12	0.89	0.63	0.62	0.23
1950	0.76	0.37	0.18	0.27	0.83	1.26	1.36	1.18	0.72	0.66	0.50	0.25
1951	0.67	0.41	0.09	0.19	0.64	1.25	1.17	0.97	0.76	0.59	0.59	0.25
1952	0.45	0.22	0.16	0.14	0.48	0.70	0.80	0.61	0.46	0.52	0.37	0.26
Males and females - rate per 1,000 population												
1947	1.25	0.84	0.35	0.43	1.36	2.10	2.04	1.68	1.41	1.26	0.81	0.26
1948	1.04	0.61	0.25	0.30	1.04	1.77	1.80	1.45	1.27	1.06	0.57	0.20
1949	0.91	0.52	0.28	0.24	0.71	1.53	1.51	1.18	1.21	1.00	0.73	0.28
1950	0.80	0.45	0.19	0.19	0.59	1.06	1.29	1.23	1.10	1.00	0.67	0.36
1951	0.73	0.44	0.10	0.17	0.56	1.06	1.10	1.06	1.04	1.02	0.68	0.31
1952	0.54	0.32	0.16	0.13	0.38	0.60	0.77	0.72	0.68	0.94	0.62	0.27

For males the 1952 death rate of 0.62 per 1,000 population compares with a rate of 1.27 in 1947 and for females the 1952 rate is 0.45 as against 1.22 in 1947. The greatest reductions have been made at ages 10-24 years in which groups the 1952 rates are less than one-third of the corresponding rates in 1947. As age increases the proportionate decline decreases until at ages over 65 years there is little change in the rates when 1947 is compared with later years.

Table XV11 compares the death rate from all forms of tuberculosis in Ireland and neighbouring countries in 1950-52.

TABLE XV11

DEATHS FROM TUBERCULOSIS (ALL FORMS) IN CERTAIN AGE GROUPS PER 1,000 CORRESPONDING POPULATION 1950-1952

Age groups	Ireland*	Six Counties	England and Wales	Scotland	Index Numbers (Ireland = 100)			
					Ireland*	Six Counties	England and Wales	Scotland
Under 15	0.24	0.15	0.08	0.15	100	63	33	63
15-19	0.52	0.18	0.14	0.33	100	35	27	63
20-24	0.96	0.44	0.26	0.66	100	46	27	69
25-34	1.08	0.56	0.35	0.62	100	52	32	57
35-44	0.98	0.49	0.31	0.48	100	50	32	49
45-54	0.93	0.62	0.43	0.50	100	67	46	54
55 and over	0.74	0.58	0.50	0.52	100	78	68	70
ALL AGES	0.69	0.41	0.31	0.43	100	59	45	62
STANDARDISED†	0.69	0.40	0.28	0.41	100	58	41	59

\* Exclusive of the Six Counties.

† Standardised to the 1951 Census population of Ireland\*.

In this country the mortality rate is highest in the age-group 25-34 years but there is not much variation in the rate between the ages 20 and 55 years. In the Six Counties the death rate is highest at ages 45-54 years but at ages above 25 years there is not a great deal of variation with age. In England and Wales the mortality from tuberculosis increases with age (apart from the age group 35-44 years) and the highest rate is at ages 55 years and over. In Scotland the mortality is highest at ages 20-24 years, decreases somewhat to age 35 years and remains practically constant for later age groups. The index numbers show that in each age-group the rate in this country is considerably higher than in any of the other areas.

As already observed there was a considerable decline in the death rate from tuberculosis between 1947 and 1952. Table XV111 shows the average mortality rates from all forms of tuberculosis in the counties in 1945-47 and 1950-52 and also the percentage decreases in the interval.

The average rate declined from 1.22 to 0.69 per 1,000 population in the five years interval, a decline of 43.4 per cent. Each county recorded a substantial decrease in the mortality rate. In 1950-52 the highest rates per 1,000 population were Louth (0.89), Clare (0.85), Waterford Co. Borough (0.84), Limerick County (0.83), Westmeath (0.81) and the lowest rates were Leitrim (0.49), Dun Laoghaire Borough (0.50), Monaghan (0.51).




TABLE XV111

AVERAGE ANNUAL DEATH RATES FROM ALL FORMS OF TUBERCULOSIS PER 1,000 POPULATION  
IN EACH COUNTY AND COUNTY BOROUGH, 1945-47 AND 1950-52

County or County Borough	Crude rate per 1,000 population		Percentage decrease
	1945-47	1950-52	
Carlow	1.32	0.73	44.7
Dublin County Borough	1.61	0.78	51.6
Dun Laoghaire Borough	0.92	0.50	45.7
Dublin County (remainder)	1.53	0.66	56.9
Kildare	1.34	0.69	48.5
Kilkenny	0.90	0.64	28.9
Laoighis	0.97	0.60	38.1
Longford	0.99	0.58	41.4
Louth	1.39	0.89	36.0
Meath	1.04	0.65	37.5
Offaly	1.04	0.65	37.5
Westmeath	1.44	0.81	43.8
Wexford	1.14	0.74	35.1
Wicklow	1.09	0.64	41.3
LEINSTER	1.35	0.72	46.7
Clare	1.33	0.85	36.1
Cork County Borough	1.67	0.78	53.3
Cork County	0.96	0.68	29.2
Kerry	1.22	0.79	35.2
Limerick County Borough	1.84	0.83	54.9
Limerick County	0.87	0.65	25.3
Tipperary N.R.	1.14	0.61	46.5
Tipperary S.R.	1.21	0.67	44.6
Waterford County Borough	1.80	1.29	28.3
Waterford County	1.05	0.52	50.5
MUNSTER	1.18	0.73	38.1
Galway	1.20	0.59	50.8
Leitrim	1.05	0.49	53.3
Mayo	1.02	0.54	47.1
Roscommon	0.79	0.56	29.1
Sligo	1.22	0.66	45.9
CONNACHT	1.08	0.57	47.2
Cavan	0.85	0.69	18.8
Donegal	1.02	0.60	41.2
Monaghan	0.89	0.51	42.7
ULSTER (part of)	0.95	0.60	36.8
TOTAL	1.22	0.69	43.4

Diagram 3.

DEATH RATES (PER 1000 POPULATION) FROM TUBERCULOSIS AND CANCER 1938-1952.





## Cancer

Up to 1949 cancer deaths were those classified as Nos. 045-055 of the Fifth Revision of the International List of Causes of Death. As already observed since 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140-205 of the International Statistical Classification, 1948, but that for comparability with the past, Nos. 140-205 (excluding Nos. 201 (Hodgkin's disease) and 204 (leukaemia and aleukaemia)) should also be shown.

In 1952 there were 4,357 deaths from malignant neoplasms (Nos. 140-199) and from neoplasms of lymphatic and haematopoietic tissues (Nos. 200-205). Of this number 55 deaths were caused by Hodgkin's disease and 95 by leukaemia and aleukaemia.

Table XIX shows the death rate from cancer in Ireland and neighbouring countries since 1938.

TABLE XIX

DEATHS FROM CANCER IN IRELAND AND NEIGHBOURING COUNTRIES PER 1,000 POPULATION,  
1938-1952

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1.26	1.32	1.67	1.62
1939	1.27	1.33	1.66	1.61
1940	1.28	1.36	1.72	1.70
1941	1.27	1.37	1.78	1.69
1942	1.37	1.41	1.83	1.71
1943	1.37	1.45	1.90	1.73
1944	1.42	1.41	1.90	1.86
1945	1.34	1.44	1.74	1.92
1946	1.36	1.42	1.77	1.80
1947	1.33	1.47	1.81	1.77
1948	1.36	1.45	1.86	1.81
1949	1.39	1.45	1.87	1.85
1950	1.38	1.53	1.89	1.88
1951	1.44	1.48	1.90	1.86
1952	1.43	1.47	1.93	1.91

\* Exclusive of the Six Counties

The general increase in the cancer death rate in each area since 1938 will be noted. The rate in Ireland (exclusive of the Six Counties) is the lowest, but this fact can be attributed to some extent at least to the high proportion of uncertified deaths at the older ages in this country. Most of these deaths are described as due to senility and it is almost certain that a considerable proportion of them is caused by cancer. The figures should be accepted with caution as it is not certain that they are comparable over time and between the different areas.

Table XX shows the death rate from cancer in certain age groups for each year since 1938.

The most notable feature of this table is the large increase in the death rate at ages 75 years and over since 1938. It is almost certain that this increase is connected with the fall in the number of uncertified deaths (most of which occur at the old ages) from 16.0 per cent in 1938 to 10.6 per cent in 1952, and to improved certification.

TABLE XX

DEATHS FROM CANCER, CLASSIFIED BY AGE, PER 100,000 POPULATION AT THE SAME AGES  
1938-1952

Years	Age group							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1938	1.9	11.2	39.2	164.4	455.0	714.5	644.2	131.5
1939	1.5	11.7	38.1	144.3	432.3	764.5	660.3	130.7
1940	3.5	12.1	36.7	150.7	401.5	750.5	727.8	130.7
1941	1.4	10.0	40.1	135.8	376.7	810.4	776.3	130.7
1942	4.4	12.7	51.1	152.9	395.9	905.2	847.2	145.5
1943	3.0	11.2	43.7	137.8	428.3	820.1	856.7	144.3
1944	2.6	9.9	45.4	151.2	447.5	821.0	929.6	149.3
1945	3.9	15.3	39.9	131.1	367.5	783.9	953.0	138.8
1946	2.1	10.2	37.8	133.7	358.8	820.7	988.2	140.3
1947	3.4	8.8	47.2	143.0	366.7	746.2	1,014.2	138.7
1948	2.1	11.5	34.7	154.1	384.5	730.9	1,185.0	143.4
1949	2.8	9.0	51.1	150.6	363.9	775.5	1,095.9	146.5
1950	3.6	10.0	44.1	140.7	379.0	754.4	1,071.9	144.0
1951	3.9	16.8	49.4	168.2	398.0	812.5	1,048.8	153.9
1952	4.8	13.3	40.9	152.5	369.6	830.6	1,169.9	154.1
Females								
1938	3.1	11.0	69.4	204.7	389.4	568.4	435.1	120.4
1939	1.9	17.9	62.5	210.2	392.8	563.6	539.5	123.9
1940	3.2	16.7	64.2	177.1	410.3	596.8	497.1	124.3
1941	1.5	13.9	60.7	195.5	400.2	567.6	537.1	122.3
1942	2.0	18.5	78.7	202.9	365.0	613.4	597.9	128.0
1943	2.2	17.7	81.6	192.1	397.3	590.4	604.2	130.0
1944	2.2	15.3	77.6	202.9	416.6	582.5	688.1	134.2
1945	2.9	19.8	64.9	203.6	365.3	587.1	587.7	126.1
1946	3.7	16.2	72.8	218.4	374.2	601.1	621.0	131.3
1947	2.0	13.3	59.2	204.1	386.9	588.2	637.0	127.8
1948	2.9	16.9	57.6	195.6	339.6	613.9	722.5	128.3
1949	2.5	16.9	72.0	172.4	369.2	594.6	731.6	131.8
1950	3.3	17.6	63.8	178.5	354.0	588.0	780.2	131.9
1951	2.9	15.0	60.6	177.8	375.0	596.8	746.2	134.5
1952	2.4	14.5	71.1	180.3	336.8	552.7	782.3	130.8

Table XXI shows deaths from malignant neoplasms classified by site of disease and from neoplasms of lymphatic and haematopoietic tissues, classified by age group.



TABLE XX1

DEATHS FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES IN CERTAIN AGE GROUPS

1948 International List Nos.	Site	No. of Deaths - Males							No. of Deaths - Females								
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
	Malignant neoplasm of:																
140	Lip	.	.	.	1	10	14	28	53	.	.	.	.	.	3	1	4
141	Tongue	.	.	.	2	10	18	12	42	.	.	.	.	1	1	3	5
142	Salivary gland	.	.	.	.	1	2	4	7	.	.	.	.	.	2	1	3
143-144	Mouth	1	.	.	1	5	9	8	24	.	.	.	2	.	5	1	8
145-148	Pharynx	1	.	1	4	8	20	15	49	1	.	.	2	2	9	2	16
140-148	Buccal cavity and pharynx	2	.	1	8	34	63	67	175	1	.	.	4	3	20	8	36
150	Oesophagus	.	1	.	4	18	36	22	81	.	1	5	11	14	15	16	62
151-153	Large and small intestine (excl. rectum)	1	6	25	81	162	328	200	803	.	6	32	75	124	231	181	649
154	Rectum	.	1	5	13	32	80	45	176	.	3	3	10	18	30	22	86
155-156	Liver	1	.	3	14	21	36	21	107	.	.	2	10	17	36	16	81
157	Pancreas	.	2	4	10	14	31	16	77	.	.	2	8	15	22	24	71
158	Peritoneum	.	.	1	1	3	3	.	8	.	.	.	2	4	2	.	8
159	Other digestive organs	.	.	.	.	2	.	1	3	.	.	.	.	.	1	2	3
150-159	Digestive organs and peritoneum	2	10	38	123	252	514	316	1,255	.	10	44	116	192	337	261	960
161	Larynx	.	1	3	8	17	20	14	63	.	.	.	4	6	7	1	18
162,163	Trachea,bronchus,lung(primary and unspecified)	2	3	21	58	73	71	32	260	2	2	8	21	21	17	7	78
160,164/5	Other parts of respiratory system	.	.	.	1	3	2	4	10	.	.	.	.	6	3	1	10
160-165	Respiratory system	2	4	24	67	93	93	50	333	2	2	8	25	33	27	9	106
170	Breast	.	.	.	1	2	2	3	8	.	4	35	59	86	82	60	326
171-174	Uterus	.	.	.	.	.	.	.	.	.	4	14	38	42	33	15	146
175	Ovary, Fallopian tube, etc.	.	.	.	.	.	.	.	.	.	2	7	19	13	11	7	59
177	Prostate	.	.	.	6	26	74	66	172	.	.	.	.	.	.	.	16
180	Kidney	2	1	2	5	5	8	4	27	3	1	3	2	2	3	2	16
181	Bladder and other urinary organs	.	.	1	9	5	16	9	40	.	.	2	1	2	5	10	20
176, 178-179	Other genito-urinary organs	3	5	.	1	4	2	5	20	.	.	2	1	4	5	4	16
170-181	Breast and genito-urinary organs	5	6	3	22	42	102	87	267	3	11	63	120	149	139	98	583
190-191	Skin	1	.	1	7	3	19	31	62	.	1	2	3	3	13	28	50
193	Brain and nervous system	4	1	4	10	5	2	1	27	1	2	2	3	2	2	12	12
192, 194-199	Other and unspecified sites	11	5	6	12	33	58	50	175	6	2	10	14	35	36	38	141
190-199	Other and unspecified sites	16	6	11	29	41	79	82	264	7	5	14	20	40	51	66	203
201	Hodgkins disease	5	10	5	7	3	3	4	37	2	3	4	3	4	2	.	18
204	Leukaemia and aleukaemia	21	4	9	6	6	3	2	51	15	3	3	3	9	9	2	44
200,202,203,205	Other lymphatic and haematopoietic tissues	5	.	3	2	3	3	1	17	2	.	2	.	1	1	2	8
200-205	Lymphatic and haematopoietic tissues	31	14	17	15	12	9	7	105	19	6	9	6	14	12	4	70
	TOTAL	58	40	94	264	474	860	609	2,399	32	34	138	291	431	586	446	1,958

TABLE XX11

DEATHS FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPHOETIC TISSUES, IN CERTAIN AGE GROUPS, PER 100,000 POPULATION

1948 Inter- national List No.	Site	Males							Females								
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
	Malignant neoplasm of:-																
140-148	Buccal cavity and pharynx	0.3	.	0.5	4.9	27.0	61.3	130.0	11.7	0.2	.	.	2.5	2.4	19.2	14.1	2.5
150-159	Digestive organs and peritoneum	0.3	5.1	19.4	74.7	200.3	499.9	613.1	83.7	.	5.2	23.9	73.4	154.7	323.9	459.9	66.3
160-165	Respiratory system	0.3	2.0	12.3	40.7	73.9	90.5	97.0	22.2	0.3	1.0	4.3	15.8	26.6	26.0	15.9	7.3
170-181	Breast and genito-urinary system	0.8	3.1	1.5	13.4	33.4	99.2	168.8	17.8	0.5	5.7	34.2	75.9	120.1	133.6	172.7	40.2
190-199	Other and unspecified sites	2.3	3.1	5.7	17.6	32.6	76.8	159.0	17.5	1.1	2.6	7.6	12.7	32.2	49.1	116.2	14.0
	Neoplasm of:-																
200-205	Lymphatic and haematopoietic tissues	4.7	7.2	8.7	9.1	9.5	8.8	13.6	7.0	3.0	3.1	4.9	3.8	11.3	11.5	7.0	4.8
	TOTAL	8.7	20.5	48.1	160.4	376.7	836.5	1,181.5	159.9	5.1	17.6	74.9	184.1	347.3	563.3	785.8	135.1



There were 2,399 deaths of males and 1,958 deaths of females in 1952. Excluding Hodgkin's disease, leukaemia and aleukaemia, the figures were 2,311 males and 1,896 females. These latter figures are comparable with deaths from cancer prior to 1950. For each sex the site of the malignant neoplasm for about half these deaths was in the digestive organs and peritoneum. Cancer of the stomach and small intestine caused 803 deaths of males and 649 deaths among females. There were 267 deaths of males from cancer of the breast and genito-urinary system and 583 deaths of females. The number of deaths of males from cancer of the respiratory system and from cancer of the buccal cavity and pharynx was more than three times as large as the number of females who died from these diseases

Table XX11 shows the death rate per 100,000 population in each age group for the main groups of sites and it will be observed that there is in general a rapid rise in the death rate with increasing age. Exceptions are cancer of the respiratory system and cancer of the buccal cavity and pharynx for females, in which groups the death rate at 75 years and over is lower than in the preceding age group. The death rate from neoplasms of lymphatic and haematopoietic tissues also decreases at the very old ages for both sexes.

Table XX111 shows the death rates from malignant neoplasms in certain age groups for each county and county borough in 1950-52. Standardised rates which eliminate the effect of different age distributions of the population are shown in the last column.

TABLE XX111

DEATHS FROM MALIGNANT NEOPLASMS IN CERTAIN AGE GROUPS PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH 1950-52

County, etc.	Age groups							All ages Crude rate	All ages: Standard- ised Rate
	0-24	25-34	35-44	45-54	55-64	65-74	75 and over		
Carlow	0.02	0.47	0.48	1.25	3.61	7.81	7.94	1.39	1.41
Dublin County Borough	0.02	0.16	0.70	2.30	4.35	8.14	11.78	1.40	1.74
Dun Laoghaire Borough	0.03	.	0.26	2.39	4.49	7.23	14.31	1.64	1.72
Dublin County	0.04	0.12	0.57	1.77	4.10	7.75	10.82	1.08	1.59
Kildare	0.06	0.14	0.73	1.70	4.12	8.33	11.47	1.36	1.68
Kilkenny	0.01	0.24	0.25	0.86	3.38	6.89	8.34	1.31	1.24
Laoighis	0.02	0.10	0.55	1.18	3.56	6.02	7.37	1.31	1.22
Longford	0.07	0.08	0.38	1.44	3.94	6.99	8.13	1.52	1.37
Louth	0.01	0.13	0.51	1.86	5.19	8.69	7.98	1.51	1.63
Meath	0.02	0.04	0.56	1.73	4.11	7.79	12.38	1.59	1.62
Offaly	0.04	0.18	0.85	1.47	4.17	7.22	9.50	1.50	1.52
Westmeath	.	0.09	0.83	1.85	3.86	7.87	10.69	1.65	1.59
Wexford	0.02	0.12	0.35	1.28	4.12	6.84	10.25	1.48	1.42
Wicklow	0.01	0.08	0.42	1.34	3.08	8.09	10.45	1.35	1.43
LEINSTER	0.03	0.14	0.59	1.85	4.13	7.71	10.55	1.41	1.59
Clare	0.06	0.20	0.44	1.20	2.38	6.31	7.25	1.35	1.15
Cork County Borough	0.04	0.16	0.73	1.43	4.29	8.97	9.63	1.50	1.64
Cork County	0.02	0.12	0.51	1.55	3.97	7.23	8.54	1.56	1.42
Kerry	0.03	0.13	0.59	1.33	3.39	5.21	5.89	1.25	1.12
Limerick County	0.03	0.14	0.72	1.59	4.75	7.08	5.57	1.12	1.40
Limerick County	0.04	0.15	0.42	1.10	3.21	6.58	10.76	1.41	1.34
Tipperary N.R.	.	0.09	0.60	1.63	2.68	6.19	9.60	1.35	1.28
Tipperary S.R.	0.04	0.14	0.46	1.41	3.39	7.64	12.27	1.56	1.52
Waterford County	0.07	0.37	0.59	2.18	4.70	8.31	15.70	1.73	1.95
Waterford County	0.02	0.11	0.55	1.81	4.21	8.24	11.53	1.84	1.65
MUNSTER	0.03	0.14	0.54	1.46	3.62	6.94	8.86	1.46	1.38
Galway	0.06	0.16	0.36	1.30	3.16	6.14	8.97	1.32	1.26
Leitrim	.	0.14	0.43	1.23	2.08	3.78	5.31	1.04	0.84
Mayo	0.03	0.13	0.52	1.61	2.76	5.19	6.50	1.30	1.11
Roscommon	0.05	0.29	0.34	1.25	3.44	7.18	6.50	1.57	1.27
Sligo	0.01	0.18	0.37	1.83	3.66	7.05	7.49	1.59	1.36
CONNACHT	0.04	0.17	0.41	1.45	3.04	5.91	7.23	1.36	1.19
Cavan	0.05	0.12	0.39	1.58	3.09	7.30	7.88	1.52	1.32
Donegal	0.02	0.15	0.37	1.48	2.77	5.16	7.88	1.26	1.12
Monaghan	0.03	0.05	0.23	1.21	3.29	5.64	6.88	1.17	1.11
ULSTER (part of)	0.03	0.12	0.35	1.45	2.97	5.84	7.69	1.31	1.18
TOTAL	0.03	0.14	0.53	1.63	3.68	6.94	8.98	1.41	1.41

For the whole country the rate increases with age from 0.03 per 1,000 population at ages under 25 years to 8.98 at ages 75 years and over. The crude rate for all ages varies from 1.04 per 1,000 population in Leitrim to 1.84 in Waterford County. In certain counties however, the standardised rates are considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is of course the standardised rates which should be used. In the counties of west and north west standardisation lowers the death rates considerably. The rates vary from 0.84 per 1,000 population in Leitrim to 1.95 in Waterford County Borough. The low rates in Connacht and Ulster (part of) can be attributed to the registration of large numbers of uncertified deaths in these counties, most of which are returned as being due to senility or some undefined cause. If these deaths had been medically certified it is probable that a large number would have been certified as being due to malignant neoplasms.

#### Heart Diseases

As already observed from Table XlII, diseases of the heart caused 284 in every 1,000 deaths in 1952. There were 9,977 deaths from diseases of the heart (Nos. 410-434 of the International List). Of these 2,458 deaths were caused by arteriosclerotic heart disease, including coronary disease, 613 were caused by chronic endocarditis not specified as rheumatic and 5,283 by other myocardial degeneration. There were 380 deaths from chronic rheumatic heart disease and 1,243 deaths from other diseases of the heart.

#### Respiratory Diseases

Deaths from respiratory diseases in 1952 numbered 2,459. These include 238 deaths caused by influenza, 979 by pneumonia, 940 by bronchitis and 302 by other respiratory diseases.

#### Pregnancy, Childbirth and Puerperium

The number of deaths in this group of causes in 1952 was 92 compared with 103 in 1951. The death rate was 1.42 per 1,000 births.

#### Accidents, Poisonings and Violence

The number of deaths from external causes in 1952 was 862 compared with 996 in 1951. Deaths from road transport accidents numbered 239 in 1952 compared with 235 in 1951. In 1952 there were 77 deaths from fire, explosions or burns and 104 deaths from accidental drowning. There were 66 suicides and 376 deaths were caused by other external causes including accidental falls.


#### Infant Mortality

During the year 1952 the deaths of 2,674 infants under 1 year of age were registered compared with 2,876 in the preceding year. The figure for 1952 is equivalent to a rate of 41 per 1,000 live births registered compared with 46 in 1951. The infant mortality rates in neighbouring countries in 1952 were as follows:- England and Wales (28), Scotland (35), and the Six Counties (39). There is still room, therefore, for considerable improvement in the Irish rate. Table 24 shows the deaths under 1 year of age in 1952 classified by cause of death and age at death.

At ages under 4 weeks the main causes of death are congenital malformation, premature birth, injury at birth and other diseases peculiar to the first year of life. At ages 4 weeks to one year the most important single cause of death is pneumonia, but large numbers of deaths are also caused by gastro-enteritis and other diseases peculiar to the first year of life.



# INFANT AND NEO - NATAL MORTALITY 1938 - 1952.



Details of causes of death at ages under 4 weeks and at 4 weeks and under 1 year for counties, county boroughs and groups of principal towns are shown in Tables 25 and 27.

Table XXIV shows the infant mortality rates in the counties in 1945-47 and 1950-52 and the percentage decreases in the interval.

TABLE XXIV  
INFANT MORTALITY BY COUNTIES 1945-47 AND 1950-52

County	1945-47	1950-52	% decrease
TOTAL	68	44	35
Carlow County	63	51	19
Dublin County Borough	96	46	52
Dublin County	80	42	48
Kildare	69	46	33
Kilkenny	67	59	12
Laoighis	75	48	36
Longford	63	49	22
Louth	55	43	22
Meath	56	41	27
Offaly	63	48	24
Westmeath	61	40	34
Wexford	67	42	37
Wicklow	66	53	20
LEINSTER	79	46	42
Clare	54	37	31
Cork County Borough	75	47	37
Cork County	64	40	38
Kerry	52	48	8
Limerick County Borough	83	43	48
Limerick County	78	51	35
Tipperary N.R.	65	49	25
Tipperary S.R.	61	53	13
Waterford County Borough	72	50	31
Waterford County	64	48	25
MUNSTER	65	45	31
Galway	55	40	27
Leitrim	42	28	33
Mayo	38	35	8
Roscommon	45	36	20
Sligo	65	44	32
CONNACHT	48	38	21
Cavan	56	48	14
Donegal	53	42	21
Monaghan	47	46	2
ULSTER (part of)	52	44	15

The infant mortality rate decreased from 68 to 44 per 1,000 births or by 35 per cent between 1945-47 and 1950-52. In general the largest decreases occurred in those counties which had the highest rates in 1945-47. In three counties the rates declined by less than 10 per cent: these were Kerry and Mayo (8 per cent) and Monaghan (2 per cent). In 1950-52 the highest rate was 59 per 1,000 births in Kilkenny and the lowest was 28 in Leitrim.



Table XXV shows the infant mortality rates in 1945-47 and 1950-52 in towns of different size and in the rural districts.

TABLE XXV  
INFANT MORTALITY IN URBAN AND RURAL DISTRICTS

Area	1945-1947	1950-1952	Percentage decline
TOTAL	68	44	35
Dublin Co. Boro' and Dun Laoghaire Boro'	95	45	53
Other Co. Boroughs	77	46	40
Other Principal Towns	68	51	25
Other Urban Districts	68	48	29
Rural Districts	58	43	26

In 1950-52 there was little variation in the infant mortality rate between the different areas in contrast to 1945-47 when the rates in the county boroughs were considerably in excess of those in the smaller urban districts and in the rural districts.

#### Uncertified Causes

The number of cases in 1952 in which the cause of death was not stated to have been certified by a medical practitioner was 3,719 which is 10.6 per cent of the total deaths registered. The proportion for 1951 was 12.2 per cent.

Between 1945-47 and 1950-52 there was little change in the percentage of uncertified deaths as Table XXV1 indicates.

TABLE XXV1  
PERCENTAGE OF DEATHS UNCERTIFIED IN EACH COUNTY AND COUNTY BOROUGH

County	1945-47	1950-52
TOTAL	12.7	11.4
Carlow	11.0	11.6
Dublin County Boro'	1.4	1.6
Dublin County	0.1	0.4
Kildare	3.6	3.3
Kilkenny	9.3	7.0
Laoighis	11.3	9.2
Longford	26.1	22.0
Louth	4.0	3.8
Meath	9.4	7.3
Offaly	14.7	12.6
Westmeath	10.4	8.5
Wexford	7.3	5.6
Wicklow	4.8	3.7
LEINSTER	5.4	4.8
Clare	21.3	20.0
Cork County Boro'	0.4	0.1
Cork County	11.1	9.5
Kerry	22.7	22.5
Limerick County Boro'	1.6	2.8
Limerick County	10.7	10.6
Tipperary N.R.	15.0	11.4
Tipperary S.R.	7.2	4.6
Waterford County Boro'	0.5	0.1
Waterford County	7.5	5.2
MUNSTER	11.7	10.6
Galway	25.9	20.7
Leitrim	36.2	31.8
Mayo	27.1	30.3
Roscommon	31.8	27.7
Sligo	20.4	21.4
CONNACHT	27.4	25.9
Cavan	18.6	14.7
Donegal	27.1	22.8
Monaghan	13.1	9.8
ULSTER (part of)	21.7	17.7

The percentage of uncertified deaths fell from 12.7 to 11.4 per cent. This percentage is very high in the west and north west. In 1950-52 the percentage of uncertified deaths was 25.9 per cent in Connacht and 17.7 per cent in Ulster (part of), compared with 10.6 per cent in Munster and 4.8 per cent in Leinster. In Leitrim, Mayo and Roscommon the proportion exceeded one quarter. It is certain that, with such a large proportion of uncertified deaths, the statistics of causes of death in these counties have little value.

#### Inquests and Post-Mortems

The number of deaths registered on certificates issued by coroners, as the result of inquests or post-mortem examinations during 1952 was 1,447 compared with 1,483 for 1951.



# TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR, 1851 TO 1952

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1919	3,102	1,598	1,504
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1920	3,103	1,598	1,505
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1921	3,096	1,599	1,497
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1922	3,022	1,529	1,493
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1923	3,014	1,526	1,488
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1924	3,005	1,521	1,484
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1925	2,985	1,512	1,473
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1926	2,971	1,507	1,464
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1927	2,957	1,502	1,455
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1928	2,944	1,498	1,446
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1929	2,937	1,496	1,441
1862	4,377	2,158	2,219	1896	3,314	1,653	1,661	1930	2,927	1,493	1,434
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1931	2,933	1,497	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1932	2,949	1,505	1,444
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1933	2,962	1,512	1,450
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1934	2,971	1,518	1,453
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1935	2,971	1,520	1,451
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1936	2,967	1,520	1,447
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1937	2,948	1,510	1,438
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1938	2,937	1,505	1,432
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1939	2,934	1,503	1,431
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1940	2,958	1,515	1,443
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1941	2,993	1,533	1,460
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1942	2,963	1,499	1,464
1875	3,951	1,940	2,011	1909	3,142	1,589	1,553	1943	2,946	1,490	1,456
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1944	2,944	1,487	1,457
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1945	2,952	1,490	1,462
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1946	2,957	1,496	1,461
1879	3,939	1,944	1,995	1913	3,103	1,572	1,531	1947	2,974	1,505	1,469
1880	3,891	1,920	1,971	1914	3,092	1,568	1,524	1948	2,985	1,512	1,473
1881	3,847	1,901	1,946	1915	3,068	1,546	1,522	1949	2,981	1,513	1,468
1882	3,808	1,882	1,926	1916	3,068	1,549	1,519	1950	2,969	1,510	1,459
1883	3,745	1,853	1,892	1917	3,065	1,551	1,514	1951	2,961	1,507	1,454
1884	3,703	1,834	1,869	1918	3,066	1,553	1,513	1952	2,949	1,500	1,449



TABLE 2 - TOTAL POPULATION BY SEX AND AGE IN 1951

Age (years)	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	Males	Females	Persons	Males	Females	Persons
				%	%	%
Under 1	32,630	30,927	63,557	2.17	2.13	2.15
1	32,083	30,719	62,802	2.13	2.11	2.12
2	31,932	30,494	62,426	2.12	2.10	2.11
3	31,982	30,457	62,439	2.12	2.09	2.11
4	31,604	30,004	61,608	2.10	2.06	2.08
5-9	143,490	137,553	281,043	9.53	9.46	9.49
10-14	132,726	128,209	260,935	8.82	8.82	8.81
15-19	125,742	115,440	241,182	8.35	7.94	8.15
20-24	105,380	96,792	202,172	6.99	6.65	6.83
25-29	99,595	98,826	198,421	6.61	6.80	6.70
30-34	96,441	95,125	191,566	6.40	6.54	6.47
35-39	102,278	98,638	200,916	6.79	6.78	6.79
40-44	94,006	86,320	180,326	6.24	5.94	6.09
45-49	82,374	78,541	160,915	5.47	5.40	5.44
50-54	82,922	80,064	162,986	5.50	5.51	5.51
55-59	65,028	63,820	128,848	4.32	4.39	4.35
60-64	61,346	60,714	122,060	4.07	4.18	4.12
65-69	54,145	53,403	107,548	3.59	3.67	3.63
70-74	49,121	50,995	100,116	3.26	3.51	3.38
75-79	31,642	32,913	64,555	2.10	2.26	2.18
80-84	14,649	16,238	30,887	0.97	1.12	1.04
85-89	4,285	5,882	10,167	0.28	0.40	0.34
90-94	973	1,542	2,515	0.06	0.11	0.09
95-99	205	368	573	0.01	0.03	0.02
100 and over	18	12	30	0.00	0.00	0.00
TOTAL	1,506,597	1,453,996	2,960,593	100.00	100.00	100.00

TABLE 3 - POPULATION BY SEX OF EACH COUNTY AND COUNTY BOROUGH IN 1951

County	1951 POPULATION		
	Males	Females	Persons
Carlow	17,848	16,314	34,162
Dublin County Borough	244,006	278,177	522,183
Dun Laoghaire Borough	20,843	27,077	47,920
Dublin County (remainder)	61,277	61,642	122,919
Kildare	36,364	30,073	66,437
Kilkenny	34,687	30,548	65,235
Laoighis	26,154	22,276	48,430
Longford	18,388	16,165	34,553
Louth	34,886	33,885	68,771
Meath	34,980	31,357	66,337
Offaly	28,306	24,238	52,544
Westmeath	28,737	25,726	54,463
Wexford	45,945	44,087	90,032
Wicklow	31,587	31,003	62,590
Clare	43,473	37,856	81,329
Cork County	136,150	130,567	266,717
Cork County Borough	34,715	39,852	74,567
Kerry	66,507	60,137	126,644
Limerick County	47,588	42,831	90,419
Limerick County Borough	24,103	26,717	50,820
Tipperary, N.R.	29,989	27,020	57,009
Tipperary, S.R.	39,877	36,427	76,304
Waterford County	24,478	21,892	46,370
Waterford County Borough	13,485	15,206	28,691
Galway	85,141	75,063	160,204
Leitrim	22,374	18,835	41,209
Mayo	73,345	68,522	141,867
Roscommon	36,626	31,476	68,102
Sligo	31,469	29,044	60,513
Cavan	36,187	30,190	66,377
Donegal	67,964	63,566	131,530
Monaghan	29,118	26,227	55,345
TOTAL	1,506,597	1,453,996	2,960,593



TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1952

PERIOD	MARRIAGES	BIRTHS						DEATHS			Natural Increase	
		TOTAL (Including Illegitimate)			Legitimate			Illegitimate				
		Total		Females	Total		Females	Total		Males		Females
		Males	Females	Total	Males	Females	Total	Males	Females	Total		Males
Average 1864-70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871-80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881-90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901-10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911-20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921-30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931-40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941-50	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864-1952

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural Increase per 1,000 of Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	ILLEGITIMATE		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births	
				Per 1,000 Population	Per Cent. of Total Births				
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.92	21.37	0.55	2.50	1,045	11.90	41.37	10.01



TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-52 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-1950 AND THE RATES FOR 1951 AND 1952 PER 1,000 OF THE POPULATION

YEAR	MARRIAGES										BIRTHS										DEATHS									
	CATHOLIC					ALL OTHERS					TOTAL					Quarter ending the last day of					Quarter ending the last day of					Total				
	Quarter ending the last day of					Total	Quarter ending the last day of					Total	Quarter ending the last day of					Total	Quarter ending the last day of					Total	Quarter ending the last day of					Total
	Mar.	June	Sept.	Dec.	Mar.		June	Sept.	Dec.	Mar.	June		Sept.	Dec.	Mar.	June	Sept.		Dec.	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797					
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640					
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494					
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128					
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762					
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457					
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061					
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357					
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062					
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741					
Average for Ten years 1941-50	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010	12,974	10,555	8,427	9,494	41,450					
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382					
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105					
Equivalent Annual Rate per 1,000 Population Average 1941-50	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	5.6	21.7	23.6	22.3	20.1	21.9	17.5	14.2	11.4	12.8	14.0					
1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2	22.5	13.8	10.2	10.7	14.3					
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	5.4	22.2	23.7	21.8	20.0	21.9	14.5	11.8	9.8	11.5	11.9					

TABLE 7 - AVERAGE ANNUAL NUMBER OF DEATHS FROM PRINCIPAL CAUSES 1921-1950

Nos.	Causes of Death	ANNUAL AVERAGE NUMBER OF DEATHS			ANNUAL AVERAGE RATE PER 100,000 POPULATION		
		1921-30	1931-40	1941-50	1921-30	1931-40	1941-50
	All Causes	43,203	41,841	41,450	1446.9	1411.2	1397.5
1	Typhoid fever (including paratyphoid)	108	64	32	3.6	2.2	1.1
2	Cerebro-spinal meningitis	17	30	33	0.6	1.1	1.1
3	Scarlet fever	78	88	15	2.6	3.0	0.5
4	Whooping cough	365	215	189	12.3	7.3	6.4
5	Diphtheria	282	321	151	9.4	10.8	5.1
6	Tuberculosis of respiratory system	3,437	2,797	2,739	115.0	94.3	92.3
7	All other forms of tuberculosis	920	773	779	30.8	26.1	26.2
8	Dysentery	11	2	4	0.3	0.1	0.1
9	Influenza	1,221	1,265	554	40.9	42.6	18.7
10	Measles	253	173	69	8.5	5.8	2.3
11	Acute infectious encephalitis	40	27	17	1.3	0.9	0.6
12	Typhus	10	4	2	0.3	0.1	0.1
13	Cancer	2,933	3,529	4,034	98.4	119.0	136.0
14	Diabetes mellitus	227	260	234	7.6	8.8	7.9
15	Intra-cranial lesions of vascular origin	2,077	2,392	2,782	69.6	80.7	93.8
16	Diseases of the heart	4,981	7,273	9,897	167.1	245.2	333.7
17	Other diseases of the circulatory system	439	734	839	14.7	24.7	28.3
18	Bronchitis	2,750	2,182	1,331	92.0	73.6	44.9
19	Pneumonia	2,476	2,420	1,643	83.0	81.6	55.4
20	Other diseases of the respiratory system	722	688	610	24.2	23.2	20.6
21	Ulcer of stomach or duodenum	274	327	260	9.2	11.0	8.8
22	Diarrhoea and enteritis, under 2 years	592	584	813	19.8	19.7	27.4
23	Appendicitis	169	189	110	5.7	6.4	3.7
24	Cirrhosis of the liver	95	72	55	3.2	2.4	1.9
25	Diseases of the liver and biliary passages	138	162	148	4.6	5.5	5.0
26	Other diseases of the digestive system	1,172	909	654	39.2	30.7	22.0
27	Nephritis	1,132	1,195	1,033	38.0	40.3	34.8
28	Puerperal infection	101	71	29	3.4	2.4	1.0
29	Other diseases of childbirth	190	170	110	6.4	5.7	3.7
30	Congenital debility, etc.	1,788	1,852	2,213	59.9	62.5	74.6
31	Senility	8,300	6,135	5,921	277.8	206.9	199.6
32	Suicide	89	98	77	3.0	3.3	2.6
33	Other violence	1,023	881	858	34.1	29.7	28.9
34	Other causes	4,793	3,959	3,215	160.4	133.6	108.4

TABLE 8 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1952 WITH RATES PER 100,000 POPULATION

Note - The classification of cause of death in this Table is based on the Abbreviated List 1948

Detailed List No.	Causes of Death	IRELAND <sup>1</sup>		SIX COUNTIES	
		Number	Rate	Number	Rate
001-008	Tuberculosis of respiratory system	1,207	40.9	325	23.6
010-019	Tuberculosis, other forms	372	12.6	85	6.2
020-029	Syphilis and its sequelae	50	1.7	33	2.4
040	Typhoid fever	2	0.0	2	0.1
043	Cholera	.	.	.	.
045-048	Dysentery, all forms	3	0.1	.	.
050,051	Scarlet fever and streptococcal sore throat	12	0.4	1	0.1
055	Diphtheria	7	0.2	.	.
056	Whooping cough	86	2.9	22	1.6
057	Meningococcal infections	27	0.9	9	0.7
058	Plague	.	.	.	.
080	Acute poliomyelitis	12	0.4	7	0.5
084	Smallpox	.	.	.	.
085	Measles	52	1.8	8	0.6
100-108	Typhus and other rickettsial diseases	.	.	.	.
110-117	Malaria	1	0.0	.	.
030-039,041, 042,044,049, 052-054,059-074,081-083, 086-096,120-138	All other diseases classified as infective and parasitic	108	3.7	39	2.9

<sup>1</sup> Exclusive of the Six Counties



TABLE 8 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1952 WITH  
RATES PER 100,000 POPULATION

Detailed List No.	Causes of Death	IRELAND/		SIX COUNTIES	
		Number	Rate	Number	Rate
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
	(a) Cancer	4,207	142.7	2,020	146.9
201 & 204	(b) Hodgkin's disease and leukaemia	150	5.1	81	5.9
210-239	Benign and unspecified neoplasms	174	5.9	57	4.1
260	Diabetes mellitus	192	6.5	75	5.5
290-293	Anaemias	274	9.3	67	4.9
330-334	Vascular lesions affecting central nervous system	3,034	102.9	1,928	140.2
340	Non-meningococcal meningitis	72	2.4	20	1.5
400-402	Rheumatic fever	75	2.5	41	3.0
410-416	Chronic rheumatic heart disease	380	12.9	188	13.7
420-422	Arteriosclerotic and degenerative heart disease	8,354	283.3	3,705	269.5
430-434	Other diseases of the heart	1,243	42.2	507	36.9
440-443	Hypertension with heart disease	486	16.5	442	32.2
444-447	Hypertension without mention of heart	545	18.5	156	11.3
480-483	Influenza	238	8.1	61	4.4
490-493	Pneumonia	979	33.2	549	39.9
500-502	Bronchitis	940	31.9	400	29.1
540,541	Ulcer of stomach and duodenum	221	7.5	105	7.6
550-553	Appendicitis	51	1.7	18	1.3

/ Exclusive of the Six Counties

TABLE 8 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1952 WITH RATES PER 100,000 POPULATION

Detailed List No.	Causes of Death	IRELAND <sup>1</sup>		SIX COUNTIES	
		Number	Rate	Number	Rate
560,561, 570	Intestinal obstruction and hernia	215	7.3	91	6.6
543,571, 572	Gastritis, duodenitis, enteritis and colitis except diarrhoea of newborn	266	9.0	121	8.8
581	Cirrhosis of liver	70	2.4	34	2.5
590-594	Nephritis and nephrosis	566	19.2	191	13.9
610	Hyperplasia of prostate	266	9.0	127	9.2
640-652, 670-689	Complications of pregnancy, child-birth and the puerperium	92	3.1	31	2.3
750-759	Congenital malformations	432	14.7	257	18.7
760-762	Birth injuries, postnatal asphyxia and atelectasis	399	13.5	236	17.2
763-768	Infections of newborn	116	3.9	41	3.0
769-776	Other diseases peculiar to early infancy and immaturity unqualified	868	29.4	262	19.1
780-795	Senility without mention of psychosis, ill-defined and unknown causes	4,470	151.7	837	60.9
	All other causes	2,929	99.3	1,163	84.6
E810-E835	Motor vehicle accidents	177	6.0	120	8.7
E800-E802 E840-E962	All other accidents	611	20.7	303	22.0
E963, E970-E979	Suicide and self-inflicted injury	66	2.2	41	3.0
E980-E999	Homicide and operations of war	8	0.3	6	0.4
	All causes	35,105	1,190.4	14,812	1,077.5

<sup>1</sup> Exclusive of the Six Counties

TABLE 9 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES CLASSIFIED BY AGE, REGISTERED DURING THE YEARS 1864-1952

PERIOD	ALL AGES	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
MALES														
1864-70	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-80	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-90	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-10	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-20	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-30	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-40	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-50	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
1952	18,918	1,788	126	86	136	152	413	726	1,391	2,420	4,866	5,446	1,301	67
FEMALES														
1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-80	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-50	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
1952	16,187	1,407	95	69	122	134	373	587	1,084	1,845	4,052	4,820	1,493	106
PERSONS														
1864-70	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-80	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-90	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-10	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-20	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-30	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-40	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-50	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240
1952	35,105	3,195	221	155	258	286	786	1,313	2,475	4,265	8,918	10,266	2,794	173

\* For the period 1864-70 the ages at death were unspecified for an average annual number of 80 persons, of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871-80 the ages at death were unspecified for an average annual number of 44 persons, of whom 29 were males and 15 were females. These numbers are included in the totals.



TABLE 10 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE, PER 1,000  
CORRESPONDING POPULATIONS, 1864-1952

PERIOD	ALL AGES	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
MALES													
1864-70	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-50	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951	14.92	12.67	0.93	0.60	1.33	1.98	2.65	4.13	9.60	22.69	56.50	143.09	294.47
1952	12.61	11.21	0.88	0.65	1.09	1.45	2.12	3.71	8.45	19.23	47.33	118.17	250.69
FEMALES													
1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.53	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-50	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.59	45.25	110.41	196.15
1951	13.69	9.76	0.69	0.71	1.25	2.11	2.51	4.00	7.48	17.89	47.92	126.75	257.30
1952	11.17	9.25	0.69	0.54	1.06	1.39	1.93	3.18	6.86	14.87	38.95	98.41	205.63
PERSONS													
1864-70	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-50	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951	14.32	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64
1952	11.90	10.25	0.79	0.60	1.07	1.42	2.02	3.46	7.67	17.07	43.11	107.99	224.21

TABLE 11 - MARRIAGES, BIRTHS AND DEATHS, REGISTERED

Provinces, Administrative Counties and County Boroughs	Area in Statute Acres	Population according to Census of Popula- tion 1951	Total No. of Marriages Registered	BIRTHS (Including Illegitimate)			
				Total No. Registered	Trans- ferred from Area	Trans- ferred to Area	Net Number
<b>TOTAL</b>	<b>17,024,092</b>	<b>2,960,593</b>	<b>15,876</b>	<b>64,631</b>	<b>-</b>	<b>-</b>	<b>64,631</b>
Leinster	4,851,453	1,336,576	8,573	31,799	635	299	31,463
Munster	5,962,045	898,870	4,309	19,273	261	213	19,225
Connacht	4,230,826	471,895	1,788	8,978	88	230	9,120
Ulster (part of)	1,979,768	253,252	1,206	4,581	32	274	4,823
PROVINCE OF							
Carlow	221,485	34,162	170	719	24	128	823
Dublin Co. Borough	21,907	522,183	4,406	16,734	5,294	97	11,537
Dun Laoghaire Borough	4,179	47,920	365	458	107	607	958
Dublin Co. (remainder)	201,757	122,919	728	1,347	107	2,977	4,217
Kildare	418,644	66,437	281	1,241	8	499	1,732
Kilkenny	509,470	65,235	309	1,318	54	114	1,378
Laoighis	424,892	48,430	205	977	15	117	1,079
Longford	257,936	34,553	130	636	38	92	690
Louth	202,806	68,771	404	2,017	430	58	1,645
Meath	577,824	66,337	311	912	2	524	1,434
Offaly	493,636	52,544	246	1,106	31	107	1,182
Westmeath	435,606	54,463	266	1,421	167	109	1,363
Wexford	581,061	90,032	382	1,888	18	120	1,990
Wicklow	500,250	62,590	370	1,025	13	423	1,435
PROVINCE OF							
Clare	787,704	81,329	263	1,417	14	164	1,567
Cork Co.	1,840,897	266,717	1,010	4,265	328	1,409	5,346
Cork Co. Borough	2,511	74,567	725	2,910	1,467	247	1,690
Kerry	1,161,706	126,644	572	2,561	24	99	2,636
Limerick Co.	658,948	90,419	306	1,671	10	423	2,084
Limerick Co. Borough	4,706	50,820	433	1,742	471	16	1,287
Tipperary, N.R.	493,258	57,009	277	1,443	165	80	1,358
Tipperary, S.R.	558,034	76,304	312	1,679	92	83	1,670
Waterford Co.	452,311	46,370	213	679	20	269	928
Waterford Co. Borough	1,970	28,691	198	906	260	13	659
PROVINCE OF							
Galway	1,467,665	160,204	625	3,555	177	58	3,436
Leitrim	376,764	41,209	137	682	8	82	756
Mayo	1,333,940	141,867	491	2,504	13	154	2,645
Roscommon	608,540	68,102	292	1,093	36	79	1,136
Sligo	443,917	60,513	243	1,144	39	42	1,147
PROVINCE OF							
Cavan	467,162	66,377	328	965	7	235	1,193
Donegal	1,193,621	131,530	581	2,503	16	36	2,523
Monaghan	318,985	55,345	297	1,113	79	73	1,107

## DURING 1952, IN EACH COUNTY AND COUNTY BOROUGH

ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths Net Number	Provinces, Administrative Counties and County Boroughs
Total No. Registered	Transferred from Area	Transferred to Area	Net Number	Total No. Registered	Transferred from Area	Transferred to Area	Net Number		
1,619	-	-	1,619	35,105	-	-	35,105	29,526	TOTAL
893	150	83	826	14,902	336	65	14,631	16,832	Leinster
537	91	60	506	11,219	54	147	11,312	7,913	Munster
81	3	58	136	5,856	23	125	5,958	3,162	Connacht
108	1	44	151	3,128	15	91	3,204	1,619	Ulster (part of)

## LEINSTER

19	1	13	31	412	23	28	417	406	Carlow
356	163	53	246	6,394	1,266	128	5,256	6,281	Dublin Co. Borough
5	2	13	16	460	71	177	566	392	Dun Laoghaire Borough
132	104	22	50	788	187	520	1,121	3,096	Dublin Co. (remainder)
23	.	33	56	617	9	96	704	1,028	Kildare
27	2	21	46	745	10	46	781	597	Kilkenny
5	.	18	23	612	31	38	619	460	Laoighis
14	1	12	25	390	.	37	427	263	Longford
37	3	13	47	746	22	46	770	875	Louth
22	.	27	49	700	12	85	773	661	Meath
14	.	19	33	597	3	46	640	542	Offaly
142	109	15	48	689	51	31	669	694	Westmeath
48	.	38	86	1,147	8	35	1,174	816	Wexford
49	1	22	70	605	16	125	714	721	Wicklow

## MUNSTER

22	.	20	42	993	.	43	1,036	531	Clare
175	56	17	136	3,500	345	313	3,468	1,878	Cork Co.
11	2	18	27	902	316	305	891	799	Cork Co. Borough
43	.	14	57	1,561	3	50	1,608	1,028	Kerry
73	3	26	96	989	33	194	1,150	934	Limerick Co.
15	1	2	16	697	200	33	530	757	Limerick Co. Borough
133	111	12	34	713	23	52	742	616	Tipperary, N.R.
29	1	21	49	957	34	22	945	725	Tipperary, S.R.
29	2	16	43	478	21	129	586	342	Waterford Co.
7	1	.	6	429	101	28	356	303	Waterford Co. Borough

## CONNACHT

49	15	17	51	1,750	48	56	1,758	1,678	Galway
5	.	11	16	511	4	58	565	191	Leitrim
10	.	22	32	1,778	14	37	1,801	844	Mayo
4	.	14	18	942	32	68	978	158	Roscommon
13	4	10	19	875	38	19	856	291	Sligo

## ULSTER (part of)

14	.	27	41	802	5	69	866	327	Cavan
79	1	14	92	1,644	10	19	1,653	870	Donegal
15	.	3	18	682	27	30	685	422	Monaghan



TABLE 12 - MARRIAGES, BIRTHS AND DEATHS, CLASSIFIED BY SEX, REGISTERED DURING 1952, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH

PROVINCES AND COUNTIES	MARRI- AGES	BIRTHS						DEATHS						
		Total (including illegitimate)			Illegitimate			Total			Under 1 year of Age	Prin- cipal Epi- demic Dis- eases	Tuber- culosis	Malig- nant Neo- plasm
		Males	Fe- males	Total	Males	Fe- males	Total	Males	Fe- males	Total	Total	Total	Total	Total
<b>TOTAL</b>	<b>15,876</b>	<b>33,026</b>	<b>31,605</b>	<b>64,631</b>	<b>816</b>	<b>803</b>	<b>1,619</b>	<b>18,918</b>	<b>16,187</b>	<b>35,105</b>	<b>2,674</b>	<b>320</b>	<b>1,579</b>	<b>4,182</b>
Carlow	170	414	409	823	22	9	31	207	210	417	39	4	14	45
Dublin Co. Boro'	4,406	5,859	5,678	11,537	125	121	246	2,667	2,589	5,256	433	28	301	748
Dun Laoghaire Boro'	365	502	456	958	8	8	16	288	278	566	45	-	16	84
Dublin Co. (re- mainder)	728	2,154	2,063	4,217	27	23	50	563	558	1,121	164	12	71	143
Kildare	281	892	840	1,732	29	27	56	405	299	704	75	9	33	81
Kilkenny	309	701	677	1,378	23	23	46	425	356	781	64	3	35	82
Laoighis	205	550	529	1,079	12	11	23	340	279	619	46	5	29	74
Longford	130	366	324	690	13	12	25	238	189	427	29	1	10	50
Louth	404	815	830	1,645	20	27	47	401	369	770	67	5	46	100
Meath	311	721	713	1,434	27	22	49	438	335	773	60	7	37	109
Offaly	246	627	555	1,182	19	14	33	345	295	640	65	9	20	76
Westmeath	266	681	682	1,363	22	26	48	390	279	669	55	3	37	91
Wexford	382	1,035	955	1,990	48	38	86	609	565	1,174	80	17	43	135
Wicklow	370	704	731	1,435	32	38	70	385	329	714	73	8	28	75
<b>LEINSTER</b>	<b>8,573</b>	<b>16,021</b>	<b>15,442</b>	<b>31,463</b>	<b>427</b>	<b>399</b>	<b>826</b>	<b>7,701</b>	<b>6,930</b>	<b>14,631</b>	<b>1,295</b>	<b>111</b>	<b>720</b>	<b>1,893</b>
Clare	263	783	784	1,567	24	18	42	567	469	1,036	61	12	64	126
Cork Co.	1,010	2,689	2,657	5,346	73	63	136	1,866	1,602	3,468	206	27	153	428
Cork Co. Boro'	725	869	821	1,690	14	13	27	441	450	891	76	15	40	114
Kerry	572	1,394	1,242	2,636	29	28	57	887	721	1,608	117	18	78	144
Limerick Co.	306	1,079	1,005	2,084	50	46	96	639	511	1,150	85	13	53	132
Limerick Co. Boro'	433	687	600	1,287	7	9	16	288	242	530	65	24	35	55
Tipperary, N.R.	277	709	649	1,358	12	22	34	393	349	742	70	7	23	78
Tipperary, S.R.	312	884	786	1,670	20	29	49	545	400	945	83	5	35	125
Waterford Co.	213	477	451	928	17	26	43	353	233	586	37	1	23	87
Waterford Co. Boro'	198	339	320	659	4	2	6	192	164	356	36	8	26	49
<b>MUNSTER</b>	<b>4,309</b>	<b>9,910</b>	<b>9,315</b>	<b>19,225</b>	<b>250</b>	<b>256</b>	<b>506</b>	<b>6,171</b>	<b>5,141</b>	<b>11,312</b>	<b>836</b>	<b>130</b>	<b>530</b>	<b>1,338</b>
Galway	625	1,729	1,707	3,436	19	32	51	961	797	1,758	101	23	70	207
Leitrim	137	382	374	756	10	6	16	330	235	565	28	3	17	50
Mayo	491	1,332	1,313	2,645	14	18	32	974	827	1,801	103	19	70	176
Roscommon	292	603	533	1,136	11	7	18	543	435	978	47	5	29	110
Sligo	243	590	557	1,147	10	9	19	471	385	856	62	7	36	88
<b>CONNACHT</b>	<b>1,788</b>	<b>4,636</b>	<b>4,484</b>	<b>9,120</b>	<b>64</b>	<b>72</b>	<b>136</b>	<b>3,279</b>	<b>2,679</b>	<b>5,958</b>	<b>341</b>	<b>57</b>	<b>222</b>	<b>631</b>
Cavan	328	601	592	1,193	22	19	41	471	395	866	49	5	30	96
Donegal	581	1,269	1,254	2,523	44	48	92	921	732	1,653	105	11	66	166
Monaghan	297	589	518	1,107	9	9	18	375	310	685	48	6	11	58
<b>ULSTER (part of)</b>	<b>1,206</b>	<b>2,459</b>	<b>2,364</b>	<b>4,823</b>	<b>75</b>	<b>76</b>	<b>151</b>	<b>1,767</b>	<b>1,437</b>	<b>3,204</b>	<b>202</b>	<b>22</b>	<b>107</b>	<b>320</b>

\* Includes Typhoid fever, Scarlet fever, Whooping cough, Diphtheria, Dysentery, Measles, Enteritis and Colitis (under 2 years) and Diarrhoea of newborn.

TABLE 13 - MARRIAGE, BIRTH AND DEATH RATES IN 1952, IN EACH COUNTY AND COUNTY BOROUGH,  
AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND DEATH RATES FOR SOME OF THE  
PRINCIPAL DISEASES

PROVINCE AND COUNTRIES	Marriages per 1,000 Popula- tion	BIRTHS		DEATH RATE PER 1,000 POPULATION				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Popula- tion	Illegit- imate % of total Births	All Causes	Principal Epidemic Diseases*	Tuber- culosis	Malignant Neoplasms	
<b>TOTAL</b>	<b>5.38</b>	<b>21.92</b>	<b>2.50</b>	<b>11.90</b>	<b>0.11</b>	<b>0.54</b>	<b>1.42</b>	<b>41.37</b>
Carlow	4.98	24.09	3.77	12.21	0.12	0.41	1.32	47.39
Dublin Co. Borough	8.39	21.96	2.13	10.00	0.05	0.57	1.42	37.53
Dun Laoghaire Borough	7.62	19.99	1.67	11.81	-	0.33	1.75	46.97
Dublin Co. (remainder)	5.92	34.31	1.19	9.12	0.10	0.58	1.16	38.89
Kildare	4.23	26.07	3.23	10.60	0.14	0.50	1.22	43.30
Kilkenny	4.74	21.12	3.34	11.97	0.05	0.54	1.26	46.44
Laoighis	4.23	22.28	2.13	12.78	0.10	0.60	1.53	42.63
Longford	3.76	19.97	3.62	12.36	0.03	0.29	1.45	42.03
Louth	5.87	23.92	2.86	11.20	0.07	0.67	1.45	40.73
Meath	4.69	21.62	3.42	11.65	0.11	0.56	1.64	41.84
Offaly	4.68	22.50	2.79	12.18	0.17	0.38	1.45	54.99
Westmeath	4.88	25.03	3.52	12.28	0.06	0.68	1.67	40.35
Wexford	4.24	22.10	4.32	13.04	0.19	0.48	1.50	40.20
Wicklow	5.91	22.93	4.88	11.41	0.13	0.45	1.20	50.87
<b>LEINSTER</b>	<b>6.41</b>	<b>23.54</b>	<b>2.63</b>	<b>10.95</b>	<b>0.08</b>	<b>0.54</b>	<b>1.42</b>	<b>41.16</b>
Clare	3.23	19.27	2.68	12.74	0.15	0.79	1.55	38.93
Cork Co.	3.79	20.04	2.54	13.00	0.10	0.57	1.60	38.53
Cork Co. Borough	9.72	22.66	1.60	11.95	0.20	0.54	1.53	44.97
Kerry	4.52	20.81	2.16	12.70	0.14	0.62	1.14	44.39
Limerick Co.	3.38	23.05	4.61	12.72	0.14	0.59	1.46	40.79
Limerick Co. Borough	8.52	25.32	1.24	10.43	0.47	0.69	1.08	50.51
Tipperary, N.R.	4.86	23.82	2.50	13.02	0.12	0.40	1.37	51.55
Tipperary, S.R.	4.09	21.89	2.93	12.38	0.07	0.46	1.64	49.70
Waterford Co.	4.59	20.01	4.63	12.64	0.02	0.50	1.88	39.87
Waterford Co. Borough	6.90	22.97	0.91	12.41	0.28	0.91	1.71	54.63
<b>MUNSTER</b>	<b>4.79</b>	<b>21.39</b>	<b>2.63</b>	<b>12.58</b>	<b>0.14</b>	<b>0.59</b>	<b>1.49</b>	<b>43.49</b>
Galway	3.90	21.45	1.48	10.97	0.14	0.44	1.29	29.39
Leitrim	3.32	18.35	2.12	13.71	0.07	0.41	1.21	37.04
Mayo	3.46	18.64	1.21	12.69	0.13	0.49	1.24	38.94
Roscommon	4.29	16.68	1.58	14.36	0.07	0.43	1.62	41.37
Sligo	4.02	18.95	1.66	14.15	0.12	0.59	1.45	54.05
<b>CONNACHT</b>	<b>3.79</b>	<b>19.33</b>	<b>1.49</b>	<b>12.63</b>	<b>0.12</b>	<b>0.47</b>	<b>1.34</b>	<b>37.39</b>
Cavan	4.94	17.97	3.44	13.05	0.08	0.45	1.45	41.07
Donegal	4.42	19.18	3.65	12.57	0.08	0.50	1.26	41.62
Monaghan	5.37	20.00	1.63	12.38	0.11	0.20	1.05	43.36
<b>ULSTER (part of)</b>	<b>4.76</b>	<b>19.04</b>	<b>3.13</b>	<b>12.65</b>	<b>0.09</b>	<b>0.42</b>	<b>1.26</b>	<b>41.88</b>

\* See note on Table 12.

TABLE 14 - BIRTHS AND DEATHS, CLASSIFIED BY SEX, REGISTERED DURING 1952, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME OF THE PRINCIPAL CAUSES SEPARATELY, IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS

AREA	BIRTHS						DEATHS					
	Total (including Illegitimate)			Illegitimate			Total			Under 1 year of age	Tuber- culosis	Malig- nant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Dublin Co. Boro' and Dun Laoghaire Borough	6,361	6,134	12,495	133	129	262	2,955	2,867	5,822	478	317	832
Remaining Co.Boro's	1,895	1,741	3,636	25	24	49	921	856	1,777	177	101	218
Galway Borough	238	253	491	1	•	1	111	93	204	15	11	31
Dundalk U.D.	247	241	488	3	6	9	114	100	214	21	15	22
Drogheda "	184	208	392	4	4	8	78	83	161	20	12	26
Sligo "	156	139	295	4	1	5	84	65	149	25	14	12
Wexford "	134	120	254	2	2	4	74	71	145	10	8	21
Kilkenny "	141	145	286	•	•	•	53	61	114	11	5	18
Bray "	125	140	265	2	1	3	65	54	119	10	9	10
Tralee "	130	108	238	•	2	2	70	65	135	16	11	11
Clonmel "	139	133	272	•	•	•	55	51	106	12	6	12
Total above	9,750	9,362	19,112	174	169	343	4,580	4,366	8,946	795	509	1,213
All other Urban Districts	2,051	1,984	4,035	34	34	68	1,048	1,034	2,082	191	128	257
All Boroughs and Urban Districts	11,801	11,346	23,147	208	203	411	5,628	5,400	11,028	986	637	1,470
All Rural Districts	21,225	20,259	41,484	608	600	1,208	13,290	10,787	24,077	1,688	942	2,712
All Co. Boroughs and Urban Districts:-												
Leinster	7,976	7,770	15,746	159	155	314	3,727	3,604	7,331	640	406	1,019
Munster	3,066	2,808	5,874	41	40	81	1,538	1,440	2,978	284	179	369
Connacht	565	583	1,148	7	6	13	259	245	504	47	37	62
Ulster (part of)	194	185	379	1	2	3	104	111	215	15	15	20
All Rural Districts:-												
Leinster	8,045	7,672	15,717	268	244	512	3,974	3,326	7,300	655	314	874
Munster	6,844	6,507	13,351	209	216	425	4,633	3,701	8,334	552	351	969
Connacht	4,071	3,901	7,972	57	66	123	3,020	2,434	5,454	294	185	569
Ulster (part of)	2,265	2,179	4,444	74	74	148	1,663	1,326	2,989	187	92	300
TOTAL	33,026	31,605	64,631	816	803	1,619	18,918	16,187	35,105	2,674	1,579	4,182

Note - Principal Towns referred to in the Report are Dublin County Borough, Dun Laoghaire Borough, Cork County Borough, Limerick County Borough, Waterford County Borough, Galway Borough and the Urban Districts of Dundalk, Drogheda, Sligo, Wexford, Kilkenny, Bray, Tralee and Clonmel.



TABLE 15 - BIRTH AND DEATH RATES IN 1952 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES

AREA	BIRTHS		DEATH RATE PER 1,000 POPULATION			Deaths under 1 year per 1,000 Births
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms	
Dublin Co. Borough and Dun Laoghaire Borough	21.77	2.10	10.14	0.55	1.45	38.26
Remaining Co. Boroughs	23.60	1.35	11.53	0.66	1.41	48.68
Galway Borough	23.03	0.20	9.57	0.52	1.45	30.55
Dundalk U.D.	24.80	1.84	10.88	0.76	1.12	43.03
Drogheda "	23.36	2.04	9.60	0.72	1.55	51.02
Sligo "	21.81	1.69	11.01	1.03	0.89	84.75
Wexford "	21.20	1.57	12.10	0.67	1.75	39.37
Kilkenny "	27.05	.	10.78	0.47	1.70	38.46
Bray "	21.97	1.13	9.87	0.75	0.83	37.74
Tralee "	21.55	0.84	12.22	1.00	1.00	67.23
Clonmel "	25.98	.	10.12	0.57	1.15	44.12
Total above Principal Towns*	22.44	1.79	10.50	0.60	1.42	41.60
All other Urban Districts	21.34	1.69	11.01	0.68	1.36	47.34
All Boroughs and Urban Districts	22.24	1.78	10.60	0.61	1.41	42.60
All Rural Districts	21.61	2.91	12.54	0.49	1.41	40.69
All Co. Boroughs and Urban Districts						
Leinster	22.31	1.99	10.39	0.58	1.44	40.65
Munster	22.83	1.38	11.57	0.70	1.43	48.35
Connacht	20.85	1.13	9.15	0.67	1.13	40.94
Ulster (part of)	16.72	0.79	9.48	0.66	0.88	39.58
All Rural Districts						
Leinster	24.91	3.26	11.57	0.50	1.39	41.67
Munster	20.81	3.18	12.99	0.55	1.51	41.35
Connacht	19.12	1.54	13.08	0.44	1.37	36.88
Ulster (part of)	19.27	3.33	12.96	0.40	1.30	42.08
TOTAL	21.92	2.50	11.90	0.54	1.42	41.37

\* See footnote to Table 14.

TABLE 16 - MARRIAGES REGISTERED IN EACH

PROVINCES AND COUNTIES	Total Marriages	Catholic Marriages	MARRIAGES OTHER THAN CATHOLIC						
			Total	Protestant Episcopal	In Registered Presbyterian Meeting Houses	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews
<b>TOTAL</b>	<b>15,876</b>	<b>14,985</b>	<b>891</b>	<b>582</b>	<b>147</b>	<b>32</b>	<b>98</b>	<b>2</b>	<b>30</b>
LEINSTER	8,573	7,997	576	389	45	17	94	2	29
MUNSTER	4,309	4,219	90	75	4	6	4	.	1
CONNACHT	1,788	1,759	29	25	3	1	.	.	.
ULSTER (part of)	1,206	1,010	196	93	95	8	.	.	.

PROVINCE OF									
Carlow	170	156	14	14	.	.	.	.	.
Dublin Co. Borough	4,406	4,082	324	162	27	14	92	.	29
Dun Laoghaire Borough	365	309	56	43	11	.	.	2	.
Dublin Co. (remainder)	728	688	40	40	.	.	.	.	.
Kildare	281	271	10	10	.	.	.	.	.
Kilkenny	309	299	10	8	.	1	1	.	.
Laoighis	205	183	22	22	.	.	.	.	.
Longford	130	124	6	6	.	.	.	.	.
Louth	404	395	9	4	5	.	.	.	.
Meath	311	298	13	12	1	.	.	.	.
Offaly	246	237	9	7	.	2	.	.	.
Westmeath	266	262	4	4	.	.	.	.	.
Wexford	382	366	16	16	.	.	.	.	.
Wicklow	370	327	43	41	1	.	1	.	.

PROVINCE OF									
Clare	263	262	1	1	.	.	.	.	.
Cork Co.	1,010	972	38	34	1	2	1	.	.
Cork Co. Borough	725	715	10	5	.	2	2	.	1
Kerry	572	570	2	2	.	.	.	.	.
Limerick Co.	306	299	7	6	.	1	.	.	.
Limerick Co. Borough	433	430	3	2	1	.	.	.	.
Tipperary, N.R.	277	260	17	16	1	.	.	.	.
Tipperary, S.R.	312	308	4	4	.	.	.	.	.
Waterford Co.	213	210	3	3	.	.	.	.	.
Waterford Co. Borough	198	193	5	2	1	1	1	.	.

PROVINCE OF									
Galway	625	625	.	.	.	.	.	.	.
Leitrim	137	130	7	7	.	.	.	.	.
Mayo	491	486	5	5	.	.	.	.	.
Roscommon	292	290	2	2	.	.	.	.	.
Sligo	243	228	15	11	3	1	.	.	.

PROVINCE OF									
Cavan	328	269	59	48	9	2	.	.	.
Donegal	581	495	86	28	52	6	.	.	.
Monaghan	297	246	51	17	34	.	.	.	.

## COUNTY AND COUNTY BOROUGH DURING 1952

TOTAL MARRIAGES REGISTERED IN THE QUARTER ENDING THE LAST DAY OF				MARRIAGES						PROVINCES AND COUNTIES	
March	June	Sept.	Dec.	Contracted between				Persons not of full age			
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women		
3,373	3,754	5,196	3,553	15,165	153	459	99	291	1,348	TOTAL	
1,674	1,940	3,067	1,892	8,172	86	256	59	197	834	LEINSTER	
984	1,001	1,278	1,046	4,123	47	119	20	64	329	MUNSTER	
452	505	460	371	1,713	12	52	11	17	96	CONNACHT	
263	308	391	244	1,157	8	32	9	13	89	ULSTER (part of)	
LEINSTER											
38	38	56	38	157	7	5	1	5	20	Carlow	
834	942	1,672	958	4,205	36	134	31	105	380	Dublin Co. Borough	
64	76	154	71	342	5	15	3	5	20	Dun Laoghaire Borough	
130	189	270	139	681	9	30	8	13	53	Dublin Co. (remainder)	
66	73	97	45	272	1	6	2	9	49	Kildare	
70	62	89	88	299	2	6	2	5	23	Kilkenny	
36	60	61	48	200	2	3	.	3	32	Laoighis	
23	35	48	24	129	.	1	.	2	12	Longford	
80	87	140	97	391	4	7	2	9	49	Louth	
48	85	92	86	299	3	7	2	3	43	Meath	
69	54	78	45	234	5	4	3	5	22	Offaly	
56	81	70	59	249	6	8	3	8	29	Westmeath	
89	82	112	99	362	3	16	1	10	64	Wexford	
71	76	128	95	352	3	14	1	15	38	Wicklow	
MUNSTER											
72	74	51	66	253	4	4	2	1	13	Clare	
232	233	300	245	970	9	26	5	12	69	Cork Co.	
126	178	231	190	698	6	18	3	9	43	Cork Co. Borough	
157	126	153	136	549	9	10	4	4	22	Kerry	
82	68	83	73	287	2	15	2	5	23	Limerick Co.	
69	100	144	120	417	1	15	.	15	44	Limerick Co. Borough	
79	58	70	70	258	5	11	3	3	30	Tipperary, N.R.	
81	70	94	67	299	7	6	.	9	38	Tipperary, S.R.	
44	49	67	53	202	1	9	1	2	22	Waterford Co.	
42	45	85	26	190	3	5	.	4	25	Waterford Co. Borough	
CONNACHT											
169	173	164	119	605	3	15	2	5	32	Galway	
19	27	51	40	130	1	5	1	2	7	Leitrim	
139	138	110	104	467	2	17	5	5	30	Mayo	
75	91	68	58	277	4	10	1	4	17	Roscommon	
50	76	67	50	234	2	5	2	1	10	Sligo	
ULSTER (part of)											
47	111	99	71	310	3	12	3	3	21	Cavan	
149	131	184	117	563	3	13	2	7	50	Donegal	
67	66	108	56	284	2	7	4	3	18	Monaghan	



TABLE 17 - DEATHS IN 1952 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Under 1 year	550	436	986	948	740	1,688	1,498	1,176	2,674
1	46	45	91	97	61	158	143	106	249
2	23	21	44	46	44	90	69	65	134
3	9	13	22	38	19	57	47	32	79
4	16	11	27	15	17	32	31	28	59
1 - 4 years	94	90	184	196	141	337	290	231	521
5	11	6	17	22	17	39	33	23	56
6	9	4	13	19	24	43	28	28	56
7	5	4	9	16	8	24	21	12	33
8	11	8	19	14	15	29	25	23	48
9	5	3	8	14	6	20	19	9	28
5 - 9 years	41	25	66	85	70	155	126	95	221
10	9	2	11	9	8	17	18	10	28
11	4	9	13	8	12	20	12	21	33
12	12	3	15	6	4	10	18	7	25
13	5	9	14	16	4	20	21	13	34
14	7	7	14	10	11	21	17	18	35
10 - 14 years	37	30	67	49	39	88	86	69	155
15	16	8	24	14	14	28	30	22	52
16	8	10	18	15	13	28	23	23	46
17	9	8	17	21	19	40	30	27	57
18	9	11	20	15	12	27	24	23	47
19	8	10	18	21	17	38	29	27	56
15 - 19 years	50	47	97	86	75	161	136	122	258
20	9	11	20	17	18	35	26	29	55
21	7	11	18	27	10	37	34	21	55
22	7	7	14	20	15	35	27	22	49
23	13	13	26	20	19	39	33	32	65
24	11	12	23	21	18	39	32	30	62
20 - 24 years	47	54	101	105	80	185	152	134	286
25	11	8	19	19	20	39	30	28	58
26	14	16	30	18	18	36	32	34	66
27	15	6	21	23	26	49	38	32	70
28	8	16	24	28	24	52	36	40	76
29	13	18	31	20	31	51	33	49	82
25 - 29 years	61	64	125	108	119	227	169	183	352
30	23	15	38	39	27	66	62	42	104
31	9	13	22	23	24	47	32	37	69
32	17	13	30	35	25	60	52	38	90
33	19	13	32	34	29	63	53	42	95
34	14	8	22	31	23	54	45	31	76
30 - 34 years	82	62	144	162	128	290	244	190	434

TABLE 17 (contd.) - DEATHS IN 1952 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
35	22	17	39	40	31	71	62	48	110
36	20	12	32	46	34	80	66	46	112
37	21	13	34	50	28	78	71	41	112
38	26	26	52	32	44	76	58	70	128
39	25	17	42	33	38	71	58	55	113
<b>35 - 39 years</b>	<b>114</b>	<b>85</b>	<b>199</b>	<b>201</b>	<b>175</b>	<b>376</b>	<b>315</b>	<b>260</b>	<b>575</b>
40	33	28	61	62	53	115	95	81	176
41	25	22	47	45	25	70	70	47	117
42	42	31	73	61	48	109	103	79	182
43	24	18	42	42	32	74	66	50	116
44	26	26	52	51	44	95	77	70	147
<b>40 - 44 years</b>	<b>150</b>	<b>125</b>	<b>275</b>	<b>261</b>	<b>202</b>	<b>463</b>	<b>411</b>	<b>327</b>	<b>738</b>
45	33	36	69	64	58	122	97	94	191
46	40	44	84	52	45	97	92	89	181
47	35	33	68	56	39	95	91	72	163
48	51	30	81	81	67	148	132	97	229
49	58	44	102	67	57	124	125	101	226
<b>45 - 49 years</b>	<b>217</b>	<b>187</b>	<b>404</b>	<b>320</b>	<b>266</b>	<b>586</b>	<b>537</b>	<b>453</b>	<b>990</b>
50	81	50	131	106	90	196	187	140	327
51	68	38	106	65	68	133	133	106	239
52	84	63	147	116	90	206	200	153	353
53	64	45	109	70	60	130	134	105	239
54	81	53	134	119	74	193	200	127	327
<b>50 - 54</b>	<b>378</b>	<b>249</b>	<b>627</b>	<b>476</b>	<b>382</b>	<b>858</b>	<b>854</b>	<b>631</b>	<b>1,485</b>
55	64	46	110	98	83	181	162	129	291
56	110	77	187	102	103	205	212	180	392
57	91	55	146	113	64	177	204	119	323
58	95	67	162	124	94	218	219	161	380
59	99	43	142	109	89	198	208	132	340
<b>55 - 59 years</b>	<b>459</b>	<b>288</b>	<b>747</b>	<b>546</b>	<b>433</b>	<b>979</b>	<b>1,005</b>	<b>721</b>	<b>1,726</b>
60	121	79	200	210	149	359	331	228	559
61	85	66	151	113	99	212	198	165	363
62	106	100	206	182	139	321	288	239	527
63	123	88	211	168	137	305	291	225	516
64	113	106	219	194	161	355	307	267	574
<b>60 - 64 years</b>	<b>548</b>	<b>439</b>	<b>987</b>	<b>867</b>	<b>685</b>	<b>1,552</b>	<b>1,415</b>	<b>1,124</b>	<b>2,539</b>
65	153	111	264	304	203	507	457	314	771
66	99	97	196	220	149	369	319	246	565
67	119	108	227	225	152	377	344	260	604
68	140	128	268	348	226	574	488	354	842
69	144	116	260	287	199	486	431	315	746
<b>65 - 69 years</b>	<b>655</b>	<b>560</b>	<b>1,215</b>	<b>1,384</b>	<b>929</b>	<b>2,313</b>	<b>2,039</b>	<b>1,489</b>	<b>3,528</b>

TABLE 17 (contd.) - DEATHS IN 1952 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
70	200	202	402	374	321	695	574	523	1,097
71	138	140	278	333	239	572	471	379	850
72	170	191	361	434	366	800	604	557	1,161
73	156	204	360	419	348	767	575	552	1,127
74	159	161	320	444	391	835	603	552	1,155
70 - 74 years	823	898	1,721	2,004	1,665	3,669	2,827	2,563	5,390
75	174	190	364	513	416	929	687	606	1,293
76	171	177	348	534	387	921	705	564	1,269
77	133	129	262	463	352	815	596	481	1,077
78	149	153	302	466	356	822	615	509	1,124
79	97	123	220	418	344	762	515	467	982
75 - 79 years	724	772	1,496	2,394	1,855	4,249	3,118	2,627	5,745
80	111	168	279	526	459	985	637	627	1,264
81	74	90	164	325	271	596	399	361	760
82	99	121	220	382	353	735	481	474	955
83	64	109	173	326	270	596	390	379	769
84	72	84	156	349	268	617	421	352	773
80 - 84 years	420	572	992	1,908	1,621	3,529	2,328	2,193	4,521
85	46	88	134	253	243	496	299	331	630
86	30	85	115	234	204	438	264	289	553
87	24	53	77	178	153	331	202	206	408
88	28	34	62	148	121	269	176	155	331
89	14	38	52	83	84	167	97	122	219
85 - 89 years	142	298	440	896	805	1,701	1,038	1,103	2,141
90	8	34	42	89	111	200	97	145	242
91	6	21	27	37	50	87	43	71	114
92	7	18	25	52	59	111	59	77	136
93	4	9	13	38	37	75	42	46	88
94	4	14	18	18	37	55	22	51	73
90 - 94 years	29	96	125	234	294	528	263	390	653
95	4	13	17	13	26	39	17	39	56
96	1	4	5	14	17	31	15	21	36
97	.	1	1	10	13	23	10	14	24
98	.	4	4	12	10	22	12	14	26
99	.	1	1	1	9	10	1	10	11
95 - 99 years	5	23	28	50	75	125	55	98	153
100 and over	2	.	2	10	8	18	12	8	20
TOTAL	5,628	5,400	11,028	13,290	10,787	24,077	18,918	16,187	35,105





TABLE 18 - DEATHS, CLASSIFIED BY SEX AND AGE, REGISTERED

AREA		TOTAL DEATHS	AGE AT							
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14
TOTAL	Males	18,918	1,498	143	69	47	31	1,788	126	86
	Females	16,187	1,176	106	65	32	28	1,407	95	69
	Persons	35,105	2,674	249	134	79	59	3,195	221	155
LEINSTER	Males	7,701	703	62	25	18	15	823	52	45
	Females	6,930	592	53	27	12	12	696	37	39
	Persons	14,631	1,295	115	52	30	27	1,519	89	84
MUNSTER	Males	6,171	494	49	29	17	8	597	41	26
	Females	5,141	342	28	21	13	8	412	33	19
	Persons	11,312	836	77	50	30	16	1,009	74	45
CONNACHT	Males	3,279	178	23	10	9	4	224	21	10
	Females	2,679	163	17	10	4	6	200	18	7
	Persons	5,958	341	40	20	13	10	424	39	17
ULSTER (part of)	Males	1,767	123	9	5	3	4	144	12	5
	Females	1,437	79	8	7	3	2	99	7	4
	Persons	3,204	202	17	12	6	6	243	19	9
LEINSTER CARLOW	Males	207	16	1	2	.	.	19	3	.
	Females	210	23	2	1	.	.	26	1	3
	Persons	417	39	3	3	.	.	45	4	3
DUBLIN COUNTY (Excluding Dun Laoghaire Borough)	Males	563	91	4	3	3	2	103	5	7
	Females	558	73	2	2	1	2	80	3	4
	Persons	1,121	164	6	5	4	4	183	8	11
DUBLIN COUNTY BOROUGH	Males	2,667	237	16	7	3	6	269	13	19
	Females	2,589	196	21	6	3	5	231	11	15
	Persons	5,256	433	37	13	6	11	500	24	34
DUN LAOGHAIRE BOROUGH	Males	288	28	5	1	.	.	34	3	3
	Females	278	17	1	.	.	.	18	.	1
	Persons	566	45	6	1	.	.	52	3	4
KILDARE	Males	405	42	4	2	1	1	50	5	3
	Females	299	33	3	4	3	1	44	3	3
	Persons	704	75	7	6	4	2	94	8	6
KILKENNY	Males	425	34	3	2	1	3	43	1	1
	Females	356	30	2	3	.	.	35	2	1
	Persons	781	64	5	5	1	3	78	3	2
LAOIGHIS	Males	340	23	3	1	2	.	29	2	.
	Females	279	23	3	2	.	.	28	2	1
	Persons	619	46	6	3	2	.	57	4	1
LONGFORD	Males	230	18	2	.	.	1	21	3	1
	Females	189	11	1	.	.	.	12	.	.
	Persons	427	29	3	.	.	1	33	3	1

## DURING 1952, FOR EACH COUNTY AND COUNTY BOROUGH

## DEATH

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
136	152	169	244	315	411	537	854	1,005	1,415	2,039	2,827	3,118	2,328	1,038	263	55	12
122	134	183	190	260	327	453	631	721	1,124	1,489	2,563	2,627	2,193	1,103	390	98	8
258	286	352	434	575	738	990	1,485	1,726	2,539	3,528	5,390	5,745	4,521	2,141	653	153	20
60	68	77	111	136	186	253	413	502	660	876	1,156	1,162	721	307	80	10	3
53	55	91	97	111	151	216	277	371	547	701	1,073	1,030	814	398	140	33	.
113	123	168	208	247	337	469	690	873	1,207	1,577	2,229	2,192	1,535	705	220	43	3
43	48	49	86	102	127	157	261	310	474	674	937	1,051	785	311	74	16	2
39	47	57	56	80	107	111	208	198	344	486	875	873	705	345	110	32	4
82	95	106	142	182	234	268	469	508	818	1,160	1,812	1,924	1,490	656	184	48	6
24	25	28	28	51	65	79	116	124	177	321	459	584	554	294	73	20	2
19	18	24	23	44	48	80	88	96	139	188	390	472	472	232	103	15	3
43	43	52	51	95	113	159	204	220	316	509	849	1,056	1,026	526	176	35	5
9	11	15	19	26	33	48	64	69	104	168	275	321	268	126	36	9	5
11	14	11	14	25	21	46	58	56	94	114	225	252	202	128	37	18	1
20	25	26	33	51	54	94	122	125	198	282	500	573	470	254	73	27	6
3	2	1	6	3	3	6	10	4	13	29	26	48	19	10	2	.	.
1	2	2	3	2	3	7	7	8	18	21	31	36	24	8	4	3	.
4	4	3	9	5	6	13	17	12	31	50	57	84	43	18	6	3	.
4	9	6	12	11	16	21	26	26	41	48	64	82	55	21	5	1	.
7	6	11	10	18	13	22	21	23	42	47	88	56	65	25	12	5	.
11	15	17	22	29	29	43	47	49	83	95	152	138	120	46	17	6	.
24	19	32	36	57	80	122	203	234	294	325	374	331	161	56	15	3	.
25	26	31	33	42	66	103	127	157	223	296	395	349	257	149	45	8	.
49	45	63	69	99	146	225	330	391	517	621	769	680	418	205	60	11	.
2	3	2	1	8	3	13	13	31	17	36	37	32	31	17	2	.	.
1	1	4	3	.	3	8	10	12	26	22	43	45	43	27	8	3	.
3	4	6	4	8	6	21	23	43	43	58	80	77	74	44	10	3	.
3	3	7	9	3	14	8	15	15	34	40	70	64	39	15	7	1	.
1	1	5	5	4	6	5	9	16	32	26	42	37	41	14	5	.	.
4	4	12	14	7	20	13	24	31	66	66	112	101	80	29	12	1	.
1	3	2	4	5	8	6	21	30	25	51	77	64	54	19	9	1	..
2	2	5	8	7	8	7	12	18	25	39	54	55	44	20	11	1	.
3	5	7	12	12	16	13	33	48	50	90	131	119	98	39	20	2	.
1	8	3	6	5	7	8	15	13	26	40	52	64	40	16	5	.	.
.	.	4	5	5	7	6	7	19	24	25	39	52	32	17	5	1	.
1	8	7	11	10	14	14	22	32	50	65	91	116	72	33	10	1	.
.	1	.	2	3	5	3	8	11	17	29	32	49	34	13	4	.	2
2	2	1	1	2	3	6	6	6	12	18	32	34	29	12	11	.	.
2	3	1	3	5	8	9	14	17	29	47	64	83	63	25	15	.	2



TABLE 18 (contd.) - DEATHS, CLASSIFIED BY SEX AND AGE,

AREA		TOTAL DEATHS	AGE AT							
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14
LEINSTER (cont.)										
LOUTH	Males	401	36	2	1	2	.	41	2	6
	Females	369	31	1	1	1	2	36	1	3
	Persons	770	67	3	2	3	2	77	3	9
MEATH	Males	438	30	3	.	.	.	33	5	2
	Females	335	30	2	.	2	1	35	2	1
	Persons	773	60	5	.	2	1	68	7	3
OFFALY	Males	345	33	4	2	.	.	39	1	1
	Females	295	32	.	2	.	.	34	2	1
	Persons	640	65	4	4	.	.	73	3	2
WESTMEATH	Males	390	30	2	1	.	.	33	6	.
	Females	279	25	3	1	1	1	31	1	.
	Persons	669	55	5	2	1	1	64	7	.
WEXFORD	Males	609	43	11	.	5	1	60	1	2
	Females	565	37	6	3	1	.	47	8	5
	Persons	1,174	80	17	3	6	1	107	9	7
WICKLOW	Males	385	42	2	3	1	1	49	2	.
	Females	329	31	6	2	.	.	39	1	1
	Persons	714	73	8	5	1	1	88	3	1
MUNSTER										
CLARE	Males	567	37	3	1	2	1	44	2	1
	Females	469	24	1	4	1	1	31	1	2
	Persons	1,036	61	4	5	3	2	75	3	3
CORK COUNTY	Males	1,066	113	14	7	8	3	145	11	7
	Females	1,602	93	9	5	3	2	112	14	6
	Persons	3,468	206	23	12	11	5	257	25	13
CORK COUNTY BOROUGH	Males	441	42	3	6	.	.	51	3	.
	Females	450	34	7	2	3	1	47	2	2
	Persons	891	76	10	8	3	1	98	5	2
KERRY	Males	887	69	3	5	3	.	80	7	4
	Females	721	48	1	2	2	1	54	1	2
	Persons	1,608	117	4	7	5	1	134	8	6
LIMERICK COUNTY	Males	639	59	11	5	1	.	76	2	.
	Females	511	26	4	3	2	2	37	7	4
	Persons	1,150	85	15	8	3	2	113	9	4
LIMERICK COUNTY BOROUGH	Males	288	41	4	.	1	3	49	1	1
	Females	242	24	1	2	.	1	28	3	1
	Persons	530	65	5	2	1	4	77	4	2

## REGISTERED DURING 1952, FOR EACH COUNTY AND COUNTY BOROUGH

## DEATH

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
4	2	4	7	6	7	13	19	25	30	40	67	55	49	21	3	.	.
3	3	8	7	6	5	9	15	15	24	42	63	57	38	27	7	.	.
7	5	12	14	12	12	22	34	40	54	82	130	112	87	48	10	.	.
5	6	7	4	7	10	17	19	20	36	40	78	73	53	13	10	.	.
2	2	3	7	9	6	7	14	21	27	36	52	48	39	19	3	2	.
7	8	10	11	16	16	24	33	41	63	76	130	121	92	32	13	2	.
1	3	3	5	5	9	11	11	18	23	30	60	62	32	28	2	.	1
4	4	4	4	3	5	3	4	22	19	18	49	59	34	19	6	1	.
5	7	7	9	8	14	14	15	40	42	48	109	121	66	47	8	1	1
2	3	5	4	8	10	6	11	22	28	49	62	67	43	25	5	1	.
1	2	8	2	4	5	8	9	11	21	30	38	49	33	15	10	1	.
3	5	13	6	12	15	14	20	33	49	79	100	116	76	40	15	2	.
6	3	4	9	8	8	12	32	27	48	73	100	99	78	32	5	2	.
3	2	3	7	4	16	15	21	25	35	49	88	104	89	30	8	6	.
9	5	7	16	12	24	27	53	52	83	122	188	203	167	62	13	8	.
4	3	1	6	7	6	7	10	26	28	46	57	72	33	21	6	1	.
1	2	2	2	5	5	10	15	18	19	32	59	49	46	16	5	2	.
5	5	3	8	12	11	17	25	44	47	78	116	121	79	37	11	3	.
7	5	2	7	9	8	12	21	15	46	62	83	99	84	38	15	6	1
6	4	9	7	9	9	9	24	11	26	29	78	98	67	31	12	5	1
13	9	11	14	18	17	21	45	26	72	91	161	197	151	69	27	11	2
10	18	12	26	29	57	57	76	96	141	194	289	326	239	107	22	4	.
6	14	16	12	16	26	39	64	65	102	174	262	287	234	106	36	10	1
16	32	28	38	45	83	96	140	161	243	368	551	613	473	213	58	14	1
3	4	1	7	5	8	10	32	28	51	60	74	66	28	9	1	.	.
1	3	1	2	7	14	8	18	23	39	49	104	54	47	16	8	5	.
4	7	2	9	12	22	18	50	51	90	109	178	120	75	25	9	5	.
5	4	5	20	15	17	21	22	36	60	99	132	168	133	46	12	1	.
7	5	7	7	25	13	19	33	28	49	50	118	121	102	54	23	2	1
12	9	12	27	40	30	40	55	64	109	149	250	289	235	100	35	3	1
2	5	6	8	14	3	10	25	25	42	77	85	104	92	52	9	2	.
1	6	6	9	10	10	4	14	21	29	48	83	86	83	42	8	3	.
3	11	12	17	24	13	14	39	46	71	125	168	190	175	94	17	5	.
4	6	5	3	7	5	9	29	29	23	32	45	25	11	2	2	.	.
4	7	3	4	3	7	8	15	9	20	23	45	29	18	11	3	1	.
8	13	8	7	10	12	17	44	38	43	55	90	54	29	13	5	1	.

TABLE 18 (contd.) - DEATHS, CLASSIFIED BY SEX AND AGE,

AREA		TOTAL DEATHS	AGE AT						
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9 10-14
MUNSTER (contd.)									
TIPPERARY NORTH RIDING	Males	393	39	4	1	1	.	45	4 1
	Females	349	31	2	1	.	.	34	1 2
	Persons	742	70	6	2	1	.	79	5 3
TIPPERARY SOUTH RIDING	Males	545	49	3	2	1	1	56	4 4
	Females	400	34	1	2	1	.	38	3 .
	Persons	945	83	4	4	2	1	94	7 4
WATERFORD COUNTY	Males	353	25	4	1	.	.	30	2 5
	Females	233	12	1	.	.	.	13	. .
	Persons	586	37	5	1	.	.	43	2 5
WATERFORD COUNTY BOROUGH	Males	192	20	.	1	.	.	21	5 3
	Females	164	16	1	.	1	.	18	1 .
	Persons	356	36	1	1	1	.	39	6 3
CONNACHT									
GALWAY	Males	961	52	6	6	3	1	68	4 2
	Females	797	49	7	3	2	4	65	8 5
	Persons	1,758	101	13	9	5	5	133	12 7
LEITRIM	Males	330	13	2	.	.	.	15	5 .
	Females	235	15	3	2	.	.	20	. 1
	Persons	565	28	5	2	.	.	35	5 1
MAYO	Males	974	54	11	1	2	2	70	9 3
	Females	827	49	5	2	.	.	56	6 1
	Persons	1,801	103	16	3	2	2	126	15 4
ROSCOMMON	Males	543	23	3	1	1	.	28	. 3
	Females	435	24	.	1	2	1	28	2 .
	Persons	978	47	3	2	3	1	56	2 3
SLIGO	Males	471	36	1	2	3	1	43	3 2
	Females	385	26	2	2	.	1	31	2 .
	Persons	856	62	3	4	3	2	74	5 2
ULSTER (part of)									
CAVAN	Males	471	27	6	3	1	1	38	3 .
	Females	395	22	2	1	.	.	25	1 .
	Persons	866	49	8	4	1	1	63	4 .
DONEGAL	Males	921	64	3	.	2	3	72	6 4
	Females	732	41	3	4	3	1	52	6 3
	Persons	1,653	105	6	4	5	4	124	12 7
MONAGHAN	Males	375	32	.	2	.	.	34	3 1
	Females	310	16	3	2	.	1	22	. 1
	Persons	685	48	3	4	.	1	56	3 2



## REGISTERED DURING 1952, FOR EACH COUNTY AND COUNTY BOROUGH

## DEATH

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
2	.	8	3	5	9	7	17	15	31	34	55	76	54	22	3	1	1
2	1	6	7	4	11	9	7	9	24	33	58	55	53	23	6	4	.
4	1	14	10	9	20	16	24	24	55	67	113	131	107	45	9	5	1
4	4	4	3	8	9	16	20	34	34	56	96	87	83	17	6	.	.
5	3	3	4	3	5	8	14	20	28	35	63	77	55	27	7	1	1
9	7	7	7	11	14	24	34	54	62	91	159	164	138	44	13	1	1
5	1	3	5	6	6	11	11	17	30	45	52	65	44	9	4	2	.
4	2	2	3	3	7	3	12	8	17	28	38	41	22	25	4	1	.
9	3	5	8	9	13	14	23	25	47	73	90	106	66	34	8	3	.
1	1	3	4	4	5	4	8	15	16	15	26	35	17	9	.	.	.
3	2	4	1	.	5	4	7	4	10	17	26	25	24	10	3	.	.
4	3	7	5	4	10	8	15	19	26	32	52	60	41	19	3	.	.
12	7	7	10	19	19	29	41	36	58	81	134	166	153	93	17	5	.
4	5	8	12	9	20	24	22	31	43	58	116	136	116	74	38	2	1
16	12	15	22	28	39	53	63	67	101	139	250	302	269	167	55	7	1
.	1	4	1	4	9	11	11	20	16	34	47	58	56	32	5	1	.
1	.	1	2	4	7	7	13	7	12	14	40	44	46	13	3	.	.
1	1	5	3	8	16	18	24	27	28	48	87	102	102	45	8	1	.
8	9	10	9	12	16	16	30	29	50	98	125	178	180	83	26	11	2
6	6	7	5	18	13	22	27	32	39	56	108	150	157	76	35	7	.
14	15	17	14	30	29	38	57	61	89	154	233	328	337	159	61	18	2
3	6	3	4	9	10	12	16	22	36	68	78	104	84	43	11	3	.
5	5	3	4	5	2	10	11	17	24	36	65	72	90	38	14	4	.
8	11	6	8	14	12	22	27	39	60	104	143	176	174	81	25	7	.
1	2	4	4	7	11	11	18	17	17	40	75	78	81	43	14	.	.
3	2	5	.	8	6	17	15	9	21	24	61	70	63	31	13	2	2
4	4	9	4	15	17	28	33	26	38	64	136	148	144	74	27	2	2
2	3	4	5	6	8	17	11	18	24	44	87	89	77	25	5	3	2
3	5	2	4	5	5	15	18	18	23	39	72	62	57	33	5	3	.
5	8	6	9	11	13	32	29	36	47	83	159	151	134	58	10	6	2
6	4	5	11	11	15	24	38	37	55	90	142	162	135	72	30	2	.
7	6	7	9	15	13	21	26	24	49	54	98	142	98	62	26	13	1
13	10	12	20	26	28	45	64	61	104	144	240	304	233	134	56	15	1
1	4	6	3	9	10	7	15	14	25	34	46	70	56	29	1	4	3
1	3	2	1	5	3	10	14	14	22	21	55	48	47	33	6	2	.
2	7	8	4	14	13	17	29	28	47	55	101	118	103	62	7	6	3



## INTERMEDIATE LIST SIXTH REVISION 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
152 134	169 183	244 190	315 260	411 327	537 453	854 631	1,005 721	1,415 1,124	2,039 1,489	2,827 2,563	3,118 2,627	2,328 2,193	1,368 1,599	
55 68	64 92	84 71	89 66	90 51	82 43	81 39	94 41	98 33	69 32	39 24	17 10	5 8	- 3	001-138
53 68	63 89	82 66	79 63	82 50	74 39	75 33	81 36	88 29	59 25	30 14	11 10	3 3	- 2	001-019
35 52	53 68	70 59	67 55	68 42	60 37	69 22	72 30	76 23	50 19	23 8	8 7	3 2	.	002
1	.	.	1	1	.	.	2	4	.	3	1	.	.	003
1	3	.	.	1	.	1	.	.	.	1	2	.	.	
1	1	1	2	1	1	1	3	2	.	1	1	.	.	001,004-008
1	2	2	3	.	.	.	3	.	4	.	.	.	.	
6	2	6	5	1	1	2	1	.	.	.	.	.	.	010
10	7	1	2	3	.	.	1	.	.	.	.	.	.	
2	2	2	.	.	6	1	2	.	1	.	.	.	.	011
2	2	1	.	3	.	2	1	1	.	.	.	.	.	
6	3	.	1	.	1	2	.	2	3	3	.	.	.	012,013
.	.	.	1	.	2	4	1	4	2	4	1	1	2	
1	.	.	.	1	.	.	.	.	1	.	.	.	.	015
1	.	2	1	3	2	.	.	2	3	.	.	.	.	016
.	4	2	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	2	7	3	.	1	1	1	.	.	.	.	019
2	3	1	2	1	.	3	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	1	.	.	1	.	.	014,017,018
.	.	.	.	.	.	1	.	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	1	1	.	3	4	1	2	.	1	.	022
.	1	.	.	1	.	.	1	1	1	6	.	2	.	
1	.	1	1	1	.	2	1	1	1	1	1	.	.	023,026-029
.	.	.	.	.	.	.	1	.	1	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	024
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	2	1	.	.	1	.	.	.	025
.	.	.	.	.	.	2	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	040
.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	041,042
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	045-048
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	050
.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	051
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	052
.	.	.	1	1	.	.	.	1	.	2	2	.	.	053
.	.	.	.	.	.	1	.	1	1	2	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	.	.	1	1	.	.	.	.	.	.	.	.	.	057
.	.	.	2	.	.	.	.	.	1	.	.	.	.	
.	.	.	1	.	.	.	3	.	.	1	1	.	.	061
.	.	.	.	.	.	2	1	1	.	.	.	.	.	
.	.	.	3	.	1	.	1	2	3	.	.	.	.	072
.	.	.	.	.	1	.	.	.	1	.	.	.	.	
.	.	.	1	.	1	1	1	.	.	.	.	.	.	080
.	1	2	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	081
.	.	.	1	.	.	.	1	.	.	.	.	.	.	082
.	.	1	.	.	.	.	1	.	.	.	.	.	.	



[illegible]

## INTERNATIONAL INTERMEDIATE LIST SIXTH REVISION 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	.	1	.	3	1	.	.	.	.	.	.	.	.	083
.	.	.	.	.	1	.	.	.	.	.	.	.	.	085
.	.	1	1	.	1	.	2	1	2	2	1	1	.	092
.	1	1	.	.	1	.	.	1	1	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	110-117
.	.	.	.	.	.	.	.	.	.	.	.	.	.	124, 126, 128, 130
1	1	.	.	.	1	1	.	.	1	.	.	.	.	036-039, 049, 054, 059 063-064, 086-090, 093, 095, 096, 120-122, 131-138
.	.	.	.	.	2	.	.	.	.	1	.	1	1	
16 5	17 13	26 24	45 52	61 97	107 132	180 171	204 196	289 253	409 279	469 321	386 244	171 152	62 63	140-239
15 5	17 12	23 22	39 49	55 89	97 129	167 162	194 189	280 242	403 275	457 311	380 237	167 147	62 62	140-205
.	.	.	.	.	.	1	3	7	7	7	17	6	5	140
.	.	.	.	.	.	.	.	.	.	3	.	.	1	
.	.	.	.	.	.	2	3	7	8	10	8	4	.	141
.	.	.	.	.	.	.	1	.	1	.	3	.	.	
.	.	.	.	.	.	.	1	.	2	.	4	.	.	142
.	.	.	.	.	.	.	.	.	2	.	.	1	.	
.	.	.	.	.	.	1	1	.	2	2	1	1	.	143
.	.	.	.	.	.	.	.	.	1	1	.	.	.	
1	.	.	.	.	.	2	2	2	2	3	3	1	2	144
.	.	.	.	.	.	2	.	.	.	3	.	.	1	
.	.	.	.	.	.	.	2	.	1	7	3	1	.	145
.	.	.	.	.	.	.	.	.	2	1	.	.	.	
.	.	.	.	.	.	2	.	1	.	1	1	.	.	146
.	.	.	.	.	.	.	.	1	1	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	147
.	.	.	.	.	.	2	2	3	4	7	5	4	1	148
.	.	.	.	.	1	1	.	1	1	4	1	1	.	
.	.	1	.	.	2	2	5	13	21	15	18	2	2	150
.	.	1	1	4	7	4	8	6	6	9	6	9	1	
.	1	3	8	10	25	39	41	84	107	110	86	36	6	151
.	1	2	5	11	27	19	34	40	59	78	56	40	10	
.	.	2	3	4	7	10	17	20	48	63	48	17	7	152, 153
.	1	2	6	10	9	20	13	37	40	54	44	20	11	
.	.	1	1	4	7	6	10	22	33	47	32	10	3	154
.	.	3	.	3	3	7	7	11	18	12	10	8	4	
.	.	.	1	.	1	2	.	1	4	3	1	2	2	155
.	.	.	.	.	.	.	3	2	8	5	3	3	.	
.	.	.	2	.	4	7	10	10	13	16	14	11	2	156
.	.	.	.	2	2	8	6	6	10	13	6	4	.	
.	1	1	.	4	3	7	8	6	12	19	9	7	.	157
.	.	.	1	1	1	7	8	7	8	14	13	5	6	
.	.	.	.	1	.	1	1	2	1	2	.	.	.	158
.	.	.	.	.	1	1	3	1	1	1	.	.	.	
.	.	.	.	.	.	.	1	1	.	.	1	.	.	159
.	.	.	.	.	.	.	.	.	.	1	2	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	160
.	.	.	.	.	.	.	1	.	.	2	1	.	.	
.	.	1	2	1	3	5	7	10	9	11	8	3	3	161
.	.	.	.	.	2	2	3	3	3	4	1	.	.	
1 1	1	2 2	5 4	16 4	23 12	35 9	45 10	28 11	47 10	24 7	21 2	10 4	1	162, 163
.	.	.	.	.	.	1	2	1	.	2	1	.	1	164
.	.	.	.	.	.	.	1	4	.	.	.	.	.	

TABLE 19 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (EXTENSION OF

Intermediate List Number	Causes of Death		Age at Death									
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
A57h	Malignant neoplasm of thoracic organs (secondary)	M F	1 1	.	.	.	.	.	.	.	.	.
A51	Malignant neoplasm of breast	M F	8 326	.	.	.	.	.	.	.	.	.
A52	Malignant neoplasm of cervix uteri	F	33	.	.	.	.	.	.	.	.	.
A53	Malignant neoplasm of other and unspecified parts of the uterus	F	113	.	.	.	.	.	.	.	.	.
A57i	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	59	.	.	.	.	.	.	.	.	.
A57j	Malignant neoplasm of other and unspecified female genital organs	F	16	.	.	.	.	.	.	.	.	.
A54	Malignant neoplasm of prostate	M	172	.	.	.	.	.	.	.	.	.
A57k	Malignant neoplasm of testis	M	9	.	.	1	.	.	1	1	.	.
A57l	Malignant neoplasm of other and unspecified male genital organs	M	11	.	.	.	.	.	.	.	.	.
A57m	Malignant neoplasm of kidney	M F	27 16	.	.	.	1 1	.	1 2	.	.	.
A57n	Malignant neoplasm of bladder and other urinary organs	M F	40 20	.	.	.	.	.	.	.	.	.
A55	Malignant neoplasm of skin	M F	62 50	.	.	.	.	.	.	.	.	1
A57o	Malignant neoplasm of eye	M F	5 2	1	.	.	.	1	2	1	.	.
A57p	Malignant neoplasm of brain and other parts of nervous system	M F	27 12	.	.	1 1	.	.	1 1	1	.	.
A57q	Malignant neoplasm of thyroid gland	M F	3 19	.	.	.	.	.	1	.	.	.
A57r	Malignant neoplasm of other endocrine glands	M F	2 1	.	.	.	.	.	.	.	.	.
A56	Malignant neoplasm of bone and connective tissue	M F	54 26	.	1	.	.	.	1	.	.	2 2
A57s	Secondary and unspecified malignant neoplasm of lymph nodes	M F	16 4	.	.	.	.	.	.	.	.	1
A57t	Malignant neoplasm of other and unspecified sites	M F	95 89	.	.	.	.	.	.	.	.	2 1
A59a	Hodgkin's disease	M F	37 18	.	.	.	.	.	.	2	1	1 1
A59b	Lymphosarcoma and other neoplasm of lymphatic and haematopoietic system	M F	17 8	.	.	1	.	.	1 1	2	1	.
A58	Leukaemia and aleukaemia	M F	51 44	1 1	2 1	1 1	1 4	1 1	6 8	4 4	3	3 3
A60	Benign neoplasms and neoplasms of unspecified nature	M F	96 78	1 2	2	.	.	1	4 3	2 1	2 2	2 1
A51-A64 A66 (pt. of)	111 - Allergic, endocrine system, metabolic and nutritional diseases	M F	295 314	7 4	6 6	3 4	3 1	.	19 19	3 5	1 3	.
A66a	Asthma	M F	150 108	.	.	2	.	.	2 5	.	1	.
A61	Nontoxic goitre	M F	.	.	.	.	.	.	.	.	.	.
A62	Thyrotoxicosis, with or without goitre	M F	7 37	.	.	.	.	.	.	.	.	2
A63	Diabetes mellitus	M F	91 101	.	.	.	.	1	1	1	1	1
A66b	Diseases of thymus gland	M F	4 4	4 2	.	.	.	1	4	.	.	.
A66c	Diseases of adrenal glands	M F	7 18	.	.	.	.	.	.	.	.	.
A64	Avitaminosis and other deficiency states	M F	18 19	3	3	1	3	.	10 6	1	.	.
A66d	Allergic disorders, all other endocrine and metabolic disorders	M F	18 17	.	3 1	.	.	1	3 2	1	.	2



## INTERNATIONAL INTERMEDIATE LIST SIXTH REVISION 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	165
.	.	.	.	.	.	1	2	.	1	1	3	.	.	170
.	1	3	10	25	30	29	38	48	45	37	33	15	12	171
.	.	1	2	1	8	5	7	2	3	2	.	.	2	172-174
.	2	1	8	3	7	18	16	17	11	17	8	3	2	175
.	1	1	2	5	8	11	6	7	5	6	5	1	1	176
.	.	.	1	1	1	.	1	3	3	2	2	2	.	177
.	.	.	.	.	2	4	8	18	33	41	46	14	6	178
1	2	3	.	.	.	.	.	.	.	.	1	.	.	179
.	.	.	.	.	1	.	1	3	1	1	2	2	.	180
1	.	1	1	1	3	2	1	4	3	5	3	1	.	181
1	.	1	.	3	.	2	1	1	1	2	2	.	.	190-191
.	.	.	1	1	2	7	1	4	4	12	7	.	2	192
.	.	.	1	1	.	1	1	1	4	1	7	3	.	193
.	.	.	1	.	2	5	.	3	7	12	9	11	11	194
.	1	.	.	2	1	2	1	2	6	7	9	13	6	195
.	.	.	.	.	.	.	.	.	.	2	.	.	.	196,197
.	1	.	.	.	.	.	.	.	1	.	.	.	.	198
2	.	1	2	2	5	5	4	1	1	1	1	.	.	199
.	.	2	1	1	2	1	1	1	2	.	.	.	.	200,202, 203,205
.	.	.	.	.	.	.	.	.	1	1	.	.	.	204
.	1	.	.	1	.	.	.	.	.	.	.	.	.	210-239
.	.	.	2	.	2	.	3	6	2	1	1	1	.	240-289
1	.	.	.	1	.	.	1	.	.	.	.	.	.	241
1	4	1	2	1	.	3	2	5	9	8	8	4	3	242-245,253, 254,270-272, 275-277,287-289
1	.	.	1	1	1	2	1	1	4	3	2	4	.	246
.	.	.	1	.	.	1	.	5	2	3	.	3	.	247
.	.	.	.	.	.	.	.	.	.	2	.	.	.	248
1	1	.	.	2	2	6	5	15	14	18	13	15	3	249
1	4	6	4	1	2	5	2	1	1	1	1	1	1	250
1	1	2	1	3	1	2	4	.	1	1	.	.	.	251
1	.	.	2	1	.	2	1	2	2	1	1	.	.	252
.	.	.	1	1	.	.	.	1	1	.	2	.	.	253
5	4	.	4	5	3	3	5	1	2	1	1	1	.	254
.	2	1	.	3	1	2	4	5	7	2	1	.	1	255
1	.	3	6	6	10	13	10	9	6	12	6	4	.	256
.	1	2	3	8	3	9	7	11	4	10	7	5	1	257
4	4	5	8	13	16	30	30	29	31	35	35	22	10	258
5	3	4	7	12	13	29	29	29	48	48	30	13	11	259
1	1	1	6	4	5	16	19	19	15	22	20	11	7	260
2	.	2	2	2	4	13	10	12	14	21	12	4	3	261
1	.	1	.	.	.	.	1	2	.	.	.	.	.	262
.	.	.	2	.	1	2	1	.	.	1	1	1	.	263
.	.	.	4	2	4	5	2	6	5	5	.	1	.	264
1	1	2	.	5	7	8	8	8	12	11	13	11	3	265
1	.	.	1	4	1	5	10	7	20	18	16	6	8	266
.	.	.	.	.	.	.	.	.	.	.	.	.	.	267
.	.	.	.	.	.	.	.	.	.	.	.	.	.	268
1	1	1	.	1	2	1	.	.	1	.	.	.	.	269
1	3	.	.	2	1	2	4	3	1	.	1	.	.	270
.	.	.	.	2	.	.	1	1	1	1	1	.	.	271
.	.	.	.	1	1	1	1	.	3	2	.	1	.	272
2	1	1	.	1	1	3	1	1	2	.	1	.	.	273
.	.	1	.	1	2	2	.	1	5	1	.	.	.	274

TABLE 19 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (EXTENSION OF

Intermediate List Number	Causes of Death		Age at Death									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
A65-A66 (pt. of)	IV - Diseases of blood and blood-forming organs	M	136	7	3	1	.	.	11	2	.	2
		F	178	5	3	1	.	1	10	4	1	.
A65	Anaemias	M	112	2	1	.	.	.	3	.	.	2
		F	162	3	3	1	.	.	7	2	.	.
A66e	Other diseases of blood and blood-forming organs	M	24	5	2	1	.	.	8	2	.	.
		F	16	2	.	.	.	1	3	2	1	.
A67-A69	V - Mental, psychoneurotic and personality disorders	M	66	3	1	.	3	.	7	1	.	.
		F	60	8	1	2	.	.	11	2	.	4
A67	Psychoses	M	45	.	.	.	.	.	.	.	.	.
		F	36	.	.	.	.	.	.	.	.	.
A68	Psychoneuroses and disorders of personality	M	8	1	.	.	.	.	1	.	.	.
		F	5	.	.	.	.	.	.	.	.	1
A69	Mental deficiency	M	13	2	1	.	3	.	6	1	.	.
		F	19	8	1	2	.	.	11	2	.	3
A70-A78	VI - Diseases of the nervous system and sense organs	M	1,743	31	10	5	4	5	55	11	7	11
		F	2,083	20	9	4	2	2	37	4	5	7
A70a	Cerebral haemorrhage	M	616	5	1	.	.	.	6	.	.	.
		F	804	3	.	.	.	.	3	.	2	2
A70b	Cerebral embolism and thrombosis	M	439	.	.	.	.	.	.	.	.	.
		F	471	.	.	.	.	.	.	.	.	1
A70c	Other and ill-defined vascular lesions affecting central nervous system	M	312	2	.	.	.	.	2	2	.	3
		F	392	2	.	.	.	.	2	.	.	.
A71	Nonmeningococcal meningitis	M	43	12	3	1	2	4	22	5	1	2
		F	29	8	5	2	1	1	17	2	.	.
A72	Multiple sclerosis	M	35	.	.	.	.	.	.	1	.	.
		F	37	.	.	.	.	.	.	.	.	.
A78a	Paralysis agitans	M	54	.	.	.	.	.	.	.	.	.
		F	55	.	.	.	.	.	.	.	.	.
A78b	Cerebral spastic infantile paralysis	M	10	4	1	.	1	.	6	.	.	1
		F	3	1	.	.	.	.	1	.	.	.
A78c	Other cerebral paralysis	M	108	.	.	.	.	.	.	.	.	.
		F	193	.	.	1	.	.	1	.	.	.
A73	Epilepsy	M	47	1	1	2	.	1	5	1	3	3
		F	43	.	1	.	1	.	2	1	2	4
A78d	Other diseases of central nervous system	M	63	4	4	1	1	.	10	2	1	2
		F	49	6	2	.	.	1	9	.	1	.
A74	Inflammatory diseases of eye	M	2	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.
A77	Otitis media and mastoiditis	M	10	3	.	1	.	.	4	.	1	.
		F	4	.	.	1	.	.	1	1	.	.
A78e	All other diseases of the nervous system and sense organs	M	4	.	.	.	.	.	.	.	.	.
		F	3	.	1	.	.	.	1	.	.	.
A79-A86	VII - Diseases of the circulatory system	M	6,354	4	2	1	.	1	8	6	9	8
		F	5,348	3	2	2	.	.	7	8	11	12
A79	Rheumatic fever	M	42	1	.	.	.	.	1	3	4	1
		F	33	1	.	1	.	.	2	2	6	5
A80a	Diseases of mitral valve	M	116	1	.	.	.	.	1	.	1	.
		F	149	.	.	.	.	.	.	2	2	.
A80b	Other chronic heart disease	M	56	.	.	.	.	.	.	.	.	2
		F	59	.	.	.	.	.	.	2	1	1
A81a	Arteriosclerotic heart disease including coronary disease	M	1,654	.	.	.	.	.	.	.	.	.
		F	804	.	.	.	.	.	.	.	.	1
A81b	Heart disease specified as involving coronary arteries	M	5	.	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.	.
A81c	Angina pectoris without mention of coronary disease	M	1,572	.	.	.	.	.	.	.	.	.
		F	772	.	.	.	.	.	.	.	.	1
A81d	Chronic endocarditis not specified as rheumatic	M	77	.	.	.	.	.	.	.	.	.
		F	27	.	.	.	.	.	.	.	.	.
A81d	Chronic endocarditis not specified as rheumatic	M	331	.	.	.	.	.	.	1	1	.
		F	282	1	.	.	.	.	1	1	1	2

## INTERNATIONAL INTERMEDIATE LIST SIXTH REVISION 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
1 4	1 1	4 1	3 4	2 4	5 11	7 9	2 10	13 22	20 27	29 28	22 27	7 10	5 5	290-299
4	1	4	3	2	4	4	2	13	17	25	20	7	5	290-293
1	.	.	.	.	1	3	.	.	3	4	2	.	.	294-299
.	.	1	.	1	2	1	1	1	.	1	1	.	1	
1 2	3 .	2 .	4 1	4 .	4 4	2 3	2 4	5 5	5 3	5 8	10 6	5 5	6 2	300-326
1	2	1	2	3	2	.	1	5	4	5	9	5	5	300-309
.	.	.	1	.	2	3	4	4	2	8	5	5	2	
.	.	.	.	1	1	1	1	.	1	.	1	.	1	310-324, 326
.	.	.	.	.	1	.	.	1	1	.	1	.	.	325
2	.	1	2	.	1	1	.	.	.	.	.	.	.	
7 13	9 13	16 11	23 20	35 36	36 67	78 79	91 121	153 204	252 273	332 447	329 372	200 246	98 128	330-398
1	1	2	5	7	12	33	37	58	91	120	125	84	34	331
1	2	2	3	12	32	29	54	96	110	183	137	87	49	
.	.	.	1	3	6	11	18	37	70	105	93	57	38	332
1	.	.	3	2	4	10	21	51	64	99	106	71	38	
2	4	1	7	7	4	17	19	30	44	57	64	35	14	330, 333, 334
5	2	1	6	7	15	17	24	28	57	81	72	48	27	
1	.	1	1	2	1	3	1	1	1	1	.	.	.	340
2	1	2	.	.	.	1	.	3	1	.	.	.	.	
.	1	2	1	8	5	4	2	6	2	2	.	1	.	345
.	.	3	4	5	4	9	.	3	.	3	3	2	1	
.	.	1	.	.	1	2	3	4	14	14	10	4	1	350
.	.	.	.	1	4	2	2	3	12	19	6	6	.	
.	.	.	.	.	.	.	.	.	2	.	1	.	.	351
.	1	.	.	1	.	.	.	.	.	.	.	.	.	
.	1	.	.	1	3	4	4	8	17	16	31	16	8	352
.	1	.	.	1	5	7	12	12	20	52	42	30	10	
1	2	7	4	4	2	1	.	3	2	7	1	1	.	353
2	5	1	3	4	2	2	4	1	3	5	2	.	.	
2	1	1	4	3	2	2	4	6	6	8	4	2	3	341-344, 354-357
1	1	2	1	3	1	2	4	7	5	4	3	2	3	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	370-379
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	2	2	.	.	.	391-393
1	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	1	.	1	2	.	.	.	.	.	.	360-369, 380-384, 386, 388-390, 394-398
.	.	.	.	.	.	.	.	.	.	1	1	.	.	
13 10	23 18	32 31	53 46	96 68	166 91	305 189	361 207	532 407	819 576	1,242 1,173	1,340 1,137	903 831	438 526	400-468
1	4	3	4	5	3	5	1	.	2	2	2	1	.	400-402
2	.	1	2	.	2	3	3	.	1	2	2	.	.	
3	1	5	1	6	7	7	12	4	14	20	20	12	2	410
2	4	12	12	12	8	7	8	12	14	21	19	5	9	
.	2	3	3	4	6	3	3	2	9	5	7	7	.	411-416
3	2	.	2	5	2	3	6	4	7	5	5	8	3	
1	?	5	22	42	79	161	183	219	255	319	226	110	29	420
1	1	1	8	19	22	66	59	104	120	185	135	71	33	
.	.	.	.	.	.	.	.	.	2	2	1	.	.	420.0
.	.	.	.	.	.	1	1	1	.	1	1	.	.	
1	3	5	21	42	78	152	175	212	243	297	210	106	27	420.1
1	1	1	6	18	22	43	56	101	113	178	131	67	33	
.	.	.	1	.	1	9	8	7	10	20	15	4	2	420.2
.	.	.	2	1	.	.	2	2	7	6	3	4	.	
3	2	4	5	8	6	20	20	21	41	81	73	32	13	421
.	1	4	4	6	4	14	11	38	36	55	51	35	18	



TABLE 19 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (EXTENSION OF

Intermed- iate List Number	Causes of Death		Age at Death									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
A81e	Other myocardial degeneration	M	2,667	.	.	.	.	1	1	2	.	2
		F	2,616	.	1	.	.	.	1	.	.	1
A82a	Functional disease of heart	M	291	.	.	.	.	.	.	.	.	.
		F	305	.	.	.	.	.	.	.	.	.
A82b	Other diseases of heart	M	358	.	2	1	.	.	3	.	3	3
		F	289	1	1	1	.	.	3	1	1	2
A83	Hypertension with heart disease	M	231	.	.	.	.	.	.	.	.	.
		F	255	.	.	.	.	.	.	.	.	.
A84	Hypertension without mention of heart	M	262	.	.	.	.	.	.	.	.	.
		F	283	.	.	.	.	.	.	.	.	.
A85a	General arteriosclerosis	M	278	.	.	.	.	.	.	.	.	.
		F	197	.	.	.	.	.	.	.	.	.
A85b	Other diseases of arteries	M	39	.	.	.	.	.	.	.	.	.
		F	36	.	.	.	.	.	.	.	.	.
A86	Other diseases of circulatory system	M	29	2	.	.	.	.	2	.	.	.
		F	40	.	.	.	.	.	.	.	.	.
A87-A97	V111 - Diseases of the respiratory system	M	1,400	208	31	14	4	1	258	11	4	6
		F	1,059	174	37	13	4	9	237	11	10	4
A87	Acute upper respiratory infections	M	8	3	.	.	1	.	4	1	.	.
		F	4	.	.	.	.	.	.	1	.	.
A88a	Influenza with pneumonia	M	23	3	.	.	.	.	3	1	.	.
		F	24	2	.	1	.	.	3	.	.	.
A88b	Influenza with other respiratory manifestations and influenza unqualified	M	96	7	.	1	.	.	8	.	1	2
		F	89	2	1	.	.	.	3	1	1	.
A88c	Other influenza	M	1	.	.	.	.	.	.	.	.	.
		F	5	1	.	.	1	.	2	.	.	.
A89	Lobar pneumonia	M	91	16	.	1	.	.	17	.	.	.
		F	62	12	3	1	1	1	18	1	.	1
A90	Bronchopneumonia	M	252	106	18	9	.	.	133	3	.	2
		F	254	96	21	5	2	2	126	4	3	1
A91	Primary, atypical, other and unspecified pneumonia	M	187	45	9	1	1	1	57	3	1	1
		F	133	41	6	3	.	3	53	3	2	.
A92	Acute bronchitis	M	74	10	2	.	.	.	12	.	.	.
		F	63	7	4	.	.	1	12	.	.	.
A93a	Chronic bronchitis	M	183	9	2	1	1	.	13	.	1	.
		F	144	8	.	1	.	.	9	1	2	1
A93b	Bronchitis unqualified	M	321	2	.	.	.	.	2	.	.	.
		F	155	2	.	.	.	.	2	.	.	.
A95	Empyema and abscess of lung	M	9	1	.	.	.	.	1	.	.	.
		F	4	.	.	.	.	.	.	.	.	1
A96	Pleurisy	M	13	.	.	.	.	.	.	1	.	.
		F	7	.	.	.	.	.	.	.	.	.
A97a	Pulmonary congestion and hypostasis	M	68	3	.	.	.	.	3	1	.	1
		F	74	3	1	.	.	.	4	.	.	.
A97b	All other respiratory diseases	M	74	3	.	1	1	.	5	1	1	.
		F	41	.	1	2	.	2	5	.	2	.
A98-A107	1X - Diseases of the digestive system	M	597	93	18	8	4	2	125	3	10	4
		F	464	68	11	5	3	1	88	7	4	1
A98	Diseases of teeth and supporting structures	M	1	1	.	.	.	.	1	.	.	.
		F	2	1	.	.	.	.	1	.	1	.
A107a	Other diseases of buccal cavity and oesophagus	M	8	1	.	.	.	.	1	.	.	.
		F	3	.	.	.	.	.	.	.	.	.
A99	Ulcer of stomach	M	112	.	.	.	.	.	.	.	.	.
		F	42	.	.	.	.	.	.	.	.	.
A100	Ulcer of duodenum	M	52	.	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.	.
A101	Gastritis and duodenitis	M	17	5	.	.	.	.	5	.	1	.
		F	19	1	.	.	.	.	1	.	.	.
A107b	Other diseases of stomach and duodenum	M	14	.	.	.	.	.	.	.	.	.
		F	7	.	.	.	.	.	.	.	.	.
A102	Appendicitis	M	32	.	4	2	2	.	8	1	3	1
		F	19	.	.	.	1	.	1	.	2	.

## INTERNATIONAL INTERMEDIATE LIST SIXTH REVISION 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
2	3	3	8	14	27	50	75	146	274	517	709	546	288	422
.	2	2	8	9	21	54	65	130	242	582	621	514	364	
.	1	2	2	1	3	7	13	22	49	68	71	34	18	433
.	.	3	2	2	8	13	13	27	36	80	77	35	9	
1	4	1	4	9	11	18	20	37	49	68	56	46	25	430-432, 434
1	2	2	3	5	5	10	12	23	33	59	45	50	32	
.	1	1	.	1	1	11	10	34	39	46	51	28	8	440-443
.	1	1	1	2	7	11	8	26	36	57	59	35	11	
1	1	3	2	4	18	15	20	27	49	53	45	17	7	444-447
.	1	1	1	5	9	26	17	26	29	68	59	30	11	
.	.	.	.	.	1	1	2	16	29	53	72	64	40	450
.	.	.	.	.	.	2	1	9	15	45	55	39	31	
.	1	2	1	1	1	2	.	2	3	8	6	6	6	451-456
.	.	.	1	2	2	1	2	2	3	8	6	5	4	
1	.	.	1	1	3	5	2	2	6	2	2	.	2	460-468
1	4	4	2	1	1	1	2	6	4	6	3	4	1	
9	10	8	17	17	30	60	80	97	164	201	210	136	82	470-527
4	9	6	9	11	20	40	30	54	68	148	164	140	94	
.	.	.	.	.	.	.	.	.	.	.	2	1	.	470-475
.	.	.	.	.	.	.	.	.	.	1	.	2	.	
1	.	.	.	.	.	.	.	3	4	6	3	2	.	480
.	.	1	1	1	1	.	2	1	3	2	3	5	1	
.	1	.	3	1	1	1	8	4	8	19	21	12	6	481
.	.	.	1	2	.	1	.	6	3	20	27	16	8	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	482-483
.	1	.	.	.	.	.	.	.	1	.	.	1	.	
2	1	1	4	2	2	6	4	6	8	18	9	6	5	490
1	.	1	1	.	3	2	3	1	7	8	4	8	3	
2	1	1	.	3	5	4	5	8	13	17	26	14	15	491
.	.	1	2	2	4	4	5	7	11	15	26	26	17	
1	2	1	1	3	5	6	10	10	22	26	17	12	9	492-493
1	1	2	3	1	3	3	4	9	7	8	14	14	5	
.	.	.	.	1	2	1	3	6	8	11	16	6	8	500
.	.	.	.	2	.	1	2	2	1	14	11	6	12	
.	.	.	.	4	6	6	8	16	33	38	37	21	21	501
1	.	.	.	1	1	6	3	7	8	25	30	29	20	
.	2	1	5	3	7	25	27	42	57	50	58	32	10	502
.	.	.	.	3	14	3	13	17	34	32	18	19	19	
.	1	1	1	1	1	1	1	1	2	.	.	1	.	518, 521
.	1	.	.	.	1	1	.	.	.	.	.	.	.	
.	.	.	.	1	.	2	1	3	2	2	2	1	.	519
.	1	.	.	.	.	1	1	.	.	2	2	.	.	
.	1	1	3	.	1	2	3	4	10	8	13	13	4	522
1	2	.	1	1	1	1	3	6	6	14	11	14	9	
3	2	2	1	3	2	8	11	3	15	9	5	.	3	511-517, 520, 523-527
.	3	1	.	1	3	6	4	2	4	5	4	1	.	
7	2	17	17	34	30	30	41	51	60	73	58	25	10	530-587
1	8	5	10	10	21	24	30	33	56	68	51	31	16	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	530-535
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	.	3	2	.	536-539
.	.	.	.	.	.	1	.	.	1	.	1	.	.	
.	1	5	5	9	8	6	10	23	13	20	8	1	3	540
.	2	.	3	3	3	3	4	6	3	7	6	1	1	
1	.	1	1	6	5	4	5	6	10	8	4	.	1	541
.	.	.	.	.	.	3	.	1	5	3	2	.	1	
.	.	.	.	.	.	.	1	.	.	4	4	1	1	543
.	.	.	.	.	.	.	.	.	4	8	3	2	1	
.	.	2	1	4	.	1	1	1	2	1	.	.	.	542, 544, 545
.	.	.	.	.	.	1	1	.	1	.	3	2	.	
3	1	1	.	1	5	1	.	4	.	1	.	2	.	550-553
.	.	.	1	1	.	2	3	1	.	2	3	3	.	







TABLE 19 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (EXTENSION OF

Intermediate List Number	Causes of Death		Age at Death									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
A121-A126 (pt. of)	X11 - Diseases of the skin and cellular tissue	M	31	2	1	1	.	.	4	.	.	.
		F	24	.	.	.	.	.	.	.	.	.
A121	Infections of skin and subcutaneous tissue	M	14	2	.	1	.	.	3	.	.	.
		F	6	.	.	.	.	.	.	.	.	.
A126a	Other diseases of skin and subcutaneous tissue	M	17	.	1	.	.	.	1	.	.	.
		F	18	.	.	.	.	.	.	.	.	.
A122-A125 A126 (pt. of)	X111 - Diseases of the bones and organs of movement	M	119	.	1	1	.	.	2	.	.	3
		F	134	.	.	.	.	.	.	1	.	.
A122	Arthritis and spondylitis	M	54	.	.	1	.	.	1	.	.	.
		F	97	.	.	.	.	.	.	.	.	.
A123	Muscular rheumatism and rheumatism unspecified	M	52	.	.	.	.	.	.	.	.	2
		F	22	.	.	.	.	.	.	1	.	.
A124	Osteomyelitis and periostitis	M	7	.	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.	.
A125	Ankylosis and acquired musculoskeletal deformities	M	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.
A126b	All other diseases of skin and musculoskeletal system	M	6	.	1	.	.	.	1	.	.	1
		F	4	.	.	.	.	.	.	.	.	.
A127-A129	X1V - Congenital malformations	M	248	211	4	4	4	1	224	9	2	.
		F	184	156	8	2	1	1	168	3	3	2
A127	Spina bifida and meningocele	M	42	39	1	.	2	.	42	.	.	.
		F	49	45	3	1	.	.	49	.	.	.
A128	Congenital malformations of circulatory system	M	102	81	1	2	1	1	86	6	1	.
		F	65	48	5	1	.	.	54	1	3	2
A129	All other congenital malformations	M	104	91	2	2	1	.	96	3	1	.
		F	70	63	.	.	1	1	65	2	.	.
A130-A135	XV - Certain diseases of early infancy	M	778	778	.	.	.	.	778	.	.	.
		F	605	605	.	.	.	.	605	.	.	.
A130	Birth injuries	M	107	107	.	.	.	.	107	.	.	.
		F	83	83	.	.	.	.	83	.	.	.
A131	Postnatal asphyxia and atelectasis	M	123	123	.	.	.	.	123	.	.	.
		F	86	86	.	.	.	.	86	.	.	.
A132a	Pneumonia of newborn	M	47	47	.	.	.	.	47	.	.	.
		F	47	47	.	.	.	.	47	.	.	.
A132b	Diarrhoea of newborn	M	10	10	.	.	.	.	10	.	.	.
		F	7	7	.	.	.	.	7	.	.	.
A132c	Other infections of the newborn	M	2	2	.	.	.	.	2	.	.	.
		F	3	3	.	.	.	.	3	.	.	.
A133	Haemolytic disease of newborn (erythroblastosis)	M	40	40	.	.	.	.	40	.	.	.
		F	30	30	.	.	.	.	30	.	.	.
A134	All other defined diseases of early infancy	M	30	30	.	.	.	.	30	.	.	.
		F	20	20	.	.	.	.	20	.	.	.
A135a	Ill-defined diseases peculiar to early infancy	M	214	214	.	.	.	.	214	.	.	.
		F	144	144	.	.	.	.	144	.	.	.
A135b	Immaturity with mention of any other subsidiary condition	M	7	7	.	.	.	.	7	.	.	.
		F	6	6	.	.	.	.	6	.	.	.
A135c	Immaturity unqualified	M	198	198	.	.	.	.	198	.	.	.
		F	179	179	.	.	.	.	179	.	.	.
A136-A137	XV1 - Symptoms, senility and ill-defined conditions	M	2,230	54	8	2	.	.	64	1	1	2
		F	2,240	36	6	5	1	1	49	.	2	1
A136	Senility without mention of psychosis	M	1,714	.	.	.	.	.	.	.	.	.
		F	1,877	.	.	.	.	.	.	.	.	.
A137a	Convulsions	M	49	42	6	1	.	.	49	.	.	.
		F	36	30	3	3	.	.	36	.	.	.







Age at Death (contd.)														Detailed List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	.	.	.	1	.	1	.	.	.	.	.	.	.	780-781 (except 780.2)
1	3	1	4	2	7	13	14	35	36	54	84	40	21	782
.	.	.	2	4	3	7	10	9	33	57	47	35	27	
.	.	.	.	.	.	1	2	3	6	7	13	12	9	792
.	1	.	1	1	.	.	2	5	1	7	5	2	3	
.	.	2	3	5	6	3	6	10	6	10	10	13	5	783-791, 793, 795
.	.	.	4	1	4	2	1	9	3	5	5	8	6	
28	27	34	32	27	29	33	46	47	41	49	35	23	15	E800-E999
4	4	6	8	6	5	7	8	13	15	31	39	30	26	
.	1	4	3	1	4	6	4	7	4	8	6	1	1	E812
.	.	.	1	1	.	.	1	1	3	1	3	2	.	
10	7	7	9	4	2	4	9	5	4	3	1	.	.	E810, 811, E813-E835
1	1	2	1	1	.	1	1	1	.	.	.	.	.	
1	1	.	1	3	3	2	8	5	3	1	1	.	.	E843
.	.	.	1	.	.	1	.	1	.	.	.	.	.	
.	.	1	.	1	.	.	1	.	1	.	.	.	.	E800-802
1	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	1	.	.	3	1	.	2	6	3	2	.	E842-845
.	.	.	.	.	.	.	1	.	1	.	.	.	.	Excl. 843
.	.	.	.	.	1	1	.	.	2	.	.	.	.	E850-866
2	1	2	2	1	1	2	2	2	.	.	1	1	.	E870-E895
.	.	.	.	.	1	.	.	.	.	1	.	.	.	
.	1	4	3	2	3	3	3	10	6	14	9	14	12	E900-E904
.	.	.	1	.	1	1	.	4	6	19	26	23	21	
2	.	1	2	1	.	1	1	.	.	.	.	.	.	E912
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	.	.	1	.	1	.	1	1	6	1	.	E916
.	.	1	.	.	.	.	.	.	1	6	4	2	4	
.	.	1	1	.	.	.	1	1	.	.	.	1	1	E917, E918
.	.	.	1	.	.	.	.	.	.	.	2	2	.	
1	2	1	.	1	1	.	.	1	.	.	1	.	.	E919
1	.	.	.	.	.	.	.	.	.	.	.	.	.	
7	2	4	6	3	3	2	9	5	8	5	2	1	1	E929
1	1	1	1	1	2	1	2	2	3	.	.	.	.	
1	1	1	.	2	1	.	.	.	1	1	.	.	.	E910
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	E924
3	6	6	4	3	1	3	1	2	4	4	1	.	.	E911, E913-E915, E920-E923, E925-E928, E930-E962
.	.	1	.	1	.	.	2	2	1	2	3	1	1	
.	2	2	1	5	9	5	4	9	5	4	4	2	.	E970-E979
.	1	1	1	2	.	3	.	2	.	1	1	.	.	
.	2	.	.	.	.	1	1	.	.	1	.	.	.	E980-E985
.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	1	.	.	.	E9

TABLE 20 - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## DUBLIN COUNTY BOROUGH

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
	<b>ALL CAUSES</b>	M	2,667	237	32	32	43	68	137	325	528	699	566
		F	2,589	196	35	26	51	64	108	230	380	691	808
B.1	Tuberculosis of respiratory system	M	168	.	2	1	7	24	29	36	50	18	1
		F	84	.	.	3	16	21	14	14	8	6	2
B.2	Tuberculosis, other forms	M	24	3	6	4	4	2	2	2	.	1	.
		F	25	2	2	3	9	1	1	3	2	1	1
B.3	Syphilis and its sequelae	M	15	1	.	.	1	.	1	4	4	3	1
		F	9	.	.	.	.	2	.	1	3	2	1
B.4	Typhoid fever	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.6	Dysentery, all forms	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.7a	Scarlet fever	M	1	.	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.	.
B.7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.8	Diphtheria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.9	Whooping cough	M	2	2	.	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	.	.	.	.	.
B.10	Meningococcal infections	M	3	1	1	.	.	.	1	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.
B.12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.17a	Acute infectious encephalitis	M	3	.	.	.	1	.	1	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.14	Measles	M	4	.	2	2	.	.	.	.	.	.	.
		F	6	5	1	.	.	.	.	.	.	.	.
B.16	Malaria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.17b	All other diseases classified as infective and parasitic	M	4	2	1	.	1	.	.	.	.	.	.
		F	5	1	.	.	.	1	.	.	1	.	2
B.18a	Malignant neoplasms	M	392	.	1	.	2	5	22	64	90	126	82
		F	356	.	.	.	3	5	23	71	85	82	87
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M	10	1	.	2	.	1	3	1	1	1	.
		F	15	.	1	1	1	2	3	1	3	3	.
B.19	Benign and unspecified neoplasms	M	27	.	.	2	.	.	3	6	7	7	2
		F	17	.	.	.	.	1	2	3	4	5	2
B.20	Diabetes mellitus	M	16	.	.	.	1	.	1	3	6	3	2
		F	12	.	1	.	.	.	1	1	2	6	1
B.21	Anaemias	M	13	.	.	.	.	.	.	1	2	4	6
		F	29	.	.	.	.	.	1	5	4	11	8
B.22	Vascular lesions affecting central nervous system	M	233	.	.	.	2	1	9	24	52	81	64
		F	304	2	.	1	2	1	9	24	58	107	100
B.23	Nonmeningococcal meningitis	M	10	4	2	2	.	.	.	1	.	1	.
		F	1	1	.	.	.	.	.	.	.	.	.
B.24	Rheumatic fever	M	8	.	.	1	.	2	1	2	.	1	1
		F	8	.	.	2	2	.	.	2	.	1	1
B.25	Chronic rheumatic heart disease	M	26	.	.	1	1	4	2	5	4	5	4
		F	69	.	.	3	3	7	14	7	12	11	12
B.26	Arteriosclerotic and degenerative heart disease	M	621	.	.	1	1	2	18	80	119	198	202
		F	649	.	.	.	1	3	8	27	80	215	315
B.27	Other diseases of the heart	M	75	.	.	1	.	.	3	6	22	26	17
		F	95	.	.	.	.	.	4	6	15	30	40
B.28	Hypertension with heart disease	M	65	.	.	.	.	.	.	5	17	23	20
		F	85	.	.	.	.	1	.	7	15	30	32
E.29	Hypertension without mention of heart	M	60	.	.	.	.	1	2	12	15	21	9
		F	71	.	.	.	.	.	3	2	9	32	25
B.46a	Other circulatory diseases	M	50	.	.	.	.	1	.	4	8	17	20
		F	53	.	.	.	.	3	2	5	3	17	23
B.30	Influenza	M	5	.	.	.	.	1	.	1	2	.	1
		F	7	.	.	.	.	.	.	.	.	5	2
B.31	Pneumonia	M	90	32	6	.	.	.	4	8	7	17	16
		F	95	34	10	2	1	1	1	5	5	9	27



TABLE 20 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## DUBLIN COUNTY BOROUGH (contd.)

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
B.32	Bronchitis	M	141	7	1	.	.	.	1	14	35	46	37
		F	79	.	2	1	1	.	1	7	7	27	33
B.46b	Other respiratory diseases	M	29	1	.	1	2	1	.	2	8	10	4
		F	21	1	.	1	.	1	.	4	2	5	7
B.36a	Gastritis and duodenitis	M	2	1	.	.	.	.	.	.	.	1	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.33	Ulcer of stomach and duodenum	M	25	.	.	.	1	1	1	6	6	8	2
		F	9	.	.	.	.	2	.	1	3	2	1
B.34	Appendicitis	M	1	.	.	.	.	.	.	1	.	.	.
		F	6	.	.	2	.	.	.	1	1	1	1
B.35	Intestinal obstruction and hernia	M	17	3	1	.	1	.	.	.	4	3	5
		F	16	.	1	.	.	.	1	3	3	5	3
B.36b	Gastro enteritis and colitis except diarrhoea of newborn	M	8	4	1	.	.	.	.	1	2	.	.
		F	12	6	1	1	.	.	.	1	1	2	.
B.37	Cirrhosis of liver	M	16	1	.	.	.	.	3	2	3	4	3
		F	3	.	1	.	.	.	.	.	1	.	1
B.46c	Other diseases of the liver, gallbladder and pancreas	M	8	.	.	.	.	2	2	.	.	1	3
		F	7	.	1	.	.	.	.	3	2	1	.
B.46d	Other digestive diseases	M	8	.	.	.	.	.	.	2	2	2	2
		F	10	.	.	1	.	1	.	.	2	3	3
B.38	Nephritis and nephrosis	M	39	1	.	2	3	2	6	7	7	7	4
		F	34	.	.	.	1	1	2	6	7	12	5
B.39	Hyperplasia of prostate	M	13	.	.	.	.	.	.	.	.	4	9
B.40a	Complications of pregnancy and childbirth	F	6	.	.	.	.	3	3	.	.	.	.
B.40b	Puerperal sepsis	F	.	.	.	.	.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F	1	.	.	.	.	1	.	.	.	.	.
B.41	Congenital malformations	M	42	35	2	1	.	1	1	1	.	1	.
		F	29	26	2	.	1	.	.	.	.	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	62	62	.	.	.	.	.	.	.	.	.
		F	33	33	.	.	.	.	.	.	.	.	.
B.43a	Diarrhoea of newborn	M	.	.	.	.	.	.	.	.	.	.	.
		F	1	1	.	.	.	.	.	.	.	.	.
B.43b	Other infections of newborn	M	9	9	.	.	.	.	.	.	.	.	.
		F	19	19	.	.	.	.	.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	46	46	.	.	.	.	.	.	.	.	.
		F	44	44	.	.	.	.	.	.	.	.	.
B.45a	Senility without mention of psychosis	M	16	.	.	.	.	.	.	.	.	4	12
		F	40	.	.	.	.	.	.	.	.	6	34
B.45b	Ill-defined and unknown causes	M	59	8	.	.	.	2	1	4	13	20	11
		F	48	7	.	.	.	.	3	3	7	15	13
B.46e	All other diseases	M	103	8	3	1	4	3	8	9	25	23	19
		F	129	5	8	2	8	4	8	16	31	29	18
EXTERNAL CAUSES													
BE.47	Motor vehicle accidents	M	41	.	1	7	4	6	5	2	8	5	3
		F	9	.	1	.	1	1	1	.	1	2	2
BE.48	All other accidents	M	50	5	1	3	6	5	6	8	5	7	4</

TABLE 20 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## REMAINING URBAN DISTRICTS

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
	All Causes	M	2,961	313	62	46	54	75	127	270	480	778	756
		F	2,811	240	55	29	50	62	102	206	347	767	953
B.1	Tuberculosis of respiratory system	M	156	1	3	2	12	26	34	29	36	11	2
		F	101	.	1	3	20	19	27	16	11	3	1
B.2	Tuberculosis, other forms	M	46	2	12	10	9	5	2	3	1	2	.
		F	33	5	6	4	6	4	2	4	.	2	.
B.3	Syphilis and its sequelae	M	6	1	.	.	.	.	.	.	3	2	.
		F	3	.	.	.	.	.	.	.	.	3	.
B.4	Typhoid fever	M	1	.	.	1	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	1	.
B.6	Dysentery, all forms	M	1	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.7a	Scarlet fever	M	1	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.8	Diphtheria	M	2	1	1	.	.	.	.	.	.	.	.
		F	1	.	1	.	.	.	.	.	.	.	.
B.9	Whooping cough	M	9	7	2	.	.	.	.	.	.	.	.
		F	7	7	.	.	.	.	.	.	.	.	.
B.10	Meningococcal infections	M	5	4	1	.	.	.	.	.	.	.	.
		F	4	2	1	1	.	.	.	.	.	.	.
B.12	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.17a	Acute infectious encephalitis	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.14	Measles	M	7	3	4	.	.	.	.	.	.	.	.
		F	9	3	5	1	.	.	.	.	.	.	.
B.16	Malaria	M	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.17b	All other diseases classified as infective and parasitic	M	6	.	.	1	1	.	1	.	.	2	1
		F	11	1	1	2	.	.	.	2	2	3	.
B.18a	Malignant neoplasms	M	375	.	1	1	2	5	18	47	88	139	74
		F	347	.	.	.	1	8	27	52	76	113	70
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M	21	.	2	2	3	6	4	1	.	1	2
		F	12	1	1	1	1	1	1	1	3	.	2
B.19	Benign and unspecified neoplasms	M	10	1	1	.	1	.	1	1	.	3	2
		F	12	.	.	1	.	.	1	2	2	4	2
B.20	Diabetes mellitus	M	13	.	.	1	.	.	.	2	2	4	4
		F	16	.	.	.	.	.	1	.	3	6	6
B.21	Anaemias	M	15	.	.	.	.	.	.	2	2	4	7
		F	33	1	2	1	1	.	1	2	5	7	13
B.22	Vascular lesions affecting central nervous system	M	235	3	.	2	.	1	7	23	43	83	73
		F	320	3	.	.	1	1	5	22	50	117	121
B.23	Nonmeningococcal meningitis	M	6	2	.	.	2	.	1	1	.	.	.
		F	7	2	2	1	.	.	.	.	2	.	.
B.24	Rheumatic fever	M	5	.	.	.	1	1	1	1	.	1	.
		F	5	.	.	.	2	.	.	2	1	.	.
B.25	Chronic rheumatic heart disease	M	20	.	.	.	1	2	3	5	2	6	1
		F	30	.	.	1	2	2	2	2	4	10	7
B.26	Arteriosclerotic and degenerative heart disease	M	772	.	1	1	1	3	17	65	150	243	291
		F	669	1	1	1	2	2	5	27	85	237	308
B.27	Other diseases of the heart	M	118	.	1	1	.	1	3	12	18	40	42
		F	126	.	.	.	2	2	.	12	17	43	50
B.28	Hypertension with heart disease	M	34	.	.	.	.	.	.	.	9	17	8
		F	40	.	.	.	.	.	1	4	7	11	17
B.29	Hypertension without mention of heart	M	38	.	.	.	1	.	.	7	8	11	11
		F	37	.	.	.	.	.	1	3	6	10	17
B.46a	Other circulatory diseases	M	50	.	.	.	.	.	1	1	4	19	25
		F	60	.	.	.	.	1	.	1	9	17	32
B.30	Influenza	M	8	1	.	.	.	.	.	.	1	4	2
		F	11	1	.	.	.	.	.	.	.	2	8
B.31	Pneumonia	M	89	32	8	2	2	1	1	5	8	20	10
		F	81	21	15	2	1	1	2	5	6	13	15

TABLE 20 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## REMAINING URBAN DISTRICTS (contd.)

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
B.32	Bronchitis	M	88	1	.	.	.	.	2	9	28	24	24
		F	60	5	1	.	.	.	1	4	3	18	28
B.46b	Other respiratory diseases	M	33	3	.	3	.	.	2	4	4	7	10
		F	36	.	2	1	.	3	.	5	6	8	11
B.36a	Gastritis and duodenitis	M	3	1	.	.	.	.	.	.	1	1	.
		F	4	.	.	.	.	.	.	.	2	2	.
B.33	Ulcer of stomach and duodenum	M	33	.	.	.	.	1	4	5	11	10	2
		F	9	.	.	.	.	.	1	3	4	1	.
B.34	Appendicitis	M	5	.	1	1	.	1	1	.	.	1	.
		F	4	.	.	.	.	.	1	1	.	1	1
B.35	Intestinal obstruction and hernia	M	22	1	1	1	1	2	.	.	5	6	5
		F	12	1	.	1	.	.	1	1	2	2	4
B.36b	Gastro-enteritis and colitis except diarrhoea of newborn	M	38	25	6	1	.	.	1	.	.	4	1
		F	24	19	2	.	.	.	.	.	3	.	.
B.37	Cirrhosis of liver	M	13	.	.	.	.	1	1	6	1	2	2
		F	7	.	.	.	.	1	1	1	4	.	1
B.46c	Other diseases of the liver, gallbladder and pancreas	M	7	.	.	.	.	.	1	1	1	3	1
		F	21	.	.	.	.	.	.	2	2	10	7
B.46d	Other digestive diseases	M	11	.	.	1	.	1	4	1	2	1	1
		F	8	2	.	1	.	.	.	3	.	2	.
B.38	Nephritis and nephrosis	M	46	.	.	.	2	4	5	7	8	11	9
		F	38	.	1	1	1	.	5	6	7	8	9
B.39	Hyperplasia of prostate	M	35	.	.	.	.	.	.	.	1	10	24
B.40a	Complications of pregnancy and childbirth	F	10	.	.	.	2	6	2	.	.	.	.
B.40b	Puerperal sepsis	F	.	.	.	.	.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F	3	.	.	.	1	1	1	.	.	.	.
B.41	Congenital malformations	M	42	39	.	2	1	.	.	.	.	.	.
		F	34	28	2	1	.	1	.	2	.	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	47	47	.	.	.	.	.	.	.	.	.
		F	36	36	.	.	.	.	.	.	.	.	.
B.43a	Diarrhoea of newborn	M	1	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.
B.43b	Other infections of newborn	M	13	13	.	.	.	.	.	.	.	.	.
		F	7	7	.	.	.	.	.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	98	98	.	.	.	.	.	.	.	.	.
		F	75	75	.	.	.	.	.	.	.	.	.
B.45a	Senility without mention of psychosis	M	90	.	.	.	.	.	.	.	.	15	75
		F	176	.	.	.	.	.	.	.	.	18	158
B.45b	Ill-defined and unknown causes	M	65	13	4	1	.	.	.	7	12	12	16
		F	54	10	5	.	.	1	3	2	5	11	17
B.46e	All other diseases	M	136	9	6	2	4	6	4	15	21	49	20
		F	165	4	4	1	1	8	6	19	23	67	32
EXTERNAL CAUSES													
BE.47	Motor vehicle accidents	M	19	.	1	2	2	4	1	2	2	2	3
		F	4	.	1	.	2	.	.	.	.	.	1
BE.48	All other accidents	M	62	2	6	8	8	3	7	6	7	7	8
		F	45	5	1	4	4	1	3	1	3	11	12
BE.49	Suicide and self-inflicted injury	M	4	.	.	.	.	1	.	2	.	1	.
		F	3	.	.	.	.	.	2	1	.	.	.
BE.50	Homicide and operations of war	M	1	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.	.



TABLE 20 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## RURAL DISTRICTS

Abbreviated List No.	Causes of Death	Age at Death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
	All causes	M 13,290 F 10,787	948 740	196 141	134 109	191 155	270 247	462 377	796 643	1,412 1,118	3,389 2,594	5,492 4,658	
B.1	Tuberculosis of respiratory system	M 391 F 307	1 1	4 2	4 7	33 45	75 94	77 60	66 30	73 37	48 23	10 8	
B.2	Tuberculosis, other forms	M 138 F 106	8 5	25 10	18 20	25 27	13 16	17 9	13 5	9 7	9 4	1 3	
B.3	Syphilis and its sequelae	M 9 F 8	. 1	. 1	. .	. .	. .	2 1	2 1	3 .	1 3	1 1	
B.4	Typhoid fever	M . F .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
B.6	Dysentery, all forms	M 2 F .	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	
B.7a	Scarlet fever	M 2 F 5	. .	. 2	1 3	. .	. .	1 .	. .	. .	. .	. .	
B.7b	Streptococcal sore throat	M 2 F .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	
B.8	Diphtheria	M 3 F 1	. .	. 1	3 .	. .	. .	. .	. .	. .	. .	. .	
B.9	Whooping cough	M 33 F 34	23 23	8 10	2 1	. .	. .	. .	. .	. .	. .	. .	
B.10	Meningococcal infections	M 10 F 4	1 2	6 .	2 .	. .	. .	1 2	. .	. .	. .	. .	
B.12	Acute poliomyelitis	M 8 F 4	. 1	. .	2 .	2 .	. 3	1 .	2 .	1 .	. .	. .	
B.17a	Acute infectious encephalitis	M 1 F 3	. .	. .	. 1	1 .	. 1	. .	. .	1 .	. .	. .	
B.14	Measles	M 10 F 16	3 5	5 7	1 2	. 2	. .	. .	1 .	. .	. .	. .	
B.16	Malaria	M 1 F .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	
B.17b	All other diseases classified as infective and parasitic	M 54 F 21	3 2	5 2	4 1	2 1	3 1	9 .	5 6	10 2	9 4	4 2	
B.18a	Malignant neoplasms	M 1,527 F 1,185	2 1	3 3	3 1	12 4	16 15	37 79	138 162	284 256	586 379	446 285	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M 74 F 43	. 1	4 5	9 3	8 3	7 3	10 5	13 4	11 8	7 9	5 2	
B.19	Benign and unspecified neoplasms	M 59 F 49	. 2	2 1	2 2	2 1	3 2	8 8	16 7	12 12	8 5	6 9	
B.20	Diabetes mellitus	M 62 F 73	. .	. .	. 2	. 2	3 .	4 3	10 5	8 12	16 26	21 23	
B.21	Anaemias	M 84 F 100	2 2	1 2	. 1	2 3	5 1	5 5	5 10	11 21	34 36	19 19	
B.22	Vascular lesions affecting central nervous system	M 899 F 1,043	4 .	1 .	. 1	4 7	6 5	14 19	36 61	104 166	323 370	407 414	
B.23	Nonmeningococcal meningitis	M 27 F 21	6 5	8 7	4 1	1 2	1 3	2 .	2 1	2 1	1 1	. .	
B.24	Rheumatic fever	M 29 F 20	1 1	. 1	6 6	1 3	4 1	7 2	5 1	1 2	2 2	2 1	
B.25	Chronic rheumatic heart disease	M 126 F 109	1 .	. .	. 3	3 1	5 9	9 15	13 11	15 14	37 26	43 30	
B.26	Arteriosclerotic and degenerative heart disease	M 3,259 F 2,384	. .	. .	2 1	6 2	15 6	64 41	198 105	395 242	1,046 768	1,533 1,219	
B.27	Other diseases of the heart	M 456 F 373	. 1	2 2	1 2	4 1	7 5	10 8	21 18	52 43	168 135	191 158	
B.28	Hypertension with heart disease	M 132 F 130	. .	. .	. .	. .	2 1	1 2	7 7	18 12	45 52	59 56	
B.29	Hypertension without mention of heart	M 164 F 175	. .	. .	. .	. .	3 2	4 2	14 30	24 28	70 55	49 58	
B.46a	Other circulatory diseases	M 246 F 160	2 .	. .	. .	1 1	2 4	3 4	8 1	12 10	65 47	153 93	
B.30	Influenza	M 107 F 100	9 4	1 3	2 2	3 .	. 2	4 5	1 2	13 9	33 22	41 51	
B.31	Pneumonia	M 351 F 273	103 94	26 23	5 9	6 2	6 3	8 6	15 9	28 18	67 34	87 75	

TABLE 20 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE FOR DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS

## RURAL DISTRICTS (contd.)

Abbreviated List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
B.32	Bronchitis	M	349	13	5	1	.	3	6	22	29	105	165
		F	223	12	3	2	1	.	1	14	20	54	116
B.46b	Other respiratory diseases	M	110	6	3	1	2	6	6	9	14	32	31
		F	73	2	4	1	2	4	3	5	8	19	25
B.36a	Gastritis and duodenitis	M	12	3	.	1	.	.	.	.	.	2	6
		F	15	1	.	.	.	.	.	.	.	10	4
B.33	Ulcer of stomach and duodenum	M	106	.	.	.	.	5	16	12	27	33	13
		F	39	.	.	.	.	.	6	7	5	12	9
B.34	Appendicitis	M	26	.	7	3	4	1	.	5	4	.	2
		F	9	.	1	.	.	.	1	.	3	.	4
B.35	Intestinal obstruction and hernia	M	75	9	5	2	.	1	1	10	7	19	21
		F	73	3	1	1	1	.	1	4	12	22	28
B.36b	Gastro enteritis and colitis except diarrhoea of newborn	M	71	39	10	1	.	.	2	3	3	7	6
		F	77	33	10	2	.	5	2	3	5	12	5
B.37	Cirrhosis of liver	M	20	.	.	.	1	.	3	1	5	8	2
		F	11	.	.	1	1	2	.	1	1	3	2
B.46c	Other diseases of the liver, gallbladder and pancreas	M	32	2	.	1	.	.	4	2	5	10	8
		F	64	1	.	.	.	3	3	11	9	23	14
B.46d	Other digestive diseases	M	38	4	.	1	3	3	7	2	3	7	8
		F	24	2	2	1	.	.	3	1	4	4	7
B.38	Nephritis and nephrosis	M	238	2	1	3	5	6	23	18	36	66	78
		F	171	.	1	3	7	2	6	28	28	49	47
B.39	Hyperplasia of prostate	M	218	.	.	.	.	.	.	2	12	70	134
B.40a	Complications of pregnancy and childbirth	F	61	.	.	.	4	26	26	5	.	.	.
B.40b	Puerperal sepsis	F	.	.	.	.	.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F	11	.	.	.	2	3	5	1	.	.	.
B.41	Congenital malformations	M	164	137	11	8	2	3	1	1	1	.	.
		F	121	102	8	5	2	2	.	1	1	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M	121	121	.	.	.	.	.	.	.	.	.
		F	100	100	.	.	.	.	.	.	.	.	.
B.43a	Diarrhoea of newborn	M	9	9	.	.	.	.	.	.	.	.	.
		F	6	6	.	.	.	.	.	.	.	.	.
B.43b	Other infections of newborn	M	27	27	.	.	.	.	.	.	.	.	.
		F	24	24	.	.	.	.	.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M	345	345	.	.	.	.	.	.	.	.	.
		F	260	260	.	.	.	.	.	.	.	.	.
B.45a	Senility without mention of psychosis	M	1,608	.	.	.	.	.	.	.	.	127	1,481
		F	1,661	.	.	.	.	.	.	.	.	116	1,545
B.45b	Ill-defined and unknown causes	M	392	33	6	1	3	4	13	20	45	87	180
		F	261	19	8	2	1	.	8	11	24	80	108
B.46e	All other diseases	M	652	16	27	14	13	21	43	57	67	171	223
		F	585	13	14	15	17	16	30	71	83	163	163
EXTERNAL CAUSES													
BE.47	Motor vehicle accidents	M	88	.	3	10	13	9	11	12	15	12	3
		F	16	.	1	.	2	2	3	1	3	2	2
BE.48	All other accidents	M	275	12	17	16	29	28	23	17	41	46	46
		F	146	10	6	7	7	4	2	6	9	23	72
BE.49	Suicide and self-inflicted injury	M	43	.	.	.	.	3	5	11	10	8	6
		F	7	.	.	.	1	1	.	2	2	1	.
BE.50	Homicide and operations of war	M	5	.	.	.	.	1	.	1	1	2	.
		F	2	1	.	.	.	.	1	.	.	.	.

TABLE 21 - DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN 1952 CLASSIFIED BY CAUSE AND  
*Note - Deaths are allocated to the area in which deceased normally resided but the place*  
 THE ABBREVIATED LIST OF CAUSES OF DEATH ADOPTED BY THE ARD CHLARAÍTHEOIR

Code No.	Causes of death	Numbers in Detailed International Classification
1	Tuberculosis of respiratory system	001-008
2	Tuberculosis, other forms	010-019
3	Diphtheria	055
4	Whooping cough	056
5	Meningococcal infections	057
6	Acute poliomyelitis	080
7	Measles	085
8	Other infective and parasitic diseases	020-054, 058-074, 081-084, 086-138
9	Malignant neoplasm of stomach	151
10	Malignant neoplasm of small and large intestine including duodenum	152, 153
11	Malignant neoplasm of rectum	154
12	Other malignant neoplasms of digestive organs and peritoneum	150, 155-159
13	Malignant neoplasm of trachea, bronchus and lung	162, 163
14	Other malignant neoplasms of respiratory system	160, 161, 164, 165
15	Malignant neoplasm of breast	170
16	Malignant neoplasm of uterus	171-174
17	Other malignant neoplasms of genito-urinary system	175-181
18	Other malignant neoplasms	140-148, 190-199
19	Hodgkin's disease and leukaemia and aleukaemia	201, 204
20	Other neoplasms of lymphatic and haematopoietic tissues	200, 202, 203, 205
21	Diabetes	260
22	Cerebral haemorrhage	331
23	Other vascular lesions affecting the central nervous system	330, 332-334



PLACE OF OCCURRENCE AND SHOWING THE NUMBERS OF UNCERTIFIED DEATHS FOR EACH CAUSE  
*of occurrence is not necessarily in the county to which the death has been allocated*  
 AND ITS RELATION TO DETAILED INTERNATIONAL CLASSIFICATION

Code no.	Causes of death	Numbers in Detailed International Classification
24	Other diseases of nervous system and sense organs	340-398
25	Chronic rheumatic heart disease	410-416
26	Arteriosclerotic and degenerative heart disease	420-422
27	Other diseases of the heart	430-434
28	Hypertension with heart disease	440-443
29	Hypertension without heart disease	444-447
30	Other diseases of circulatory system	400-402, 450-468
31	Influenza	480-483
32	Pneumonia	490-493
33	Bronchitis	500-502
34	Other diseases of respiratory system	470-475, 510-527
35	Ulcer of stomach and duodenum	540, 541
36	Gastro-enteritis and diarrhoea under 2 years	571.0, 764
37	Nephritis and nephrosis	590-594
38	Hyperplasia of prostate	610
39	Complications of pregnancy, childbirth and the puerperium	640-689
40	Congenital malformations	750-759
41	Diseases of early infancy	760-776 except 764
42	Senility	794
43	Ill-defined causes	780-793, 795
44	Other defined diseases	210-254, 270-326, 530-539, 542-570, 571.1, 572-587, 600-609, 611-637, 690-749
45	Accidents	E800-E962
46	Suicide	E963, E970-E979
47	Other external causes	E964, E965, E980-E999

TABLE 21 - DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN 1952 CLASSIFIED BY CAUSE AND

## TOTAL

*Note - Deaths are allocated to the area in which deceased normally resided but the place*

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	715	247	66	163	239	7
		F	492	152	55	121	164	5
2	Tuberculosis, other forms	M	208	72	13	92	31	2
		F	164	48	13	71	32	2
3	Diphtheria	M	5	1	.	3	1	.
		F	2	.	.	2	.	.
4	Whooping cough	M	44	5	.	9	30	6
		F	42	3	.	5	34	5
5	Meningococcal infections	M	18	6	.	7	5	.
		F	9	2	.	7	.	.
6	Acute poliomyelitis	M	8	.	.	6	2	.
		F	4	.	.	4	.	.
7	Measles	M	21	4	.	7	10	1
		F	31	8	.	5	18	1
8	Other infective and parasitic diseases	M	109	25	7	54	23	.
		F	67	19	1	21	26	1
9	Malignant neoplasm of stomach	M	556	57	9	169	321	3
		F	382	64	4	77	237	2
10	Malignant neoplasm of small and large intestine including duodenum	M	247	43	3	68	133	2
		F	267	51	5	67	144	.
11	Malignant neoplasm of rectum	M	176	30	1	63	82	1
		F	86	21	1	20	44	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	276	67	2	70	137	3
		F	225	52	4	51	118	.
13	Malignant neoplasm of trachea, bronchus and lung	M	260	76	1	65	118	1
		F	78	13	.	26	39	.
14	Other malignant neoplasms of respiratory system	M	73	19	.	26	28	.
		F	28	9	1	5	13	.
15	Malignant neoplasm of breast	M	8	2	.	3	3	.
		F	326	55	9	71	191	6
16	Malignant neoplasm of uterus	F	146	28	2	40	76	2
17	Other malignant neoplasms of genito-urinary system	M	259	51	6	99	103	4
		F	111	31	1	33	46	.
18	Other malignant neoplasms	M	439	56	12	154	217	11
		F	239	44	7	70	118	4
19	Hodgkin's disease and leukaemia and aleukaemia	M	88	21	.	35	32	.
		F	62	19	.	18	25	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	17	6	.	6	5	.
		F	8	5	.	3	.	.
21	Diabetes	M	91	17	3	33	38	3
		F	101	13	1	32	55	5
22	Cerebral haemorrhage	M	616	65	20	125	406	31
		F	804	84	13	172	535	20
23	Other vascular lesions affecting the central nervous system	M	751	93	15	188	455	34
		F	863	107	20	186	550	35

## PLACE OF OCCURRENCE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS FOR EACH CAUSE

TOTAL (contd.)

*of occurrence is not necessarily in the County to which the death has been allocated*

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	376	51	20	113	192	18
		F	416	52	19	106	239	29
25	Chronic rheumatic heart disease	M	172	15	6	48	103	.
		F	208	35	4	56	113	2
26	Arteriosclerotic and degenerative heart disease	M	4,652	256	216	956	3,224	164
		F	3,702	230	229	682	2,561	126
27	Other diseases of the heart	M	649	55	11	193	390	66
		F	594	56	14	114	410	64
28	Hypertension with heart disease	M	231	23	3	79	126	3
		F	255	21	6	78	150	1
29	Hypertension without heart disease	M	262	35	2	89	136	6
		F	283	23	2	97	161	6
30	Other diseases of circulatory system	M	388	32	12	148	196	5
		F	306	46	17	84	159	3
31	Influenza	M	120	2	.	16	102	15
		F	118	3	1	8	106	26
32	Pneumonia	M	530	90	26	131	283	13
		F	449	70	11	102	266	13
33	Bronchitis	M	578	59	12	119	388	28
		F	362	17	7	47	291	18
34	Other diseases of respiratory system	M	172	21	8	44	99	2
		F	130	12	6	30	82	5
35	Ulcer of stomach and duodenum	M	164	55	2	63	44	2
		F	57	20	.	14	23	2
36	Gastro-enteritis and diarrhoea under 2 years	M	88	7	.	32	49	2
		F	72	15	.	19	38	3
37	Nephritis and nephrosis	M	323	47	8	97	171	4
		F	243	33	5	67	138	3
38	Hyperplasia of prostate	M	266	38	4	117	107	3
39	Complications of pregnancy, childbirth and the puerperium	F	92	28	2	40	22	.
40	Congenital malformations	M	248	85	1	70	92	9
		F	184	53	1	61	69	6
41	Diseases of early infancy	M	768	247	.	287	234	33
		F	598	198	.	228	172	40
42	Senility	M	1,714	10	70	140	1,494	1,077
		F	1,877	13	70	148	1,646	1,189
43	Ill-defined causes	M	516	51	4	65	396	260
		F	363	32	9	30	292	192
44	Other defined diseases	M	1,121	209	65	362	485	33
		F	1,074	202	46	284	542	42
45	Accidents	M	535	108	.	115	312	5
		F	251	41	3	85	122	4
46	Suicide	M	53	4	.	3	46	.
		F	13	.	.	1	12	.
47	Other external causes	M	7	1	.	3	3	.
		F	3	.	.	.	3	.
	All causes	M	18,918	2,464	628	4,735	11,091	1,857
		F	16,187	2,028	589	3,488	10,082	1,862



TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## LEINSTER

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	336	149	14	68	105	2
		F	226	79	24	47	76	3
2	Tuberculosis, other forms	M	86	41	4	28	13	.
		F	72	29	3	27	13	.
3	Diphtheria	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	16	4	.	1	11	1
		F	12	3	.	3	6	.
5	Meningococcal infections	M	6	3	.	3	.	.
		F	3	2	.	1	.	.
6	Acute poliomyelitis	M	2	.	.	1	1	.
		F	1	.	.	1	.	.
7	Measles	M	8	1	.	2	5	.
		F	13	5	.	2	6	1
8	Other infective and parasitic diseases	M	53	19	5	22	7	.
		F	27	12	1	7	7	1
9	Malignant neoplasm of stomach	M	244	38	3	76	127	1
		F	181	44	1	33	103	.
10	Malignant neoplasm of small and large intestine including duodenum	M	104	25	2	28	49	.
		F	126	33	5	28	60	.
11	Malignant neoplasm of rectum	M	70	19	1	21	29	.
		F	34	12	1	7	14	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	114	44	.	22	48	1
		F	106	34	1	19	52	.
13	Malignant neoplasm of trachea, bronchus and lung	M	175	60	.	38	77	1
		F	43	10	.	13	20	.
14	Other malignant neoplasms of respiratory system	M	40	12	.	13	15	.
		F	13	6	.	3	4	.
15	Malignant neoplasm of breast	M	3	1	.	.	2	.
		F	139	24	6	29	80	1
16	Malignant neoplasm of uterus	F	80	21	1	17	41	.
17	Other malignant neoplasms of genito-urinary system	M	105	34	1	32	38	3
		F	47	16	1	14	16	.
18	Other malignant neoplasms	M	170	30	7	57	76	4
		F	99	27	1	25	46	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	31	9	.	8	14	.
		F	30	16	.	5	9	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	4	1	.	1	2	.
		F	4	3	.	1	.	.
21	Diabetes	M	35	12	2	6	15	2
		F	30	5	.	12	13	.
22	Cerebral haemorrhage	M	270	42	9	51	168	8
		F	364	56	3	69	236	5
23	Other vascular lesions affecting the central nervous system	M	332	67	9	95	161	6
		F	433	73	8	105	247	7

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## LEINSTER (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M F	149 182	31 37	9 11	44 38	65 96	. 5
25	Chronic rheumatic heart disease	M F	83 129	11 26	2 2	20 36	50 65	. .
26	Arteriosclerotic and degenerative heart disease	M F	1,942 1,674	161 144	104 130	356 262	1,321 1,138	64 40
27	Other diseases of the heart	M F	234 234	26 26	6 5	80 56	122 147	15 13
28	Hypertension with heart disease	M F	122 159	19 16	1 4	45 56	57 83	2 1
29	Hypertension without heart disease	M F	127 138	24 16	. .	45 64	58 58	. .
30	Other diseases of circulatory system	M F	208 179	21 33	9 7	85 48	93 91	2 2
31	Influenza	M F	40 45	1 2	. .	4 4	35 39	4 5
32	Pneumonia	M F	216 212	52 52	12 8	44 36	108 116	3 5
33	Bronchitis	M F	274 169	47 11	3 3	53 26	171 129	4 3
34	Other diseases of respiratory system	M F	82 59	18 8	3 3	20 10	41 38	. .
35	Ulcer of stomach and duodenum	M F	68 24	36 10	1 .	16 6	15 8	. 1
36	Gastro-enteritis and diarrhoea under 2 years	M F	27 31	4 9	. .	8 10	15 12	. .
37	Nephritis and nephrosis	M F	136 106	35 19	5 3	44 26	52 58	. .
38	Hyperplasia of prostate	M	75	16	.	31	28	.
39	Complications of pregnancy, childbirth and the puerperium	F	37	20	1	13	3	.
40	Congenital malformations	M F	118 92	57 38	. .	30 33	31 21	1 3
41	Diseases of early infancy	M F	368 306	196 155	. .	77 83	95 68	11 16
42	Senility	M F	306 360	3 6	9 11	51 48	243 295	110 131
43	Ill-defined causes	M F	195 142	29 15	1 5	21 10	144 112	94 81
44	Other defined diseases	M F	452 455	124 120	31 23	117 97	180 215	8 4
45	Accidents	M F	257 105	78 33	. 1	41 26	138 45	3 2
46	Suicide	M F	15 6	1 .	. .	. 1	14 5	. .
47	Other external causes	M F	2 3	. .	. .	1 .	1 3	. .
All causes		M F	7,701 6,930	1,601 1,306	253 273	1,807 1,457	4,040 3,894	350 330

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## MUNSTER

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	240	54	28	65	93	3
		F	161	44	15	41	61	1
2	Tuberculosis, other forms	M	75	22	4	43	6	.
		F	54	14	4	26	10	1
3	Diphtheria	M	2	1	.	1	.	.
		F	2	.	.	2	.	.
4	Whooping cough	M	13	1	.	4	8	1
		F	15	.	.	1	14	1
5	Meningococcal infections	M	11	3	.	4	4	.
		F	3	.	.	3	.	.
6	Acute poliomyelitis	M	3	.	.	3	.	.
		F	2	.	.	2	.	.
7	Measles	M	9	3	.	4	2	.
		F	11	3	.	1	7	.
8	Other infective and parasitic diseases	M	39	6	1	22	10	.
		F	26	6	.	9	11	.
9	Malignant neoplasm of stomach	M	163	13	4	59	87	.
		F	111	16	2	19	74	1
10	Malignant neoplasm of small and large intestine including duodenum	M	79	18	.	20	41	.
		F	85	16	.	20	49	.
11	Malignant neoplasm of rectum	M	65	10	.	27	28	.
		F	33	8	.	7	18	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	108	17	2	35	54	.
		F	78	14	.	20	44	.
13	Malignant neoplasm of trachea, bronchus and lung	M	62	10	.	19	33	.
		F	19	2	.	9	8	.
14	Other malignant neoplasms of respiratory system	M	21	3	.	10	8	.
		F	11	3	1	1	6	.
15	Malignant neoplasm of breast	M	3	1	.	1	1	.
		F	105	22	3	23	57	2
16	Malignant neoplasm of uterus	F	49	6	1	19	23	1
17	Other malignant neoplasms of genito-urinary system	M	94	13	3	38	40	.
		F	35	11	.	9	15	.
18	Other malignant neoplasms	M	149	16	1	61	71	1
		F	68	11	3	20	34	2
19	Hodgkin's disease and leukaemia and aleukaemia	M	32	10	.	11	11	.
		F	25	2	.	12	11	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	8	4	.	2	2	.
		F	1	.	.	1	.	.
21	Diabetes	M	35	4	.	16	15	1
		F	35	6	.	8	21	1
22	Cerebral haemorrhage	M	205	17	6	51	131	8
		F	268	24	8	71	165	3
23	Other vascular lesions affecting the central nervous system	M	208	23	2	48	135	1
		F	233	28	6	45	154	8



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## MUNSTER (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	126	15	6	37	68	5
		F	134	13	3	38	80	10
25	Chronic rheumatic heart disease	M	47	4	2	16	25	.
		F	35	8	.	9	18	2
26	Arteriosclerotic and degenerative heart disease	M	1,524	81	47	363	1,033	35
		F	1,195	67	42	289	797	29
27	Other diseases of the heart	M	260	26	3	70	161	15
		F	226	22	6	40	158	16
28	Hypertension with heart disease	M	54	3	.	26	25	1
		F	60	4	.	17	39	.
29	Hypertension without heart disease	M	77	6	1	25	45	2
		F	70	5	.	13	52	2
30	Other diseases of circulatory system	M	93	10	1	42	40	1
		F	79	11	3	20	45	1
31	Influenza	M	30	1	.	3	26	6
		F	29	.	1	3	25	6
32	Pneumonia	M	171	31	9	44	87	2
		F	122	16	2	35	69	2
33	Bronchitis	M	189	12	8	49	120	5
		F	122	4	3	14	101	4
34	Other diseases of respiratory system	M	58	3	3	16	36	2
		F	45	3	3	19	20	1
35	Ulcer of stomach and duodenum	M	57	15	.	25	17	.
		F	19	7	.	4	8	.
36	Gastro-enteritis and diarrhoea under 2 years	M	43	3	.	22	18	1
		F	29	6	.	5	18	1
37	Nephritis and nephrosis	M	86	9	1	25	51	.
		F	74	12	1	24	37	.
38	Hyperplasia of prostate	M	86	21	.	32	33	1
39	Complications of pregnancy, childbirth and the puerperium	F	25	5	1	12	7	.
40	Congenital malformations	M	75	20	.	21	34	5
		F	45	11	.	17	17	1
41	Diseases of early infancy	M	249	44	.	130	75	6
		F	177	36	.	86	55	6
42	Senility	M	595	7	31	46	511	333
		F	685	5	31	51	598	402
43	Ill-defined causes	M	158	21	2	25	110	64
		F	112	15	4	13	80	39
44	Other defined diseases	M	373	68	15	134	156	10
		F	351	66	11	91	183	13
45	Accidents	M	169	25	.	41	103	.
		F	72	8	.	31	33	1
46	Suicide	M	24	3	.	2	19	.
		F	5	.	.	.	5	.
47	Other external causes	M	3	1	.	.	2	.
		F	.	.	.	.	.	.
	All causes	M	6,171	678	180	1,738	3,575	509
		F	5,141	560	154	1,200	3,227	557

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## CONNACHT

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	94	32	22	17	23	2
		F	74	21	14	21	18	.
2	Tuberculosis, other forms	M	31	5	4	18	4	.
		F	23	1	5	14	3	.
3	Diphtheria	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
4	Whooping cough	M	8	.	.	3	5	2
		F	11	.	.	1	10	4
5	Meningococcal infections	M	.	.	.	.	.	.
		F	3	.	.	3	.	.
6	Acute poliomyelitis	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
7	Measles	M	4	.	.	1	3	1
		F	7	.	.	2	5	.
8	Other infective and parasitic diseases	M	12	.	.	9	3	.
		F	9	1	.	5	3	.
9	Malignant neoplasm of stomach	M	90	5	2	20	63	1
		F	56	4	1	16	35	1
10	Malignant neoplasm of small and large intestine including duodenum	M	47	.	1	18	28	2
		F	38	1	.	15	22	.
11	Malignant neoplasm of rectum	M	33	1	.	15	17	.
		F	11	.	.	5	6	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	40	6	.	12	22	1
		F	25	3	1	8	13	.
13	Malignant neoplasm of trachea, bronchus and lung	M	20	4	1	7	8	.
		F	9	1	.	3	5	.
14	Other malignant neoplasms of respiratory system	M	10	4	.	3	3	.
		F	3	.	.	1	2	.
15	Malignant neoplasm of breast	M	2	.	.	2	.	.
		F	49	4	.	18	27	1
16	Malignant neoplasm of uterus	F	7	1	.	3	3	.
17	Other malignant neoplasms of genito-urinary system	M	46	3	1	24	18	.
		F	16	1	.	8	7	.
18	Other malignant neoplasms	M	84	7	2	31	44	2
		F	45	3	3	18	21	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	18	2	.	13	3	.
		F	7	1	.	1	5	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	3	1	.	1	1	.
		F	1	.	.	1	.	.
21	Diabetes	M	11	1	1	4	5	.
		F	21	2	1	7	11	2
22	Cerebral haemorrhage	M	78	4	2	20	52	9
		F	94	3	.	25	66	7
23	Other vascular lesions affecting the central nervous system	M	114	2	.	23	89	10
		F	118	6	6	22	84	7

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## CONNACHT (contd.)

Code No.	Causes of Deaths		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	66	5	4	20	37	11
		F	60	2	5	11	42	10
25	Chronic rheumatic heart disease	M	28	.	2	8	18	.
		F	29	1	2	9	17	.
26	Arteriosclerotic and degenerative heart disease	M	739	10	45	160	524	34
		F	552	9	44	91	408	34
27	Other diseases of the heart	M	70	2	1	27	40	17
		F	59	3	1	11	44	15
28	Hypertension with heart disease	M	45	1	.	7	37	.
		F	27	1	2	5	19	.
29	Hypertension without heart disease	M	35	4	1	11	19	4
		F	48	.	2	14	32	3
30	Other diseases of circulatory system	M	58	1	1	15	41	1
		F	27	2	4	9	12	
31	Influenza	M	32	.	.	9	23	3
		F	26	1	.	.	25	11
32	Pneumonia	M	93	7	5	31	50	5
		F	66	2	.	26	38	3
33	Bronchitis	M	77	.	1	14	62	16
		F	39	2	1	4	32	7
34	Other diseases of respiratory system	M	17	.	1	5	11	.
		F	15	.	.	1	14	2
35	Ulcer of stomach and duodenum	M	21	2	.	13	6	.
		F	9	1	.	4	4	1
36	Gastro-enteritis and diarrhoea under 2 years	M	13	.	.	1	12	.
		F	11	.	.	4	7	2
37	Nephritis and nephrosis	M	59	2	2	22	33	2
		F	31	.	1	10	20	1
38	Hyperplasia of prostate	M	60	1	3	31	25	2
39	Complications of pregnancy, childbirth and the puerperium	F	14	3	.	8	3	.
40	Congenital malformations	M	30	6	.	15	9	.
		F	28	2	1	7	18	2
41	Diseases of early infancy	M	83	6	.	50	27	10
		F	71	4	.	39	28	14
42	Senility	M	622	.	30	24	568	518
		F	627	2	28	27	570	523
43	Ill-defined causes	M	105	.	1	7	97	69
		F	78	1	.	6	71	54
44	Other defined diseases	M	202	9	17	88	88	9
		F	191	10	12	68	101	15
45	Accidents	M	63	2	.	23	38	2
		F	42	.	1	17	24	1
46	Suicide	M	10	.	.	1	9	.
		F	2	.	.	.	2	.
47	Other external causes	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
All causes		M	3,279	135	150	828	2,166	733
		F	2,679	99	135	568	1,877	720



TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## ULSTER (part of)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	45	12	2	13	18	.
		F	31	8	2	12	9	1
2	Tuberculosis, other forms	M	16	4	1	3	8	2
		F	15	4	1	4	6	1
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	7	.	.	1	6	2
		F	4	.	.	.	4	.
5	Meningococcal infections	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	5	.	1	1	3	.
		F	5	.	.	.	5	.
9	Malignant neoplasm of stomach	M	59	1	.	14	44	1
		F	34	.	.	9	25	.
10	Malignant neoplasm of small and large intestine including duodenum	M	17	.	.	2	15	.
		F	18	1	.	4	13	.
11	Malignant neoplasm of rectum	M	8	.	.	.	8	1
		F	8	1	.	1	6	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	14	.	.	1	13	1
		F	16	1	2	4	9	.
13	Malignant neoplasm of trachea, bronchus and lung	M	3	2	.	1	.	.
		F	7	.	.	1	6	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	33	5	.	1	27	2
16	Malignant neoplasm of uterus	F	10	.	.	1	9	1
17	Other malignant neoplasms of genito-urinary system	M	14	1	1	5	7	1
		F	13	3	.	2	8	.
18	Other malignant neoplasms	M	36	3	2	5	26	4
		F	27	3	.	7	17	2
19	Hodgkin's disease and leukaemia and aleukaemia	M	7	.	.	3	4	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	2	.	.	2	.	.
		F	2	2	.	.	.	.
21	Diabetes	M	10	.	.	7	3	.
		F	15	.	.	5	10	2
22	Cerebral haemorrhage	M	63	2	3	3	55	6
		F	78	1	2	7	68	5
23	Other vascular lesions affecting the central nervous system	M	97	1	4	22	70	17
		F	79	.	.	14	65	13

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## ULSTER (part of) (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	35	.	1	12	22	2
		F	40	.	.	19	21	4
25	Chronic rheumatic heart disease	M	14	.	.	4	10	.
		F	15	.	.	2	13	.
26	Arteriosclerotic and degenerative heart disease	M	447	4	20	77	346	31
		F	281	10	13	40	218	23
27	Other diseases of the heart	M	85	1	1	16	67	19
		F	75	5	2	7	61	20
28	Hypertension with heart disease	M	10	.	2	1	7	.
		F	9	.	.	.	9	.
29	Hypertension without heart disease	M	23	1	.	8	14	.
		F	27	2	.	6	19	1
30	Other diseases of circulatory system	M	29	.	1	6	22	1
		F	21	.	3	7	11	.
31	Influenza	M	18	.	.	.	18	2
		F	18	.	.	1	17	4
32	Pneumonia	M	50	.	.	12	38	3
		F	49	.	1	5	43	3
33	Bronchitis	M	38	.	.	3	35	3
		F	32	.	.	3	29	4
34	Other diseases of respiratory system	M	15	.	1	3	11	.
		F	11	1	.	.	10	2
35	Ulcer of stomach and duodenum	M	18	2	1	9	6	2
		F	5	2	.	.	3	.
36	Gastro-enteritis and diarrhoea under 2 years	M	5	.	.	1	4	1
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	42	1	.	6	35	2
		F	32	2	.	7	23	2
38	Hyperplasia of prostate	M	45	.	1	23	21	.
39	Complications of pregnancy, childbirth and the puerperium	F	16	.	.	7	9	.
40	Congenital malformations	M	25	2	1	4	18	3
		F	19	2	.	4	13	.
41	Diseases of early infancy	M	68	1	.	30	37	6
		F	44	3	.	20	21	4
42	Senility	M	191	.	.	19	172	116
		F	205	.	.	22	183	133
43	Ill-defined causes	M	58	1	.	12	45	33
		F	31	1	.	1	29	18
44	Other defined diseases	M	94	8	2	23	61	6
		F	77	6	.	28	43	10
45	Accidents	M	46	3	.	10	33	.
		F	32	.	1	11	20	.
46	Suicide	M	4	.	.	.	4	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	1,767	50	45	362	1,310	265
		F	1,437	63	27	263	1,084	255

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY CARLOW

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	8	4	.	1	3	.
		F	3	1	.	1	1	.
2	Tuberculosis, other forms	M	1	.	.	.	1	.
		F	2	.	1	1	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	1	.	.	1	.	.
		F	1	.	.	1	.	.
8	Other infective and parasitic diseases	M	2	1	.	1	.	.
		F	1	.	.	.	1	.
9	Malignant neoplasm of stomach	M	4	.	.	1	3	.
		F	3	.	.	.	3	.
10	Malignant neoplasm of small and large intestine including duodenum	M	.	.	.	.	.	.
		F	2	.	.	1	1	.
11	Malignant neoplasm of rectum	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	2	2	.
		F	4	1	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	1	.	2	2	.
		F	2	.	.	1	1	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	4	.	1	1	2	.
16	Malignant neoplasm of uterus	F	5	.	.	1	4	.
17	Other malignant neoplasms of genito-urinary system	M	5	1	.	1	3	.
		F	1	.	.	.	1	.
18	Other malignant neoplasms	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
22	Cerebral haemorrhage	M	4	.	.	.	4	1
		F	5	.	.	3	2	.
23	Other vascular lesions affecting the central nervous system	M	9	.	.	2	7	.
		F	12	1	.	2	9	1



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY CARLOW (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	4	.	1	1	2	.
		F	3	.	.	1	2	.
25	Chronic rheumatic heart disease	M	6	.	.	5	1	.
		F	6	.	.	5	1	.
26	Arteriosclerotic and degenerative heart disease	M	60	4	3	11	42	2
		F	53	2	6	8	37	4
27	Other diseases of the heart	M	4	.	.	1	3	.
		F	9	.	1	1	7	3
28	Hypertension with heart disease	M	1	.	.	1	.	.
		F	6	.	.	4	2	1
29	Hypertension without heart disease	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
30	Other diseases of circulatory system	M	2	.	.	1	1	.
		F	3	.	.	1	2	.
31	Influenza	M	5	.	.	1	4	.
		F	2	.	.	1	1	.
32	Pneumonia	M	2	.	.	1	1	.
		F	7	.	.	.	7	.
33	Bronchitis	M	7	.	.	.	7	.
		F	4	.	1	.	3	.
34	Other diseases of respiratory system	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
35	Ulcer of stomach and duodenum	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	8	2	.	1	5	.
		F	5	.	.	3	2	.
38	Hyperplasia of prostate	M	3	.	.	3	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	1	1	.	.
40	Congenital malformations	M	2	.	.	1	1	.
		F	2	1	.	1	.	.
41	Diseases of early infancy	M	8	2	.	2	4	.
		F	11	.	.	6	5	1
42	Senility	M	17	.	.	.	17	13
		F	23	.	.	.	23	15
43	Ill-defined causes	M	6	.	.	.	6	3
		F	8	.	.	.	8	4
44	Other defined diseases	M	10	1	1	2	6	.
		F	15	1	.	2	12	1
45	Accidents	M	7	1	.	1	5	.
		F	2	.	.	2	.	.
46	Suicide	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	207	18	5	46	138	19
		F	210	7	11	51	141	30

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## DUBLIN COUNTY BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	168	93	6	29	40	.
		F	84	37	6	12	29	.
2	Tuberculosis, other forms	M	24	18	1	2	3	.
		F	25	16	1	3	5	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	2	2	.	.	.	.
		F	1	1	.	.	.	.
5	Meningococcal infections	M	3	3	.	.	.	.
		F	1	.	.	1	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	4	1	.	.	3	.
		F	6	4	.	.	2	.
8	Other infective and parasitic diseases	M	23	12	4	5	2	.
		F	15	7	1	3	4	.
9	Malignant neoplasm of stomach	M	76	24	1	16	35	.
		F	68	25	.	14	29	.
10	Malignant neoplasm of small and large intestine including duodenum	M	33	11	1	8	13	.
		F	48	19	3	7	19	.
11	Malignant neoplasm of rectum	M	20	8	.	6	6	.
		F	20	10	.	2	8	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	55	29	.	9	17	.
		F	40	16	.	7	17	.
13	Malignant neoplasm of trachea, bronchus and lung	M	94	42	.	16	36	.
		F	21	6	.	6	9	.
14	Other malignant neoplasms of respiratory system	M	16	4	.	6	6	.
		F	2	2	.	.	.	.
15	Malignant neoplasm of breast	M	1	.	.	.	1	.
		F	55	17	1	12	25	.
16	Malignant neoplasm of uterus	F	36	15	1	4	16	.
17	Other malignant neoplasms of genito-urinary system	M	39	18	1	11	9	.
		F	25	9	1	7	8	.
18	Other malignant neoplasms	M	58	22	.	16	20	.
		F	41	19	.	7	15	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	8	5	.	.	3	.
		F	14	8	.	1	5	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	2	1	.	.	1	.
		F	1	1	.	.	.	.
21	Diabetes	M	16	9	1	2	4	2
		F	12	2	.	6	4	.
22	Cerebral haemorrhage	M	89	29	4	16	40	.
		F	130	34	1	17	78	.
23	Other vascular lesions affecting the central nervous system	M	144	45	2	46	51	1
		F	174	48	5	43	78	1

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## DUBLIN COUNTY BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M F	50 60	20 26	. 3	16 8	14 23	. 1
25	Chronic rheumatic heart disease	M F	26 69	8 24	. 1	7 16	11 28	. .
26	Arteriosclerotic and degenerative heart disease	M F	621 649	119 97	31 54	91 93	380 405	5 9
27	Other diseases of the heart	M F	75 95	17 19	1 1	24 28	33 47	6 2
28	Hypertension with heart disease	M F	65 85	14 10	. 2	27 35	24 38	. .
29	Hypertension without heart disease	M F	60 71	18 9	. .	25 44	17 18	. .
30	Other diseases of circulatory system	M F	58 61	11 22	3 1	17 7	27 31	. 1
31	Influenza	M F	5 7	1 1	. .	. .	4 6	. .
32	Pneumonia	M F	90 95	36 37	1 4	12 12	41 42	. .
33	Bronchitis	M F	141 79	35 8	1 1	28 10	77 60	1 1
34	Other diseases of respiratory system	M F	29 21	8 4	. .	9 4	12 13	. .
35	Ulcer of stomach and duodenum	M F	25 9	20 6	. .	2 1	3 2	. .
36	Gastro-enteritis and diarrhoea under 2 years	M F	5 8	3 4	. .	1 .	1 4	. .
37	Nephritis and nephrosis	M F	39 34	21 14	1 1	6 4	11 15	. .
38	Hyperplasia of prostate	M	13	8	. .	2	3	. .
39	Complications of pregnancy, childbirth and the puerperium	F	7	6	. .	. .	1	. .
40	Congenital malformations	M F	42 29	27 21	. .	8 7	7 1	. .
41	Diseases of early infancy	M F	117 96	98 78	. .	5 9	14 9	2 .
42	Senility	M F	16 40	. 1	4 6	2 10	10 23	. 1
43	Ill-defined causes	M F	59 48	18 9	. 2	5 4	36 33	32 27
44	Other defined diseases	M F	158 163	77 72	6 7	32 26	43 58	1 1
45	Accidents	M F	91 40	50 20	. 1	4 6	37 13	1 2
46	Suicide	M F	6 3	. .	. .	. 1	6 2	. .
47	Other external causes	M F	1 1	. .	. .	. .	1 1	. .
All causes		M F	2,667 2,589	985 784	69 104	511 477	1,102 1,224	51 46



TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## DUN LAOGHAIRE BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	8	4	1	1	2	.
		F	3	.	.	.	3	.
2	Tuberculosis, other forms	M	4	2	.	1	1	.
		F	1	1	.	.	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	1	.	.	.	1	.
		F	1	1	.	.	.	.
9	Malignant neoplasms of stomach	M	7	2	.	2	3	.
		F	9	3	.	3	3	.
10	Malignant neoplasms of small and large intestine including duodenum	M	3	1	.	.	2	.
		F	8	3	.	1	4	.
11	Malignant neoplasm of rectum	M	3	2	.	1	.	.
		F	1	.	1	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	1	.	1	6	.
		F	5	2	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	13	4	.	3	6	.
		F	3	.	.	1	2	.
14	Other malignant neoplasms of respiratory system	M	3	1	.	1	1	.
		F	1	.	.	.	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	7	2	1	.	4	.
16	Malignant neoplasm of uterus	F	2	.	.	2	.	.
17	Other malignant neoplasms of genito-urinary system	M	3	2	.	1	.	.
		F	3	.	.	1	2	.
18	Other malignant neoplasms	M	2	.	.	1	1	.
		F	3	1	.	.	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	1	1	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	1	.	.
		F	2	2	.	.	.	.
22	Cerebral haemorrhage	M	11	4	.	2	5	.
		F	14	3	.	6	5	.
23	Other vascular lesions affecting the central nervous system	M	22	6	1	1	14	.
		F	25	6	.	3	16	.

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## DUN LAOGHAIRE BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	7	3	1	1	2	.
		F	6	2	1	1	2	.
25	Chronic rheumatic heart disease	M	1	.	.	.	1	.
		F	2	.	.	.	2	.
26	Arteriosclerotic and degenerative heart disease	M	68	6	2	16	44	1
		F	78	14	5	14	45	1
27	Other diseases of the heart	M	15	2	.	2	11	.
		F	9	1	.	3	5	.
28	Hypertension with heart disease	M	7	.	.	6	1	.
		F	5	1	.	4	.	.
29	Hypertension without heart disease	M	3	1	.	1	1	.
		F	7	1	.	.	6	.
30	Other diseases of circulatory system	M	9	2	2	1	4	.
		F	6	1	.	.	5	.
31	Influenza	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
32	Pneumonia	M	5	2	.	.	3	.
		F	11	3	.	2	6	.
33	Bronchitis	M	7	3	.	1	3	.
		F	7	.	.	1	6	.
34	Other diseases of respiratory system	M	5	2	.	.	3	.
		F	4	1	.	.	3	.
35	Ulcer of stomach and duodenum	M	3	2	1	.	.	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	5	1	.	2	2	.
		F	3	.	.	1	2	.
38	Hyperplasia of prostate	M	3	1	.	1	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	4	3	.	.	1	.
40	Congenital malformations	M	3	2	.	.	1	.
		F	1	.	.	.	1	.
41	Diseases of early infancy	M	20	17	.	.	3	.
		F	10	7	.	1	2	.
42	Senility	M	3	1	2	.	.	.
		F	5	1	.	.	4	.
43	Ill-defined causes	M	2	.	.	1	1	1
		F	2	1	1	.	.	.
44	Other defined diseases	M	17	5	2	3	7	.
		F	20	4	1	5	10	.
45	Accidents	M	13	4	.	1	8	.
		F	9	4	.	1	4	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	288	83	12	54	139	2
		F	278	69	10	51	148	1

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY DUBLIN (excl. Dun Laoghaire)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	28	8	1	6	13	.
		F	23	7	3	6	7	.
2	Tuberculosis, other forms	M	12	9	.	3	.	.
		F	8	5	.	2	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	2	2	.	.	.	.
		F	2	2	.	.	.	.
5	Meningococcal infections	M	1	.	.	1	.	.
		F	2	2	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	2	1	.	.	1	.
8	Other infective and parasitic diseases	M	2	1	.	1	.	.
		F	1	1	.	.	.	.
9	Malignant neoplasm of stomach	M	14	4	.	3	7	.
		F	17	5	.	2	10	.
10	Malignant neoplasm of small and large intestine including duodenum	M	4	3	.	.	1	.
		F	10	4	.	2	4	.
11	Malignant neoplasm of rectum	M	7	2	.	1	4	.
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	12	7	.	1	4	.
		F	12	7	.	.	5	.
13	Malignant neoplasm of trachea, bronchus and lung	M	19	5	.	5	9	.
		F	2	1	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	1	1	.	.	.	.
		F	1	1	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	11	2	1	3	5	.
16	Malignant neoplasm of uterus	F	5	1	.	.	4	.
17	Other malignant neoplasms of genito-urinary system	M	4	1	.	.	3	.
		F	3	2	.	.	1	.
18	Other malignant neoplasms	M	11	2	.	3	6	1
		F	8	2	.	3	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	4	1	.	.	3	.
		F	5	3	.	1	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	1	1	.	.	.	.
21	Diabetes	M	3	1	.	.	2	.
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	22	4	.	4	14	.
		F	29	9	.	3	17	.
23	Other vascular lesions affecting the central nervous system	M	13	3	.	3	7	.
		F	32	7	.	7	18	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY DUBLIN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	13	1	.	3	9	.
		F	14	5	.	3	6	.
25	Chronic rheumatic heart disease	M	8	1	1	.	6	.
		F	6	1	.	2	3	.
26	Arteriosclerotic and degenerative heart disease	M	126	11	8	14	93	.
		F	118	13	12	22	71	.
27	Other diseases of the heart	M	16	1	.	8	7	.
		F	22	4	.	6	12	.
28	Hypertension with heart disease	M	15	3	1	7	4	.
		F	19	2	.	6	11	.
29	Hypertension without heart disease	M	7	4	.	.	3	.
		F	15	3	.	5	7	.
30	Other diseases of circulatory system	M	18	3	1	5	9	.
		F	13	4	.	2	7	.
31	Influenza	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
32	Pneumonia	M	19	6	1	2	10	1
		F	26	6	1	3	16	.
33	Bronchitis	M	25	6	.	3	16	.
		F	9	1	.	2	6	.
34	Other diseases of respiratory system	M	6	2	.	2	2	.
		F	7	1	.	.	6	.
35	Ulcer of stomach and duodenum	M	3	2	.	.	1	.
		F	2	2	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	1	.	.	.	.
		F	5	4	.	.	1	.
37	Nephritis and nephrosis	M	8	2	.	1	5	.
		F	4	1	.	1	2	.
38	Hyperplasia of prostate	M	3	2	.	1	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	3	.	.	.	.
40	Congenital malformations	M	10	7	.	.	3	.
		F	14	6	.	3	5	.
41	Diseases of early infancy	M	50	38	.	2	10	.
		F	31	23	.	2	6	.
42	Senility	M	10	.	.	.	10	.
		F	20	2	2	1	15	.
43	Ill-defined causes	M	8	7	.	.	1	3
		F	5	2	1	.	2	3
44	Other defined diseases	M	27	15	.	4	8	.
		F	39	12	1	5	21	.
45	Accidents	M	29	14	.	.	15	.
		F	8	4	.	.	4	.
46	Suicide	M	2	1	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	563	181	13	83	286	5
		F	558	163	21	93	281	3

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY KILDARE

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. In- firmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	10	1	1	2	6	.
		F	12	3	1	4	4	.
2	Tuberculosis, other forms	M	4	3	.	1	.	.
		F	7	1	.	5	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	4	.	.	4	.	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	18	1	1	7	9	.
		F	10	1	.	4	5	.
10	Malignant neoplasm of small and large intestine including duodenum	M	8	2	.	3	3	.
		F	5	1	.	2	2	.
11	Malignant neoplasm of rectum	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	3	1	.	.	2	.
		F	3	1	.	.	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	.	.	1	4	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	1	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	4	.	.	1	3	.
16	Malignant neoplasm of uterus	F	4	2	.	1	1	.
17	Other malignant neoplasms of genito-urinary system	M	1	1	.	.	.	.
		F	1	.	.	1	.	.
18	Other malignant neoplasms	M	8	2	.	2	4	.
		F	6	1	1	1	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	.	1	.
		F	1	1	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
22	Cerebral haemorrhage	M	10	.	.	2	8	.
		F	18	.	2	4	12	.
23	Other vascular lesions affecting the central nervous system	M	13	1	.	5	7	.
		F	13	1	.	4	8	1

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY KILDARE

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	13	2	1	6	4	.
		F	6	1	.	1	4	.
25	Chronic rheumatic heart disease	M	12	2	.	4	6	.
		F	3	1	.	1	1	.
26	Arteriosclerotic and degenerative heart disease	M	102	2	7	27	66	7
		F	72	3	4	12	53	.
27	Other diseases of the heart	M	12	.	.	7	5	2
		F	10	.	.	3	7	2
28	Hypertension with heart disease	M	5	.	.	1	4	.
		F	4	1	.	.	3	.
29	Hypertension without heart disease	M	4	.	.	.	4	.
		F	3	1	.	.	2	.
30	Other diseases of circulatory system	M	9	.	.	4	5	.
		F	12	1	.	3	8	.
31	Influenza	M	3	.	.	.	3	.
		F	4	.	.	.	4	1
32	Pneumonia	M	11	1	.	2	8	1
		F	10	.	.	3	7	2
33	Bronchitis	M	10	1	.	5	4	.
		F	10	.	.	3	7	.
34	Other diseases of respiratory system	M	2	.	.	1	1	.
		F	3	.	.	.	3	.
35	Ulcer of stomach and duodenum	M	9	6	.	1	2	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	2	1	.
		F	4	1	.	2	1	.
37	Nephritis and nephrosis	M	17	2	1	9	5	.
		F	4	.	.	2	2	.
38	Hyperplasia of prostate	M	.	.	.	.	.	.
39	Complications of pregnancy, childbirth, and the puerperium	F	6	3	.	2	1	.
40	Congenital malformations	M	9	1	.	4	4	.
		F	4	1	.	1	2	1
41	Diseases of early infancy	M	18	6	.	4	8	.
		F	16	8	.	1	7	2
42	Senility	M	15	.	.	4	11	3
		F	13	.	1	2	10	4
43	Ill-defined causes	M	11	.	.	2	9	4
		F	2	1	.	.	1	1
44	Other defined diseases	M	27	5	1	9	12	.
		F	22	4	.	7	11	.
45	Accidents	M	21	2	.	3	16	1
		F	3	1	.	.	2	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	405	43	12	124	226	18
		F	299	39	9	73	178	14



TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY KILKENNY

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	15	9	1	1	4	1
		F	13	6	4	.	3	.
2	Tuberculosis, other forms	M	4	.	1	2	1	.
		F	3	.	.	3	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	3	.	.	2	1	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	9	.	.	3	6	.
		F	9	2	.	.	7	.
10	Malignant neoplasm of small and large intestine including duodenum	M	4	.	1	.	3	.
		F	4	1	.	.	3	.
11	Malignant neoplasm of rectum	M	3	.	.	2	1	.
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	3	1	.	.	2	.
		F	3	.	.	.	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	1	.	1	3	.
		F	3	1	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	1	1	.
		F	3	1	.	1	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	9	1	1	3	4	.
16	Malignant neoplasm of uterus	F	4	.	.	1	3	.
17	Other malignant neoplasms of genito-urinary system	M	5	3	.	1	1	.
		F	2	1	.	.	1	.
18	Other malignant neoplasms	M	8	1	.	3	4	.
		F	4	.	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
21	Diabetes	M	3	.	.	.	3	.
		F	2	.	.	.	2	.
22	Cerebral haemorrhage	M	13	3	.	3	7	.
		F	13	3	.	1	9	.
23	Other vascular lesions affecting the central nervous system	M	10	1	2	2	5	.
		F	13	2	.	1	10	1

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY KILKENNY

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	7	.	2	2	3	.
		F	13	.	2	2	9	.
25	Chronic rheumatic heart disease	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
26	Arteriosclerotic and degenerative heart disease	M	115	3	5	8	99	1
		F	84	2	2	8	72	2
27	Other diseases of the heart	M	15	.	1	8	6	.
		F	10	.	1	1	8	1
28	Hypertension with heart disease	M	4	.	.	.	4	.
		F	2	.	.	.	2	.
29	Hypertension without heart disease	M	5	1	.	1	3	.
		F	3	.	.	1	2	.
30	Other diseases of circulatory system	M	30	1	3	19	7	.
		F	23	1	4	12	6	.
31	Influenza	M	2	.	.	.	2	.
		F	2	.	.	1	1	.
32	Pneumonia	M	17	2	4	3	8	.
		F	9	1	2	2	4	1
33	Bronchitis	M	10	2	.	1	7	.
		F	3	1	.	.	2	.
34	Other diseases of respiratory system	M	2	1	1	.	.	.
		F	2	.	.	.	2	.
35	Ulcer of stomach and duodenum	M	2	.	.	2	.	.
		F	2	1	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	1	1	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	2	.	.	.	2	.
		F	7	.	.	3	4	.
38	Hyperplasia of prostate	M	8	1	.	5	2	.
39	Complications of pregnancy, childbirth, and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	5	1	.	3	1	.
		F	7	.	.	4	3	.
41	Diseases of early infancy	M	20	5	.	10	5	.
		F	17	3	.	6	8	2
42	Senility	M	41	1	.	12	28	13
		F	37	.	.	7	30	14
43	Ill-defined causes	M	14	.	.	1	13	.
		F	7	.	.	.	7	3
44	Other defined diseases	M	24	1	9	4	10	.
		F	32	1	7	7	17	.
45	Accidents	M	8	.	.	3	5	.
		F	5	1	.	3	1	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
All causes		M	425	38	30	106	251	15
		F	356	30	23	73	230	24

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY LAOIGHIS

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	13	6	.	.	7	.
		F	11	7	1	1	2	.
2	Tuberculosis, other forms	M	4	1	.	2	1	.
		F	1	1	.	.	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	2	.	.	1	1	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	3	1	.	2	.	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	11	.	.	6	5	.
		F	8	1	.	2	5	.
10	Malignant neoplasm of small and large intestine including duodenum	M	7	2	.	2	3	.
		F	6	.	.	2	4	.
11	Malignant neoplasm of rectum	M	3	1	.	1	1	.
		F	1	.	.	1	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	.	.	.	5	1
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	.	1	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	1	.	.	.	1	.
		F	7	.	.	2	5	.
16	Malignant neoplasm of uterus	F	1	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	7	2	.	1	4	.
		F	.	.	.	.	.	.
18	Other malignant neoplasms	M	7	.	.	2	5	.
		F	4	.	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	4	1	.	1	2	.
		F	1	.	.	.	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	11	.	.	2	9	1
		F	15	1	.	5	9	.
23	Other vascular lesions affecting the central nervous system	M	7	.	.	.	7	2
		F	8	1	.	.	7	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY LAOIGHIS

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other disease of nervous system and sense organs	M	4	.	1	2	1	.
		F	9	.	2	1	6	1
25	Chronic rheumatic heart disease	M	4	.	.	1	3	.
		F	2	.	.	1	1	.
26	Arteriosclerotic and degenerative heart disease	M	101	.	10	34	57	3
		F	64	.	5	17	42	5
27	Other diseases of the heart	M	13	.	.	2	11	2
		F	14	.	.	2	12	.
28	Hypertension with heart disease	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
29	Hypertension without heart disease	M	2	.	.	.	2	.
		F	2	.	.	.	2	.
30	Other diseases of circulatory system	M	5	.	.	1	4	.
		F	5	1	.	1	3	.
31	Influenza	M	2	.	.	2	.	.
		F	4	1	.	1	2	.
32	Pneumonia	M	3	.	.	2	1	.
		F	6	.	.	2	4	.
33	Bronchitis	M	9	.	2	.	7	1
		F	8	.	.	1	7	.
34	Other diseases of respiratory system	M	2	.	.	1	1	.
		F	2	.	.	1	1	.
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	.	2	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	5	.	1	3	1	.
		F	10	.	1	3	6	.
38	Hyperplasia of prostate	M	7	1	.	4	2	.
39	Complications of pregnancy, childbirth, and the puerperium	F	1	1	.	.	.	.
40	Congenital malformations	M	6	3	.	1	2	.
		F	1	.	.	1	.	.
41	Diseases of early infancy	M	9	1	.	5	3	.
		F	15	2	.	9	4	2
42	Senility	M	29	.	.	.	29	15
		F	33	.	.	.	33	18
43	Ill-defined causes	M	17	.	.	2	15	12
		F	10	.	.	.	10	8
44	Other defined diseases	M	17	1	1	7	8	.
		F	14	2	2	2	8	.
45	Accidents	M	12	1	.	7	4	.
		F	8	1	.	4	3	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	340	22	15	95	208	37
		F	279	19	11	66	183	34

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY LONGFORD

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	4	.	1	3	.	.
		F	5	.	2	2	1	.
2	Tuberculosis, other forms	M	1	.	1	.	.	.
		F	.	.	.	.	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	1	1	.	.	.	.
		F	1	1	.	.	.	.
9	Malignant neoplasm of stomach	M	9	.	.	5	4	1
		F	1	.	.	.	1	.
10	Malignant neoplasm of small and large intestine including duodenum	M	1	.	.	1	.	.
		F	2	.	.	1	1	.
11	Malignant neoplasm of rectum	M	9	.	1	1	7	.
		F	.	.	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	1	.	.	1	1
		F	.	.	.	.	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	2	1	.	.	1	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	.	1	.
		F	1	.	.	1	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	4	.	.	1	3	.
16	Malignant neoplasm of uterus	F	2	1	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	3	.	.	2	1	.
		F	2	1	.	.	1	.
18	Other malignant neoplasms	M	8	.	1	3	4	1
		F	2	.	.	.	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
21	Diabetes	M	.	.	.	.	.	.
		F	2	.	.	.	2	.
22	Cerebral haemorrhage	M	9	.	.	1	8	1
		F	5	.	.	.	5	.
23	Other vascular lesions affecting the central nervous system	M	18	1	.	9	8	2
		F	18	.	.	5	13	1

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY LONGFORD

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	3	1	.	1	1	.
		F	6	1	.	.	5	1
25	Chronic rheumatic heart disease	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
26	Arteriosclerotic and degenerative heart disease	M	69	1	4	24	40	5
		F	52	.	3	10	39	6
27	Other diseases of the heart	M	.	.	.	.	.	.
		F	3	.	.	.	3	.
28	Hypertension with heart disease	M	7	.	.	2	5	1
		F	3	.	.	1	2	.
29	Hypertension without heart disease	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	5	.	.	2	3	.
		F	4	.	1	2	1	.
31	Influenza	M	4	.	.	.	4	3
		F	5	.	.	.	5	4
32	Pneumonia	M	6	.	.	3	3	1
		F	.	.	.	.	.	.
33	Bronchitis	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
34	Other diseases of respiratory system	M	6	.	1	1	4	.
		F	3	1	1	1	.	.
35	Ulcer of stomach and duodenum	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	4	.	.	3	1	.
		F	5	.	.	.	5	.
38	Hyperplasia of prostate	M	2	.	.	.	2	.
39	Complications of pregnancy childbirth, and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	6	.	.	3	3	.
		F	3	2	.	.	1	1
41	Diseases of early infancy	M	10	3	.	3	4	3
		F	7	1	.	3	3	2
42	Senility	M	20	.	.	1	19	13
		F	30	.	.	.	30	27
43	Ill-defined causes	M	2	.	.	.	2	2
		F	8	.	.	.	8	8
44	Other defined diseases	M	16	2	.	8	6	4
		F	8	.	.	2	6	.
45	Accidents	M	3	.	.	2	1	.
		F	1	.	.	1	.	.
46	Suicide	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	238	12	9	80	137	38
		F	189	8	7	32	142	50



TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY LOUTH

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	18	.	.	11	7	1
		F	16	3	2	7	4	1
2	Tuberculosis, other forms	M	6	1	1	3	1	.
		F	6	2	.	3	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	.	3	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	1	.	.	.	1	.
		F	1	.	.	1	.	1
8	Other infective and parasitic diseases	M	2	1	1	.	.	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	17	2	1	4	10	.
		F	11	2	1	1	7	.
10	Malignant neoplasm of small and large intestine including duodenum	M	3	1	.	.	2	.
		F	9	1	2	1	5	.
11	Malignant neoplasm of rectum	M	3	2	.	1	.	.
		F	1	1	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	1	.	2	1	.
		F	6	2	1	2	1	.
13	Malignant neoplasm of trachea, bronchus and lung	M	6	2	.	3	1	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	5	.	1	1	3	.
16	Malignant neoplasm of uterus	F	2	.	.	1	1	.
17	Other malignant neoplasms of genito-urinary system	M	9	4	.	4	1	1
		F	.	.	.	.	.	.
18	Other malignant neoplasms	M	17	1	.	7	9	.
		F	4	.	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	1	1	.	.	.	.
21	Diabetes	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
22	Cerebral haemorrhage	M	6	.	1	1	4	.
		F	16	.	.	1	15	1
23	Other vascular lesions affecting the central nervous system	M	19	4	1	1	13	1
		F	17	2	.	2	13	.

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY LOUTH

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	9	1	1	1	6	.
		F	15	1	.	5	9	.
25	Chronic rheumatic heart disease	M	.	.	.	.	.	.
		F	7	.	.	6	1	.
26	Arteriosclerotic and degenerative heart disease	M	99	5	6	18	70	3
		F	85	3	10	17	55	3
27	Other diseases of the heart	M	8	.	.	1	7	1
		F	12	.	.	1	11	.
28	Hypertension with heart disease	M	1	.	.	.	1	.
		F	6	.	1	.	5	.
29	Hypertension without heart disease	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	5	1	.	3	1	.
		F	3	.	.	.	3	.
31	Influenza	M	.	.	.	.	.	.
		F	2	.	.	.	2	.
32	Pneumonia	M	9	2	1	1	5	.
		F	5	1	.	1	3	.
33	Bronchitis	M	16	.	.	7	9	1
		F	9	.	.	2	7	.
34	Other diseases of respiratory system	M	6	1	.	.	5	.
		F	3	1	.	.	2	.
35	Ulcer of stomach and duodenum	M	4	3	.	.	1	.
		F	1	1	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	8	3	.	3	2	.
		F	9	.	1	1	7	.
38	Hyperplasia of prostate	M	5	.	.	2	3	.
39	Complications of pregnancy, childbirth, and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	6	5	.	.	1	.
		F	8	3	.	5	.	.
41	Diseases of early infancy	M	19	7	.	6	6	.
		F	18	11	.	5	2	.
42	Senility	M	38	.	1	18	19	4
		F	44	2	1	18	23	4
43	Ill-defined causes	M	9	.	.	1	8	1
		F	7	.	.	2	5	1
44	Other defined diseases	M	22	6	2	1	13	.
		F	27	7	1	9	10	.
45	Accidents	M	16	2	.	3	11	.
		F	5	.	.	1	4	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
All causes		M	401	55	16	104	226	13
		F	369	45	21	97	206	11

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY MEATH

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	15	1	1	9	4	.
		F	14	2	1	5	6	1
2	Tuberculosis, other forms	M	5	2	.	3	.	.
		F	3	.	.	2	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	1	.	.	.	1	1
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	1	1	.	.	.	.
		F	1	1	.	.	.	.
9	Malignant neoplasm of stomach	M	19	2	.	8	9	.
		F	10	2	.	2	6	.
10	Malignant neoplasm of small and large intestine including duodenum	M	13	2	.	6	5	.
		F	7	1	.	2	4	.
11	Malignant neoplasm of rectum	M	4	2	.	1	1	.
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	1	.	1	3	.
		F	5	.	.	3	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	3	.	.	2	.
		F	2	.	.	2	.	.
14	Other malignant neoplasms of respiratory system	M	3	.	.	2	1	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	10	.	.	1	9	.
16	Malignant neoplasm of uterus	F	4	.	.	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	4	.	.	1	3	.
		F	2	1	.	1	.	.
18	Other malignant neoplasms	M	9	1	1	3	4	.
		F	5	.	.	3	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	1	.	.	.	.
		F	2	1	.	.	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	12	.	.	5	7	.
		F	14	.	.	6	8	.
23	Other vascular lesions affecting the central nervous system	M	26	1	.	9	16	.
		F	29	3	.	10	16	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY MEATH

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	5	2	.	.	3	.
		F	10	.	.	4	6	1
25	Chronic rheumatic heart disease	M	5	.	.	1	4	.
		F	5	.	.	1	4	.
26	Arteriosclerotic and degenerative heart disease	M	110	.	2	27	81	7
		F	78	2	5	19	52	1
27	Other diseases of the heart	M	12	.	1	4	7	2
		F	11	.	.	2	9	2
28	Hypertension with heart disease	M	2	.	.	.	2	.
		F	7	.	.	.	7	.
29	Hypertension without heart disease	M	12	.	.	7	5	.
		F	3	.	.	1	2	.
30	Other diseases of circulatory system	M	17	.	.	2	15	1
		F	9	1	.	4	4	.
31	Influenza	M	5	.	.	.	5	.
		F	3	.	.	.	3	.
32	Pneumonia	M	9	1	.	4	4	.
		F	7	1	.	3	3	.
33	Bronchitis	M	11	.	.	3	8	.
		F	3	.	.	1	2	.
34	Other diseases of respiratory system	M	5	1	.	2	2	.
		F	4	.	1	1	2	.
35	Ulcer of stomach and duodenum	M	3	.	.	2	1	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	1	1	.
		F	4	.	.	3	1	.
37	Nephritis and nephrosis	M	9	.	.	2	7	.
		F	4	1	.	1	2	.
38	Hyperplasia of prostate	M	8	.	.	3	5	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	8	2	.	2	4	1
		F	3	.	.	2	1	.
41	Diseases of early infancy	M	13	5	.	5	3	1
		F	19	8	.	7	4	2
42	Senility	M	18	1	.	2	15	11
		F	15	.	.	2	13	6
43	Ill-defined causes	M	17	1	.	2	14	13
		F	9	.	.	.	9	9
44	Other defined diseases	M	29	6	1	6	16	1
		F	20	4	1	7	8	.
45	Accidents	M	14	2	.	3	9	1
		F	9	1	.	4	4	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
All causes		M	438	38	6	126	268	39
		F	335	29	8	103	195	22

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE, AND PLACE OF OCCURRENCE AND SHOWING COUNTY OFFALY

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	7	.	.	2	5	1
		F	10	.	1	4	5	1
2	Tuberculosis, other forms	M	1	1	.	.	.	.
		F	2	.	.	2	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	1	.	.	1	.	.
		F	3	.	.	1	2	.
5	Meningococcal infections	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	4	.	.	3	1	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	14	.	.	7	7	.
		F	11	.	.	3	8	.
10	Malignant neoplasm of small and large intestine including duodenum	M	4	.	.	.	4	.
		F	5	1	.	2	2	.
11	Malignant neoplasm of rectum	M	3	1	.	.	2	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	.	.	1	.	.
		F	1	.	.	.	1	.
13	Malignant neoplasm of trachea, bronchus and lung	M	3	.	.	1	2	.
		F	1	1	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	4	.	.	.	4	1
16	Malignant neoplasm of uterus	M	.	.	.	.	.	.
		F	4	.	.	.	4	.
17	Other malignant neoplasms of genito-urinary system	M	8	.	.	2	6	2
		F	2	.	.	2	.	.
18	Other malignant neoplasms	M	6	.	.	2	4	.
		F	5	.	.	1	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	2	.	1	.	1	.
		F	2	.	.	1	1	.
22	Cerebral haemorrhage	M	18	.	1	6	11	4
		F	15	.	.	3	12	2
23	Other vascular lesions affecting the central nervous system	M	12	1	.	3	8	.
		F	8	.	.	.	8	2

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY OFFALY

Code no.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	4	.	.	3	1	.
		F	11	.	2	4	5	1
25	Chronic rheumatic heart disease	M	2	.	.	1	1	.
		F	1	.	1	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	89	1	4	23	61	13
		F	61	.	2	11	48	1
27	Other diseases of the heart	M	9	.	.	2	7	.
		F	6	.	.	1	5	.
28	Hypertension with heart disease	M	1	.	.	1	.	.
		F	4	.	.	1	3	.
29	Hypertension without heart disease	M	7	.	.	4	3	.
		F	5	1	.	3	1	.
30	Other diseases of circulatory system	M	2	.	.	1	1	.
		F	3	.	.	1	2	.
31	Influenza	M	3	.	.	.	3	1
		F	5	.	.	.	5	.
32	Pneumonia	M	11	2	.	3	6	.
		F	8	1	.	2	5	.
33	Bronchitis	M	1	.	.	.	1	.
		F	8	.	1	1	6	.
34	Other diseases of respiratory system	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	3	.	.	2	1	.
		F	2	.	.	.	2	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	2	1	.
		F	2	.	.	1	1	.
37	Nephritis and nephrosis	M	5	.	.	2	3	.
		F	4	.	.	1	3	.
38	Hyperplasia of prostate	M	4	.	.	1	3	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	3	.	.	3	.	.
		F	6	1	.	2	3	1
41	Diseases of early infancy	M	20	2	.	9	9	3
		F	18	1	.	13	4	2
42	Senility	M	37	.	.	8	29	17
		F	33	.	.	5	28	14
43	Ill-defined causes	M	13	.	1	1	11	6
		F	8	.	.	1	7	5
44	Other defined diseases	M	27	.	4	12	11	.
		F	27	1	.	10	16	.
45	Accidents	M	11	.	.	1	10	.
		F	5	.	.	.	5	.
46	Suicide	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	345	8	11	109	217	47
		F	295	7	7	76	205	30

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY WESTMEATH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	16	7	2	2	5	.
		F	13	5	3	3	2	.
2	Tuberculosis, other forms	M	5	1	.	3	1	.
		F	3	1	.	1	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	17	1	.	8	8	.
		F	8	.	.	1	7	.
10	Malignant neoplasm of small and large intestine including duodenum	M	8	.	.	5	3	.
		F	4	.	.	4	.	.
11	Malignant neoplasm of rectum	M	4	.	.	3	1	.
		F	.	.	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	2	2	.
		F	7	1	.	3	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	4	.	.	2	2	.
		F	2	.	.	.	2	.
14	Other malignant neoplasms of respiratory system	M	2	1	.	1	.	.
		F	2	.	.	1	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	5	.	.	.	5	.
16	Malignant neoplasm of uterus	F	4	.	.	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	5	1	.	4	.	.
		F	.	.	.	.	.	.
18	Other malignant neoplasms	M	10	.	3	5	2	1
		F	5	.	.	3	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	.	.	3	.	.
		F	1	.	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
22	Cerebral haemorrhage	M	18	1	.	5	12	1
		F	17	1	.	7	9	1
23	Other vascular lesions affecting the central nervous system	M	8	.	2	4	2	.
		F	16	.	.	3	13	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY WESTMEATH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	10	.	.	6	4	.
		F	7	.	.	2	5	.
25	Chronic rheumatic heart disease	M	2	.	.	1	1	.
		F	1	.	.	1	.	.
26	Arteriosclerotic and degenerative heart disease	M	97	.	12	23	62	5
		F	53	1	4	6	42	5
27	Other diseases of the heart	M	17	1	1	2	13	1
		F	4	.	.	.	4	1
28	Hypertension with heart disease	M	4	.	.	.	4	1
		F	7	.	1	3	3	.
29	Hypertension without heart disease	M	7	.	.	2	5	.
		F	6	.	.	2	4	.
30	Other diseases of circulatory system	M	20	2	.	11	7	1
		F	8	.	.	3	5	1
31	Influenza	M	1	.	.	.	1	.
		F	3	.	.	.	3	.
32	Pneumonia	M	8	.	2	3	3	.
		F	12	1	.	3	8	1
33	Bronchitis	M	10	.	.	2	8	1
		F	6	.	.	1	5	2
34	Other diseases of respiratory system	M	1	1	.	.	.	.
		F	1	.	1	.	.	.
35	Ulcer of stomach and duodenum	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	11	1	1	7	2	.
		F	7	1	.	4	2	.
38	Hyperplasia of prostate	M	3	.	.	1	2	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	3	1	.	1	1	.
		F	5	1	.	3	1	.
41	Diseases of early infancy	M	23	1	.	19	3	.
		F	13	2	.	8	3	1
42	Senility	M	24	.	.	3	21	6
		F	23	.	.	1	22	10
43	Ill-defined causes	M	13	.	.	2	11	7
		F	10	.	.	1	9	4
44	Other defined diseases	M	21	1	3	10	7	.
		F	15	3	1	4	7	.
45	Accidents	M	4	.	.	1	3	.
		F	6	.	.	3	3	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	390	20	26	145	199	24
		F	279	18	10	76	175	26

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY WEXFORD

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	18	11	.	.	7	.
		F	11	5	.	2	4	.
2	Tuberculosis, other forms	M	8	.	.	5	3	.
		F	6	.	1	4	1	.
3	Diphtheria	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	.	3	.
		F	1	.	.	.	1	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F	1	.	.	1	.	.
7	Measles	M	1	.	.	.	1	.
		F	3	.	.	.	3	.
8	Other infective and parasitic diseases	M	3	1	.	.	2	.
		F	1	.	.	.	1	.
9	Malignant neoplasm of stomach	M	20	1	.	3	16	.
		F	9	1	.	.	8	.
10	Malignant neoplasm of small and large intestine including duodenum	M	9	1	.	2	6	.
		F	7	.	.	.	7	.
11	Malignant neoplasm of rectum	M	5	.	.	3	2	.
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	9	2	.	2	5	.
		F	15	3	.	2	10	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	.	.	2	3	.
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	.	1	.
		F	1	1	.	.	.	.
15	Malignant neoplasm of breast	M	1	1	.	.	.	.
		F	10	1	.	4	5	.
16	Malignant neoplasm of uterus	F	4	.	.	2	2	.
17	Other malignant neoplasms of genito-urinary system	M	7	.	.	3	4	.
		F	2	1	.	.	1	.
18	Other malignant neoplasms	M	18	1	2	7	8	.
		F	9	4	.	.	5	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	2	1	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	3	1	.	1	1	.
		F	3	.	.	2	1	.
22	Cerebral haemorrhage	M	28	.	3	2	23	.
		F	39	2	.	4	33	1
23	Other vascular lesions affecting the central nervous system	M	20	2	1	8	9	.
		F	41	.	3	14	24	.

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY WEXFORD (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	14	1	1	1	11	.
		F	11	.	.	4	7	.
25	Chronic rheumatic heart disease	M	7	.	1	.	6	.
		F	14	.	.	1	13	1
26	Arteriosclerotic and degenerative heart disease	M	175	5	8	27	135	8
		F	145	5	10	18	112	3
27	Other diseases of the heart	M	22	3	2	11	6	.
		F	16	.	1	6	9	1
28	Hypertension with heart disease	M	3	1	.	.	2	.
		F	6	.	.	2	4	.
29	Hypertension without heart disease	M	9	.	.	4	5	.
		F	17	1	.	6	10	.
30	Other diseases of circulatory system	M	22	.	.	16	6	.
		F	23	.	1	11	11	.
31	Influenza	M	8	.	.	1	7	.
		F	6	.	.	1	5	.
32	Pneumonia	M	10	.	2	2	6	.
		F	7	.	1	.	6	.
33	Bronchitis	M	19	.	.	3	16	.
		F	20	1	.	3	16	.
34	Other diseases of respiratory system	M	7	.	1	1	5	.
		F	2	.	.	.	2	.
35	Ulcer of stomach and duodenum	M	5	1	.	3	1	.
		F	5	.	.	3	2	1
36	Gastro-enteritis and diarrhoea under 2 years	M	6	.	.	.	6	.
		F	2	.	.	.	2	.
37	Nephritis and nephrosis	M	9	2	.	3	4	.
		F	8	1	.	2	5	.
38	Hyperplasia of prostate	M	6	1	.	4	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	6	.	.	6	.	.
40	Congenital malformations	M	6	1	.	4	1	.
		F	7	2	.	3	2	.
41	Diseases of early infancy	M	24	2	.	6	16	1
		F	16	3	.	6	7	2
42	Senility	M	26	.	.	1	25	13
		F	37	.	.	1	36	17
43	Ill-defined causes	M	10	1	.	3	6	3
		F	9	.	1	.	8	7
44	Other defined diseases	M	39	3	.	13	23	2
		F	36	3	2	10	21	2
45	Accidents	M	18	.	.	9	9	.
		F	3	.	.	1	2	.
46	Suicide	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	609	42	21	153	393	27
		F	565	35	20	122	388	36

TABLE 21 (contd.)—DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY WICKLOW

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	8	5	.	1	2	.
		F	8	3	.	.	5	.
2	Tuberculosis, other forms	M	7	3	.	3	1	.
		F	5	2	.	1	2	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	.	3	.
		F	3	.	.	1	2	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F	2	1	.	.	1	.
9	Malignant neoplasm of stomach	M	9	1	.	3	5	.
		F	7	2	.	1	4	.
10	Malignant neoplasm of small and large intestine including duodenum	M	7	2	.	1	4	.
		F	9	2	.	3	4	.
11	Malignant neoplasm of rectum	M	3	1	.	.	2	.
		F	.	.	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	.	.	.	2	.
		F	4	1	.	.	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	4	1	.	2	1	.
		F	2	1	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	3	2	.	1	.	.
		F	1	1	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	4	1	.	.	3	.
16	Malignant neoplasm of uterus	F	3	2	.	1	.	.
17	Other malignant neoplasms of genitourinary system	M	5	1	.	1	3	.
		F	4	1	.	2	1	.
18	Other malignant neoplasms	M	6	.	.	1	5	.
		F	2	.	.	1	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	2	1	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	1	.	.	.	.
		F	2	1	.	.	1	.
22	Cerebral haemorrhage	M	19	1	.	2	16	.
		F	34	3	.	9	22	.
23	Other vascular lesions affecting the central nervous system	M	11	2	.	2	7	.
		F	27	2	.	11	14	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY WICKLOW (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	6	.	1	1	4	.
		F	11	1	1	2	7	.
25	Chronic rheumatic heart disease	M	8	.	.	.	8	.
		F	11	.	.	2	9	.
26	Arteriosclerotic and degenerative heart disease	M	110	4	2	13	91	4
		F	82	2	8	7	65	.
27	Other diseases of the heart	M	16	2	.	8	6	1
		F	13	2	1	2	8	1
28	Hypertension with heart disease	M	5	1	.	.	4	.
		F	4	2	.	.	2	.
29	Hypertension without heart disease	M	5	.	.	.	5	.
		F	4	.	.	2	2	.
30	Other diseases of circulatory system	M	6	1	.	2	3	.
		F	6	2	.	1	3	.
31	Influenza	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
32	Pneumonia	M	16	.	1	6	9	.
		F	9	1	.	3	5	1
33	Bronchitis	M	7	.	.	.	7	.
		F	2	.	.	.	2	.
34	Other diseases of respiratory system	M	10	2	.	3	5	.
		F	5	.	.	2	3	.
35	Ulcer of stomach and duodenum	M	6	2	.	1	3	.
		F	2	.	.	.	2	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	6	1	1	2	2	.
		F	2	1	.	.	1	.
38	Hyperplasia of prostate	M	10	2	.	4	4	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	1	.	1	.	.
40	Congenital malformations	M	9	7	.	.	2	.
		F	2	.	.	1	1	.
41	Diseases of early infancy	M	17	9	.	1	7	1
		F	19	8	.	7	4	.
42	Senility	M	12	.	2	.	10	2
		F	7	.	1	1	5	1
43	Ill-defined causes	M	14	2	.	1	11	7
		F	9	2	.	2	5	1
44	Other defined diseases	M	18	1	1	6	10	.
		F	17	6	.	1	10	.
45	Accidents	M	10	2	.	3	5	.
		F	1	1	.	.	.	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	385	56	8	71	250	15
		F	329	53	11	67	198	4

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY CLARE

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	26	3	3	5	15	1
		F	15	3	.	4	8	.
2	Tuberculosis, other forms	M	14	5	1	8	.	.
		F	9	2	.	5	2	1
3	Diphtheria	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
4	Whooping cough	M	4	1	.	1	2	1
		F	2	.	.	.	2	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
7	Measles	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	3	.	.	1	2	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	16	.	1	5	10	.
		F	11	.	.	1	10	.
10	Malignant neoplasm of small and large intestine including duodenum	M	2	1	.	1	.	.
		F	9	1	.	3	5	.
11	Malignant neoplasm of rectum	M	6	.	.	2	4	.
		F	2	.	.	1	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	12	.	.	3	9	.
		F	6	1	.	1	4	.
13	Malignant neoplasm of trachea, bronchus and lung	M	1	.	.	.	1	.
		F	3	.	.	2	1	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	13	1	.	6	6	.
16	Malignant neoplasm of uterus	F	6	1	.	3	2	.
17	Other malignant neoplasms of genito-urinary system	M	8	1	1	1	5	.
		F	2	2	.	.	.	.
18	Other malignant neoplasms	M	21	.	.	10	11	.
		F	8	.	1	3	4	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	1	.	.	1	.
		F	5	1	.	3	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	.
		F	5	2	.	.	3	1
22	Cerebral haemorrhage	M	22	.	.	5	17	1
		F	22	1	1	3	17	.
23	Other vascular lesions affecting the central nervous system	M	8	.	.	2	6	.
		F	14	1	.	4	9	.

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY CLARE (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	18	1	2	5	10	1
		F	15	1	.	.	14	2
25	Chronic rheumatic heart disease	M	2	1	.	.	1	.
		F	1	1	.	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	115	1	.	48	66	2
		F	92	2	1	44	45	1
27	Other diseases of the heart	M	26	2	.	4	20	2
		F	21	.	2	1	18	1
28	Hypertension with heart disease	M	4	.	.	.	4	.
		F	2	.	.	1	1	.
29	Hypertension without heart disease	M	3	1	.	.	2	.
		F	4	1	.	.	3	.
30	Other diseases of circulatory system	M	6	.	.	3	3	.
		F	5	1	.	1	3	.
31	Influenza	M	2	.	.	1	1	.
		F	2	.	.	.	2	1
32	Pneumonia	M	21	.	1	2	18	1
		F	14	.	.	3	11	1
33	Bronchitis	M	22	1	.	3	18	3
		F	13	.	1	.	12	.
34	Other diseases of respiratory system	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	4	1	.	2	1	.
		F	2	.	.	2	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	3	.	.
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	7	.	.	2	5	.
		F	10	.	1	2	7	.
38	Hyperplasia of prostate	M	5	1	.	1	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	4	.	.	3	1	.
		F	4	2	.	2	.	.
41	Diseases of early infancy	M	18	3	.	12	3	1
		F	6	.	.	5	1	.
42	Senility	M	94	.	6	1	87	68
		F	106	.	2	1	103	84
43	Ill-defined causes	M	15	1	.	1	13	9
		F	8	.	.	1	7	5
44	Other defined diseases	M	35	3	.	22	10	.
		F	20	1	.	11	8	.
45	Accidents	M	14	1	.	2	11	.
		F	5	.	.	3	2	.
46	Suicide	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	567	29	15	160	363	90
		F	469	25	9	119	316	98

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
CORK COUNTY BOROUGH

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	28	7	2	12	7	.
		F	9	5	2	1	1	.
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	1	1	.	.	.	.
3	Diphtheria	M	1	1	.	.	.	.
		F	1	.	.	1	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
5	Meningococcal infections	M	4	2	.	1	1	.
		F	2	.	.	2	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	2	.	.	2	.	.
		F	3	1	.	1	1	.
8	Other infective and parasitic diseases	M	4	.	.	4	.	.
		F	2	1	.	.	1	.
9	Malignant neoplasm of stomach	M	11	4	.	3	4	.
		F	10	3	.	1	6	.
10	Malignant neoplasm of small and large intestine including duodenum	M	4	1	.	.	3	.
		F	7	2	.	3	2	.
11	Malignant neoplasm of rectum	M	2	1	.	.	1	.
		F	4	1	.	.	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	2	.	2	4	.
		F	14	3	.	5	6	.
13	Malignant neoplasm of trachea, bronchus and lung	M	9	2	.	3	4	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	1	.	.
		F	2	.	.	1	1	.
15	Malignant neoplasm of breast	M	1	.	.	.	1	.
		F	12	2	.	3	7	.
16	Malignant neoplasm of uterus	F	2	1	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	4	1	.	1	2	.
		F	5	4	.	1	.	.
18	Other malignant neoplasms	M	13	1	.	3	9	.
		F	4	.	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	2	.	.	1	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	1	.	.
		F	2	1	.	.	1	.
22	Cerebral haemorrhage	M	18	6	.	5	7	.
		F	24	4	1	8	11	.
23	Other vascular lesions affecting the central nervous system	M	20	5	.	5	10	.
		F	25	5	.	5	15	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## CORK COUNTY BOROUGH (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	8	1	.	5	2	.
		F	11	.	.	3	8	.
25	Chronic rheumatic heart disease	M	5	1	.	2	2	.
		F	7	1	.	2	4	.
26	Arteriosclerotic and degenerative heart disease	M	121	14	6	21	80	.
		F	120	9	5	36	70	.
27	Other diseases of the heart	M	16	3	.	7	6	.
		F	25	7	.	5	13	.
28	Hypertension with heart disease	M	9	1	.	4	4	.
		F	6	1	.	2	3	.
29	Hypertension without heart disease	M	4	1	.	1	2	.
		F	7	2	.	.	5	.
30	Other diseases of circulatory system	M	8	1	.	2	5	.
		F	14	3	.	3	8	.
31	Influenza	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
32	Pneumonia	M	14	6	.	3	5	.
		F	13	3	.	6	4	.
33	Bronchitis	M	21	2	1	9	9	.
		F	11	1	1	4	5	.
34	Other diseases of respiratory system	M	1	1	.	.	.	.
		F	12	.	2	2	8	.
35	Ulcer of stomach and duodenum	M	10	1	.	5	4	.
		F	2	2	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	2	1	.
		F	2	.	.	1	1	.
37	Nephritis and nephrosis	M	5	1	.	2	2	.
		F	9	2	.	3	4	.
38	Hyperplasia of prostate	M	10	3	.	4	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	6	4	.	1	1	.
		F	3	2	.	1	.	.
41	Diseases of early infancy	M	18	7	.	7	4	.
		F	18	8	.	9	1	.
42	Senility	M	7	.	.	1	6	.
		F	16	1	1	.	14	.
43	Ill-defined causes	M	12	8	.	3	1	.
		F	8	4	1	1	2	.
44	Other defined diseases	M	17	8	.	3	6	.
		F	21	8	.	6	7	.
45	Accidents	M	9	5	.	3	1	.
		F	12	4	.	5	3	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
All causes		M	441	103	9	130	199	.
		F	450	92	13	124	221	.

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY CORK

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	73	21	8	20	24	1
		F	41	18	1	9	13	
2	Tuberculosis, other forms	M	21	9	.	11	1	.
		F	18	7	2	8	1	
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	
4	Whooping cough	M	5	.	.	2	3	.
		F	6	.	.	.	6	
5	Meningococcal infections	M	3	1	.	1	1	.
		F	1	.	.	1	.	
6	Acute poliomyelitis	M	2	.	.	2	.	.
		F	1	.	.	1	.	
7	Measles	M	4	.	.	2	2	.
		F	2	1	.	.	1	
8	Other infective and parasitic diseases	M	15	4	.	10	1	.
		F	6	1	.	2	3	
9	Malignant neoplasm of stomach	M	47	4	.	18	25	.
		F	44	6	1	7	30	
10	Malignant neoplasm of small and large intestine including duodenum	M	33	9	.	7	17	.
		F	35	6	.	8	21	
11	Malignant neoplasm of rectum	M	24	4	.	12	8	.
		F	7	4	.	1	2	
12	Other malignant neoplasms of digestive organs and peritoneum	M	38	12	1	10	15	.
		F	24	5	.	5	14	
13	Malignant neoplasm of trachea, bronchus and lung	M	16	3	.	3	10	.
		F	3	2	.	1	.	
14	Other malignant neoplasms of respiratory system	M	8	.	.	3	5	.
		F	5	2	1	.	2	
15	Malignant neoplasm of breast	M	1	.	.	1	.	.
		F	34	9	2	7	16	
16	Malignant neoplasm of uterus	F	11	1	.	5	5	.
17	Other malignant neoplasms of genito-urinary system	M	27	5	.	9	13	.
		F	15	4	.	5	6	
18	Other malignant neoplasms	M	33	6	.	12	15	.
		F	23	7	1	2	13	
19	Hodgkin's disease and leukaemia and aleukaemia	M	13	6	.	5	2	.
		F	8	1	.	4	3	
20	Other neoplasms of lymphatic and haematopoietic tissues	M	5	2	.	1	2	.
		F	.	.	.	.	.	
21	Diabetes	M	10	1	.	4	5	.
		F	7	.	.	2	5	
22	Cerebral haemorrhage	M	56	7	.	14	35	2
		F	82	7	1	21	53	
23	Other vascular lesions affecting the central nervous system	M	66	8	.	15	43	1
		F	85	18	1	12	54	

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY CORK (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	31	5	1	11	14	.
		F	40	2	3	13	22	2
25	Chronic rheumatic heart disease	M	13	.	1	2	10	.
		F	11	3	.	.	8	.
26	Arteriosclerotic and degenerative heart disease	M	494	30	18	103	343	10
		F	417	23	18	95	281	10
27	Other diseases of the heart	M	65	8	2	11	44	2
		F	67	4	3	9	51	4
28	Hypertension with heart disease	M	20	2	.	12	6	.
		F	19	2	.	5	12	.
29	Hypertension without heart disease	M	10	2	.	3	5	.
		F	17	2	.	3	12	.
30	Other diseases of circulatory system	M	30	2	.	18	10	1
		F	16	3	.	6	7	.
31	Influenza	M	6	1	.	1	4	.
		F	4	.	.	.	4	1
32	Pneumonia	M	48	9	.	20	19	.
		F	40	8	.	8	24	.
33	Bronchitis	M	59	4	2	18	35	1
		F	31	2	.	3	26	.
34	Other diseases of respiratory system	M	25	.	1	7	17	1
		F	12	.	1	6	5	.
35	Ulcer of stomach and duodenum	M	14	5	.	7	2	.
		F	9	2	.	1	6	.
36	Gastro-enteritis and diarrhoea under 2 years	M	4	2	.	2	.	.
		F	5	1	.	1	3	1
37	Nephritis and nephrosis	M	26	3	.	8	15	.
		F	20	6	.	7	7	.
38	Hyperplasia of prostate	M	30	10	.	12	8	.
39	Complications of pregnancy, childbirth and the puerperium	F	8	3	.	4	1	.
40	Congenital malformations	M	24	7	.	7	10	2
		F	14	2	.	5	7	1
41	Diseases of early infancy	M	60	16	.	28	16	1
		F	55	12	.	24	19	.
42	Senility	M	182	5	1	25	151	85
		F	195	1	5	17	172	112
43	Ill-defined causes	M	46	7	.	8	31	20
		F	33	4	2	7	20	9
44	Other defined diseases	M	109	26	4	35	44	4
		F	116	22	4	24	66	.
45	Accidents	M	62	10	.	12	40	.
		F	13	2	.	4	7	.
46	Suicide	M	8	1	.	.	7	.
		F	2	.	.	.	2	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	1,866	257	39	512	1,058	130
		F	1,602	203	46	343	1,010	146

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY KERRY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	33	8	5	10	10	.
		F	28	6	7	6	9	.
2	Tuberculosis, other forms	M	10	1	2	6	1	.
		F	7	1	1	3	2	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	1	2	.
		F	5	.	.	1	4	1
5	Meningococcal infections	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	6	1	.	3	2	.
		F	5	1	.	3	1	.
9	Malignant neoplasm of stomach	M	17	.	.	9	8	.
		F	16	2	1	6	7	.
10	Malignant neoplasm of small and large intestine including duodenum	M	7	.	.	4	3	.
		F	5	.	.	2	3	.
11	Malignant neoplasm of rectum	M	8	.	.	3	5	.
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	13	1	.	4	8	.
		F	7	.	.	2	5	.
13	Malignant neoplasm of trachea, bronchus and lung	M	7	.	.	3	4	.
		F	1	.	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	4	1	.	2	1	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	9	.	.	2	7	1
16	Malignant neoplasm of uterus	F	8	1	.	4	3	.
		F	8	1	.	4	3	.
17	Other malignant neoplasms of genito-urinary system	M	7	3	.	3	1	.
		F	4	.	.	1	3	.
18	Other malignant neoplasms	M	21	1	.	10	10	1
		F	8	.	.	5	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	1	.	1	1	.
		F	1	.	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	8	1	.	5	2	1
		F	4	2	.	1	1	.
22	Cerebral haemorrhage	M	21	.	.	4	17	4
		F	32	3	.	6	23	1
23	Other vascular lesions affecting the central nervous system	M	40	3	.	10	27	.
		F	39	1	2	13	23	1



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY KERRY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmeries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	18	.	1	3	14	3
		F	18	4	.	7	7	1
25	Chronic rheumatic heart disease	M	4	1	.	1	2	.
		F	4	.	.	2	2	2
26	Arteriosclerotic and degenerative heart disease	M	189	6	2	45	136	12
		F	124	3	4	30	87	4
27	Other diseases of the heart	M	43	1	1	20	21	3
		F	24	2	.	5	17	5
28	Hypertension with heart disease	M	7	.	.	6	1	.
		F	10	1	.	4	5	.
29	Hypertension without heart disease	M	24	.	1	9	14	1
		F	17	.	.	7	10	2
30	Other diseases of circulatory system	M	13	3	.	4	6	.
		F	12	2	.	4	6	1
31	Influenza	M	13	.	.	1	12	6
		F	10	.	1	2	7	4
32	Pneumonia	M	11	1	.	3	7	1
		F	14	.	.	8	6	.
33	Bronchitis	M	11	.	.	1	10	1
		F	17	.	.	4	13	2
34	Other diseases of respiratory system	M	6	.	1	2	3	.
		F	7	1	.	5	1	1
35	Ulcer of stomach and duodenum	M	14	3	.	7	4	.
		F	3	2	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	8	.	.	2	6	1
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	15	1	.	6	8	.
		F	11	.	.	4	7	.
38	Hyperplasia of prostate	M	13	3	.	6	4	.
39	Complications of pregnancy, childbirth and the puerperium	F	5	.	.	4	1	.
40	Congenital malformations	M	8	1	.	4	3	1
		F	7	.	.	4	3	.
41	Diseases of early infancy	M	38	3	.	26	9	2
		F	23	5	.	13	5	2
42	Senility	M	131	.	.	1	130	110
		F	145	.	3	1	141	122
43	Ill-defined causes	M	29	.	.	2	27	25
		F	21	.	.	.	21	12
44	Other defined diseases	M	58	7	5	19	27	4
		F	59	6	3	20	30	8
45	Accidents	M	21	1	.	5	15	.
		F	8	.	.	5	3	.
46	Suicide	M	3	.	.	.	3	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	887	52	18	252	565	176
		F	721	44	22	187	468	170

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## LIMERICK COUNTY BORO'

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	13	6	1	3	3	1
		F	16	6	.	2	8	.
2	Tuberculosis, other forms	M	4	.	.	3	1	.
		F	2	1	.	1	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
5	Meningococcal infections	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	3	3	.	.	.	.
		F	2	1	.	.	1	.
8	Other infective and parasitic diseases	M	2	.	.	1	1	.
		F	3	1	.	.	2	.
9	Malignant neoplasm of stomach	M	2	.	.	1	1	.
		F	2	1	.	.	1	.
10	Malignant neoplasm of small and large intestine including duodenum	M	4	2	.	1	1	.
		F	3	1	.	.	2	.
11	Malignant neoplasm of rectum	M	2	1	.	.	1	.
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	.	.	.	.	.
		F	3	1	.	2	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	6	2	.	1	3	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	8	1	.	.	7	.
16	Malignant neoplasm of uterus	F	4	1	.	1	2	1
17	Other malignant neoplasms of genito-urinary system	M	6	1	1	2	2	.
		F	2	.	.	.	2	.
18	Other malignant neoplasms	M	7	4	.	1	2	.
		F	3	2	.	1	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	1	.	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	3	1	.	1	1	.
		F	2	.	.	1	1	.
22	Cerebral haemorrhage	M	9	3	.	2	4	.
		F	13	3	1	2	7	1
23	Other vascular lesions affecting the central nervous system	M	11	2	.	3	6	.
		F	6	1	.	.	5	.

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## LIMERICK COUNTY BORO' (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	5	3	1	.	1	.
		F	10	2	.	2	6	1
25	Chronic rheumatic heart disease	M	2	1	.	1	.	.
		F	1	1	.	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	61	14	3	6	38	.
		F	45	11	.	5	29	2
27	Other diseases of the heart	M	32	9	.	14	9	1
		F	24	6	.	10	8	.
28	Hypertension with heart disease	M	1	.	.	.	1	.
		F	2	.	.	.	2	.
29	Hypertension without heart disease	M	3	.	.	.	3	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	2	1	.	.	1	.
		F	3	.	.	.	3	.
31	Influenza	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
32	Pneumonia	M	14	7	.	3	4	.
		F	7	2	.	2	3	.
33	Bronchitis	M	16	4	1	5	6	.
		F	7	.	.	.	7	.
34	Other diseases of respiratory system	M	6	1	.	1	4	.
		F	2	1	.	.	1	.
35	Ulcer of stomach and duodenum	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	10	1	.	4	5	.
		F	8	4	.	2	2	.
37	Nephritis and nephrosis	M	5	3	.	.	2	.
		F	3	1	.	.	2	.
38	Hyperplasia of prostate	M	.	.	.	.	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	.	2	.
40	Congenital malformations	M	5	3	.	.	2	1
		F	2	1	.	.	1	.
41	Diseases of early infancy	M	8	6	.	.	2	.
		F	7	2	.	3	2	.
42	Senility	M	3	1	1	.	1	.
		F	12	2	4	2	4	1
43	Ill-defined causes	M	9	1	.	1	7	1
		F	7	3	.	1	3	1
44	Other defined diseases	M	19	10	.	4	5	.
		F	20	8	.	5	7	.
45	Accidents	M	10	4	.	.	6	.
		F	5	2	.	2	1	.
46	Suicide	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	288	97	8	60	122	4
		F	242	67	5	45	125	7

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY LIMERICK

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	24	4	4	5	11	1
		F	15	.	1	9	5	.
2	Tuberculosis, other forms	M	6	1	1	3	1	.
		F	8	1	1	3	3	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	4	.	.	1	3	.
		F	5	2	.	1	2	.
9	Malignant neoplasm of stomach	M	17	1	2	1	13	.
		F	10	2	.	1	7	.
10	Malignant neoplasm of small and large intestine including duodenum	M	7	2	.	2	3	.
		F	12	3	.	1	8	.
11	Malignant neoplasm of rectum	M	6	.	.	1	5	.
		F	3	.	.	.	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	16	1	.	8	7	.
		F	4	.	.	1	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	4	.	.	2	2	.
		F	3	.	.	1	2	.
14	Other malignant neoplasms of respiratory system	M	1	.	.	1	.	.
		F	1	.	.	.	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	10	2	.	1	7	.
16	Malignant neoplasm of uterus	F	6	1	1	1	3	.
17	Other malignant neoplasms of genito-urinary system	M	11	1	.	2	8	.
		F	1	.	.	.	1	.
18	Other malignant neoplasms	M	10	1	.	5	4	.
		F	10	1	1	1	7	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	1	.	.	.	.
		F	4	.	.	.	4	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	7	1	.	1	5	.
		F	7	1	.	1	5	.
22	Cerebral haemorrhage	M	15	.	.	.	15	1
		F	15	2	1	1	11	.
23	Other vascular lesions affecting the central nervous system	M	12	2	.	1	9	.
		F	16	1	2	1	12	1



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY LIMERICK (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	17	1	1	8	7	.
		F	15	3	.	4	8	2
25	Chronic rheumatic heart disease	M	3	.	.	3	.	.
		F	6	2	.	3	1	.
26	Arteriosclerotic and degenerative heart diseases	M	141	8	5	20	108	1
		F	115	10	3	10	92	5
27	Other diseases of the heart	M	20	2	.	5	13	1
		F	23	.	1	4	18	4
28	Hypertension with heart disease	M	3	.	.	.	3	.
		F	4	.	.	.	4	.
29	Hypertension without heart disease	M	13	2	.	5	6	.
		F	9	.	.	1	8	.
30	Other diseases of circulatory system	M	6	1	.	3	2	.
		F	8	1	.	1	6	.
31	Influenza	M	5	.	.	.	5	.
		F	4	.	.	1	3	.
32	Pneumonia	M	29	4	3	6	16	.
		F	8	1	.	1	6	.
33	Bronchitis	M	18	.	4	3	11	.
		F	15	.	.	2	13	1
34	Other diseases of respiratory system	M	5	1	.	1	3	1
		F	1	1	.	.	.	.
35	Ulcer of stomach and duodenum	M	4	2	.	1	1	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	5	.	.	4	1	.
		F	5	.	.	.	5	.
37	Nephritis and nephrosis	M	10	.	1	3	6	.
		F	8	1	.	2	5	.
38	Hyperplasia of prostate	M	11	2	.	.	9	1
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	.	2	.
40	Congenital malformations	M	9	3	.	.	6	1
		F	4	.	.	2	2	.
41	Diseases of early infancy	M	30	4	.	14	12	.
		F	12	3	.	2	7	1
42	Senility	M	83	.	17	.	66	37
		F	78	.	15	3	60	36
43	Ill-defined causes	M	20	2	2	6	10	2
		F	14	3	.	1	10	3
44	Other defined diseases	M	46	7	1	13	25	.
		F	41	12	1	4	24	2
45	Accidents	M	13	3	.	2	8	.
		F	7	.	.	3	4	.
46	Suicide	M	5	1	.	1	3	.
		F	1	.	.	.	1	.
47	Other external causes	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
All causes			M 639	58	41	132	408	46
			F 511	53	27	67	364	56

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY TIPPERARY, N.R.

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	11	1	1	2	7	.
		F	9	4	.	2	3	.
2	Tuberculosis, other forms	M	2	.	.	2	.	.
		F	1	1	.	.	.	.
3	Diphtheria	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F	2	.	.	1	1	.
9	Malignant neoplasm of stomach	M	10	1	.	3	6	.
		F	5	1	.	1	3	1
10	Malignant neoplasm of small and large intestine including duodenum	M	7	1	.	2	4	.
		F	1	1	.	.	.	.
11	Malignant neoplasm of rectum	M	4	1	.	1	2	.
		F	2	.	.	.	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	.	.	1	.	.
		F	6	1	.	1	4	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	.	.	3	2	.
		F	6	.	.	4	2	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	6	2	.	1	3	.
16	Malignant neoplasm of uterus	F	3	.	.	2	1	.
17	Other malignant neoplasms of genito-urinary system	M	8	1	.	5	2	.
		F	1	.	.	1	.	.
18	Other malignant neoplasms	M	8	1	.	4	3	.
		F	3	1	.	1	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	5	.	.	1	4	.
		F	1	.	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	2	.	.	2	.	.
		F	4	.	.	1	3	.
22	Cerebral haemorrhage	M	17	.	1	8	8	.
		F	17	1	.	11	5	.
23	Other vascular lesions affecting the central nervous system	M	14	1	1	6	6	.
		F	14	1	.	3	10	2

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY TIPPERARY, N.R. (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	9	1	.	.	8	1
		F	13	.	.	4	9	1
25	Chronic rheumatic heart disease	M	3	.	.	2	1	.
		F	1	.	.	1	.	.
26	Arteriosclerotic and degenerative heart disease	M	99	1	.	40	58	5
		F	62	2	.	16	44	.
27	Other diseases of the heart	M	20	.	.	2	18	3
		F	15	.	.	1	14	1
28	Hypertension with heart disease	M	3	.	.	.	3	.
		F	5	.	.	3	2	.
29	Hypertension without heart disease	M	9	.	.	1	8	1
		F	4	.	.	.	4	.
30	Other diseases of circulatory system	M	6	1	.	1	4	.
		F	9	.	2	2	5	.
31	Influenza	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
32	Pneumonia	M	9	2	1	2	4	.
		F	10	1	.	3	6	.
33	Bronchitis	M	12	.	.	.	12	.
		F	7	1	.	.	6	.
34	Other diseases of respiratory system	M	.	.	.	.	.	.
		F	3	.	.	2	1	.
35	Ulcer of stomach and duodenum	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	.	2	.
		F	4	1	.	.	3	.
37	Nephritis and nephrosis	M	4	.	.	1	3	.
		F	.	.	.	.	.	.
38	Hyperplasia of prostate	M	4	2	.	2	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	5	1	.	4	.	.
40	Congenital malformations	M	4	.	.	1	3	.
		F	1	1	.	.	.	.
41	Diseases of early infancy	M	27	3	.	19	5	1
		F	19	2	.	14	3	1
42	Senility	M	36	.	2	9	25	18
		F	65	1	1	12	51	30
43	Ill-defined causes	M	14	.	.	2	12	6
		F	10	.	.	1	9	6
44	Other defined diseases	M	20	3	.	5	12	2
		F	27	4	.	7	16	2
45	Accidents	M	11	.	.	4	7	.
		F	7	.	.	4	3	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	393	20	6	137	230	37
		F	349	27	3	104	215	44

TABLE 21 - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING THE  
COUNTY TIPPERARY S.R.

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	13	2	1	6	4	.
		F	11	1	2	1	7	.
2	Tuberculosis, other forms	M	8	1	.	5	2	.
		F	3	.	.	3	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	2	.	.	.	2	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	27	1	.	13	13	.
		F	6	1	.	.	5	.
10	Malignant neoplasm of small and large intestine including duodenum	M	11	1	.	3	7	.
		F	9	2	.	2	5	.
11	Malignant neoplasm of rectum	M	4	.	.	2	2	.
		F	6	.	.	3	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	8	.	.	3	5	.
		F	6	1	.	1	4	.
13	Malignant neoplasm of trachea, bronchus and lung	M	7	.	.	3	4	.
		F	2	.	.	1	1	.
14	Other malignant neoplasms of respiratory system	M	1	1	.	.	.	.
		F	3	1	.	.	2	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	3	1	.	1	1	.
16	Malignant neoplasm of uterus	F	6	.	.	2	4	.
17	Other malignant neoplasms of genito-urinary system	M	5	.	.	2	3	.
		F	4	1	.	.	3	.
18	Other malignant neoplasms	M	12	.	.	4	8	.
		F	5	.	.	2	3	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	.	.	.	3	.
		F	3	.	.	1	2	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
22	Cerebral haemorrhage	M	21	1	.	4	16	.
		F	28	3	.	8	17	.
23	Other vascular lesions affecting the central nervous system	M	25	2	.	1	22	.
		F	21	.	1	1	19	.



## NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY TIPPERARY S.R. (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals and Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	5	.	.	.	5	.
		F	8	.	.	4	4	1
25	Chronic rheumatic heart disease	M	6	.	.	1	5	.
		F	4	.	.	1	3	.
26	Arteriosclerotic and degenerative heart disease	M	170	5	2	50	113	4
		F	118	.	5	34	79	7
27	Other diseases of the heart	M	19	.	.	1	18	1
		F	11	.	.	1	10	1
28	Hypertension with heart disease	M	2	.	.	.	2	1
		F	7	.	.	1	6	.
29	Hypertension without heart disease	M	4	.	.	2	2	.
		F	7	.	.	2	5	.
30	Other diseases of circulatory system	M	5	.	1	1	3	.
		F	4	.	1	.	3	.
31	Influenza	M	3	.	.	.	3	.
		F	6	.	.	.	6	.
32	Pneumonia	M	11	1	.	2	8	.
		F	10	1	.	1	8	1
33	Bronchitis	M	14	1	.	1	12	.
		F	10	.	1	1	8	1
34	Other diseases of respiratory system	M	7	.	1	2	4	.
		F	4	.	.	3	1	.
35	Ulcer of stomach and duodenum	M	7	1	.	1	5	.
		F	1	1	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	1	2	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	9	.	.	3	6	.
		F	9	2	.	5	2	.
38	Hyperplasia of prostate	M	6	.	.	3	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	8	.	.	4	4	.
		F	2	.	.	1	1	.
41	Diseases of early infancy	M	31	1	.	15	15	1
		F	22	2	.	9	11	2
42	Senility	M	30	1	4	3	22	7
		F	29	.	.	4	25	10
43	Ill-defined causes	M	6	1	.	2	3	1
		F	3	.	1	1	1	.
44	Other defined diseases	M	35	.	2	15	18	.
		F	16	2	.	5	9	1
45	Accidents	M	15	1	.	5	9	.
		F	10	.	.	3	7	1
46	Suicide	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	545	22	11	159	353	15
		F	400	19	11	102	268	25

TABLE 21 - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING THE  
WATERFORD CO. BORO'

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	12	1	1	2	8	.
		F	8	1	.	3	4	.
2	Tuberculosis, other forms	M	3	.	.	3	.	.
		F	3	.	.	1	2	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	7	2	.	4	1	.
		F	4	.	.	1	3	.
10	Malignant neoplasm of small and large intestine including duodenum	M	1	.	.	.	1	.
		F	2	.	.	1	1	.
11	Malignant neoplasm of rectum	M	3	.	.	3	.	.
		F	3	.	.	2	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	1	.	.	.	1	.
		F	4	1	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	5	3	.	1	1	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	3	2	.	.	1	.
16	Malignant neoplasm of uterus	F	.	.	.	.	.	.
17	Other malignant neoplasms of genito-urinary system	M	6	.	.	4	2	.
		F	1	.	.	1	.	.
18	Other malignant neoplasms	M	6	1	1	3	1	.
		F	3	.	.	2	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	1	.	.	1	.	.
21	Diabetes	M	2	.	.	2	.	.
		F	1	.	.	1	.	.
22	Cerebral haemorrhage	M	12	.	1	5	6	.
		F	19	.	1	6	12	.
23	Other vascular lesions affecting the central nervous system	M	1	.	1	.	.	.
		F	4	.	.	3	1	.

## NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## WATERFORD CO. BORO\* (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	3	1	.	1	1	.
		F	1	.	.	.	1	.
25	Chronic rheumatic heart disease	M	4	.	.	2	2	.
		F	.	.	.	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	51	2	5	13	31	.
		F	41	2	3	6	30	.
27	Other diseases of the heart	M	4	.	.	2	2	.
		F	7	1	.	2	4	.
28	Hypertension with heart disease	M	3	.	.	3	.	.
		F	4	.	.	1	3	.
29	Hypertension without heart disease	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
30	Other diseases of circulatory system	M	3	.	.	3	.	.
		F	5	1	.	3	1	.
31	Influenza	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
32	Pneumonia	M	4	.	1	1	2	.
		F	3	.	1	2	.	.
33	Bronchitis	M	8	.	.	7	1	.
		F	6	.	.	.	6	.
34	Other diseases of respiratory system	M	3	.	.	.	3	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	4	.	.	3	1	.
		F	3	.	.	.	3	.
37	Nephritis and nephrosis	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
38	Hyperplasia of prostate	M	3	.	.	3	.	.
39	Complications of pregnancy, childbirth and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	2	.	.	.	2	.
		F	5	3	.	1	1	.
41	Diseases of early infancy	M	9	.	.	6	3	.
		F	7	1	.	4	2	.
42	Senility	M	4	.	.	1	3	.
		F	9	.	.	2	7	.
43	Ill-defined causes	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
44	Other defined diseases	M	19	1	2	9	7	.
		F	11	1	2	4	4	.
45	Accidents	M	2	.	.	2	.	.
		F	2	.	.	1	1	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	192	11	12	86	83	.
		F	164	13	7	49	95	.

TABLE 21 - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING THE  
COUNTY WATERFORD

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	7	1	2	.	4	.
		F	9	.	2	4	3	.
2	Tuberculosis, other forms	M	5	4	.	1	.	.
		F	2	.	.	2	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	1	1	.	.	.
		F	2	.	.	1	1	.
9	Malignant neoplasm of stomach	M	9	.	1	2	6	.
		F	3	.	.	1	2	.
10	Malignant neoplasm of small and large intestine including duodenum	M	3	1	.	.	2	.
		F	2	.	.	.	2	.
11	Malignant neoplasm of rectum	M	6	3	.	3	.	.
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	11	1	1	4	5	.
		F	4	1	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	3	.	.	1	2	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	1	1	.	.	.	.
		F	7	2	1	2	2	.
16	Malignant neoplasm of uterus	F	3	.	.	1	2	.
17	Other malignant neoplasms of genito-urinary system	M	12	.	1	9	2	.
		F	.	.	.	.	.	.
18	Other malignant neoplasms	M	18	1	.	9	8	.
		F	1	.	.	1	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	1	.	1	.	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	1	.	.	.	1	.
		F	2	.	.	1	1	.
22	Cerebral haemorrhage	M	14	.	4	4	6	.
		F	16	.	2	5	9	.
23	Other vascular lesions affecting the central nervous system	M	11	.	.	5	6	.
		F	9	.	.	3	6	1



## NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY WATERFORD (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	12	2	.	4	6	.
		F	3	1	.	1	1	.
25	Chronic rheumatic heart disease	M	5	.	1	2	2	.
		F	.	.	.	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	83	.	6	17	60	1
		F	61	5	3	13	40	.
27	Other diseases of the heart	M	15	1	.	4	10	2
		F	9	2	.	2	5	.
28	Hypertension with heart disease	M	2	.	.	1	1	.
		F	1	.	.	.	1	.
29	Hypertension without heart disease	M	5	.	.	2	3	.
		F	3	.	.	.	3	.
30	Other diseases of circulatory system	M	14	1	.	7	6	.
		F	3	.	.	.	3	.
31	Influenza	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
32	Pneumonia	M	10	1	3	2	4	.
		F	3	.	1	1	1	.
33	Bronchitis	M	8	.	.	2	6	.
		F	5	.	.	.	5	.
34	Other diseases of respiratory system	M	3	.	.	2	1	.
		F	2	.	.	1	1	.
35	Ulcer of stomach and duodenum	M	3	2	.	1	.	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	3	1	.	.	2	.
		F	4	.	.	1	3	.
38	Hyperplasia of prostate	M	4	.	.	1	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	3	1	1	.	1	.
40	Congenital malformations	M	5	2	.	1	2	.
		F	3	.	.	1	2	.
41	Diseases of early infancy	M	10	1	.	3	6	.
		F	8	1	.	3	4	.
42	Senility	M	25	.	.	5	20	8
		F	30	.	.	9	21	7
43	Ill-defined causes	M	7	1	.	.	6	.
		F	7	1	.	.	6	3
44	Other defined diseases	M	15	3	1	9	2	.
		F	20	2	1	5	12	.
45	Accidents	M	12	.	.	6	6	.
		F	3	.	.	1	2	.
46	Suicide	M	2	.	.	.	2	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	353	29	21	110	193	11
		F	233	17	11	60	145	11

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY GALWAY

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	25	11	6	5	3	.
		F	24	10	5	5	4	.
2	Tuberculosis, other forms	M	14	1	.	12	1	.
		F	7	.	1	6	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	2	1	.
		F	2	.	.	.	2	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	3	.	.	3	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	2	.	.	1	1	.
		F	4	.	.	2	2	.
8	Other infective and parasitic diseases	M	5	.	.	4	1	.
		F	5	1	.	2	2	.
9	Malignant neoplasm of stomach	M	24	3	1	5	15	.
		F	19	1	1	4	13	.
10	Malignant neoplasm of small and large intestine including duodenum	M	19	.	.	6	13	1
		F	11	.	.	4	7	.
11	Malignant neoplasm of rectum	M	9	.	.	8	1	.
		F	6	.	.	5	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	12	3	.	4	5	.
		F	6	1	1	2	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	10	3	.	4	3	.
		F	4	.	.	1	3	.
14	Other malignant neoplasms of respiratory system	M	6	2	.	1	3	.
		F	1	.	.	1	.	.
15	Malignant neoplasm of breast	M	2	.	.	2	.	.
		F	15	2	.	5	8	.
16	Malignant neoplasm of uterus	F	2	1	.	1	.	.
17	Other malignant neoplasms of genito-urinary system	M	23	.	.	16	7	.
		F	4	.	.	4	.	.
18	Other malignant neoplasms	M	26	2	1	9	14	.
		F	8	.	.	3	5	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	6	1	.	4	1	.
		F	4	.	.	1	3	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
21	Diabetes	M	2	.	1	1	.	.
		F	12	.	.	5	7	1
22	Cerebral haemorrhage	M	23	4	2	5	12	.
		F	28	2	.	13	13	1
23	Other vascular lesions affecting the central nervous system	M	46	2	.	13	31	5
		F	42	5	3	12	22	2

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY GALWAY (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	18	2	4	4	8	2
		F	16	1	3	2	10	2
25	Chronic rheumatic heart disease	M	16	.	1	5	10	.
		F	14	1	.	3	10	.
26	Arteriosclerotic and degenerative heart disease	M	228	5	16	53	154	10
		F	179	5	21	37	116	14
27	Other diseases of the heart	M	15	1	.	8	6	4
		F	17	2	.	2	13	7
28	Hypertension with heart disease	M	13	.	.	2	11	.
		F	8	1	.	1	6	.
29	Hypertension without heart disease	M	14	3	.	8	3	1
		F	10	.	.	4	6	.
30	Other diseases of circulatory system	M	21	1	.	6	14	.
		F	8	.	1	4	3	.
31	Influenza	M	11	.	.	7	4	1
		F	9	1	.	.	8	4
32	Pneumonia	M	27	4	1	6	16	2
		F	16	1	.	7	8	3
33	Bronchitis	M	19	.	.	6	13	.
		F	13	2	1	1	9	.
34	Other diseases of respiratory system	M	2	.	.	1	1	.
		F	4	.	.	1	3	.
35	Ulcer of stomach and duodenum	M	8	1	.	5	2	.
		F	1	1	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	7	.	.	.	7	.
		F	4	.	.	3	1	.
37	Nephritis and nephrosis	M	12	1	.	6	5	.
		F	7	.	.	3	4	.
38	Hyperplasia of prostate	M	18	.	.	12	6	.
39	Complications of pregnancy, childbirth and the puerperium	F	6	2	.	3	1	.
40	Congenital malformations	M	10	3	.	6	1	.
		F	10	.	.	2	8	.
41	Diseases of early infancy	M	21	2	.	11	8	3
		F	21	3	.	11	7	2
42	Senility	M	135	.	10	.	125	113
		F	164	2	6	1	155	142
43	Ill-defined causes	M	19	.	.	3	16	9
		F	13	.	.	2	11	8
44	Other defined diseases	M	63	2	5	31	25	1
		F	61	7	6	22	26	3
45	Accidents	M	21	1	.	5	15	.
		F	7	.	.	2	5	.
46	Suicide	M	4	.	.	.	4	.
		F	1	.	.	.	1	.
47	Other external causes	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
All causes		M	961	58	48	288	567	152
		F	797	52	49	191	505	189

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY LEITRIM

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	9	1	2	4	2	.
		F	3	.	.	2	1	.
2	Tuberculosis, other forms	M	2	.	.	2	.	.
		F	3	.	1	.	2	.
3	Diphtheria	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	9	.	.	3	6	.
		F	4	1	.	.	3	.
10	Malignant neoplasm of small and large intestine including duodenum	M	3	.	.	1	2	.
		F	2	1	.	1	.	.
11	Malignant neoplasm of rectum	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	.	.	1	1	.
		F	3	.	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	1	1	.	.	.	.
		F	2	.	.	.	2	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	5	.	.	1	4	1
16	Malignant neoplasm of uterus	F	1	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	3	2	.	.	1	.
		F	1	.	.	.	1	.
18	Other malignant neoplasms	M	10	1	.	3	6	1
		F	2	.	.	.	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	.
		F	1	1	.	.	.	.
22	Cerebral haemorrhage	M	12	.	.	2	10	3
		F	12	.	.	2	10	3
23	Other vascular lesions affecting the central nervous system	M	10	.	.	4	6	2
		F	9	.	2	.	7	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY LEITRIM (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	4	.	.	3	1	1
		F	6	.	.	2	4	2
25	Chronic rheumatic heart disease	M	2	.	.	.	2	.
		F	4	.	1	2	1	.
26	Arteriosclerotic and degenerative heart disease	M	82	2	8	18	54	5
		F	59	3	3	8	45	7
27	Other diseases of the heart	M	10	.	.	7	3	1
		F	7	.	.	2	5	1
28	Hypertension with heart disease	M	4	.	.	.	4	.
		F	1	.	.	.	1	.
29	Hypertension without heart disease	M	2	.	1	.	1	1
		F	4	.	2	1	1	.
30	Other diseases of circulatory system	M	4	.	.	1	3	.
		F	2	1	.	.	1	.
31	Influenza	M	5	.	.	.	5	.
		F	2	.	.	.	2	2
32	Pneumonia	M	11	1	1	2	7	1
		F	7	1	.	1	5	.
33	Bronchitis	M	11	.	.	1	10	2
		F	3	.	.	.	3	2
34	Other diseases of respiratory system	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	3	1	.	2	.	.
		F	1	.	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
37	Nephritis and nephrosis	M	7	1	.	1	5	1
		F	4	.	.	1	3	.
38	Hyperplasia of prostate	M	5	.	.	.	5	1
39	Complications of pregnancy, childbirth and the puerperium	F	3	1	.	1	1	.
40	Congenital malformations	M	3	1	.	1	1	.
		F	2	.	.	1	1	1
41	Diseases of early infancy	M	8	1	.	2	5	2
		F	9	.	.	7	2	2
42	Senility	M	55	.	.	5	50	46
		F	42	.	.	.	42	35
43	Ill-defined causes	M	20	.	.	.	20	19
		F	15	.	.	.	15	14
44	Other defined diseases	M	25	2	1	10	12	1
		F	11	2	.	3	6	1
45	Accidents	M	1	.	.	1	.	.
		F	3	.	.	3	.	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	330	14	13	78	225	87
		F	235	11	9	40	175	71

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY MAYO

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	32	8	11	4	9	1
		F	27	5	5	9	8	.
2	Tuberculosis, other forms	M	6	1	4	.	1	.
		F	5	.	2	3	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	2	.	.	.	2	1
		F	5	.	.	1	4	2
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
7	Measles	M	1	.	.	.	1	.
		F	1	.	.	.	1	.
8	Other infective and parasitic diseases	M	3	.	.	3	.	.
		F	2	.	.	2	.	.
9	Malignant neoplasm of stomach	M	27	1	1	7	18	.
		F	13	.	.	3	10	1
10	Malignant neoplasm of small and large intestine including duodenum	M	8	.	.	2	6	1
		F	11	.	.	7	4	.
11	Malignant neoplasm of rectum	M	11	.	.	3	8	.
		F	4	.	.	.	4	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	17	3	.	5	9	.
		F	7	1	.	3	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	4	.	.	1	3	.
		F	2	1	.	.	1	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	2	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	14	.	.	4	10	.
16	Malignant neoplasm of uterus	F	3	.	.	2	1	.
17	Other malignant neoplasms of genito-urinary system	M	8	.	1	3	4	.
		F	7	.	.	3	4	.
18	Other malignant neoplasms	M	24	1	1	11	11	1
		F	14	.	2	4	8	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	4	.	.	3	1	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	3	.	.	1	2	.
		F	6	1	.	2	3	1
22	Cerebral haemorrhage	M	10	.	.	4	6	3
		F	16	.	.	3	13	1
23	Other vascular lesions affecting the central nervous system	M	24	.	.	2	22	1
		F	41	.	1	7	33	3

## THE NUMBER OF UNDERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY MAYO (contd.,)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	28	2	.	9	17	6
		F	18	.	1	2	15	4
25	Chronic rheumatic heart disease	M	3	.	.	.	3	.
		F	7	.	1	2	4	.
26	Arteriosclerotic and degenerative heart disease	M	183	.	8	32	143	17
		F	154	.	14	20	120	11
27	Other diseases of the heart	M	25	.	1	5	19	6
		F	21	.	.	5	16	6
28	Hypertension with heart disease	M	12	1	.	1	10	.
		F	6	.	.	.	6	.
29	Hypertension without heart disease	M	7	.	.	1	6	1
		F	22	.	.	5	17	3
30	Other diseases of circulatory system	M	14	.	.	2	12	.
		F	9	1	.	3	5	.
31	Influenza	M	9	.	.	1	8	2
		F	10	.	.	.	10	4
32	Pneumonia	M	21	.	.	6	15	2
		F	20	.	.	6	14	.
33	Bronchitis	M	26	.	.	4	22	8
		F	13	.	.	2	11	3
34	Other diseases of respiratory system	M	3	.	.	.	3	.
		F	6	.	.	.	6	.
35	Ulcer of stomach and duodenum	M	5	.	.	4	1	.
		F	7	.	.	3	4	1
36	Gastro-enteritis and diarrhoea under 2 years	M	5	.	.	1	4	.
		F	5	.	.	.	5	2
37	Nephritis and nephrosis	M	15	.	2	5	8	1
		F	6	.	.	1	5	1
38	Hyperplasia of prostate	M	19	.	.	9	10	1
39	Complications of pregnancy, childbirth and the puerperium	F	3	.	.	2	1	.
40	Congenital malformations	M	8	1	.	4	3	.
		F	9	1	.	3	5	.
41	Diseases of early infancy	M	29	1	.	21	7	2
		F	18	.	.	11	7	5
42	Senility	M	241	.	17	11	213	189
		F	214	.	19	16	179	166
43	Ill-defined causes	M	37	.	.	3	34	22
		F	32	1	.	4	27	22
44	Other defined diseases	M	66	4	7	26	29	6
		F	54	1	1	20	32	8
45	Accidents	M	26	.	.	11	15	1
		F	15	.	.	5	10	.
46	Suicide	M	3	.	.	.	3	.
		F	.	.	.	.	.	.
47	Other external causes	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
All causes		M	974	24	53	209	688	272
		F	827	12	46	163	606	244

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY ROSCOMMON

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	12	4	2	1	5	1
		F	9	.	3	4	2	.
2	Tuberculosis, other forms	M	3	.	.	1	2	.
		F	5	1	.	3	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.
		F	2	.	.	.	2	2
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
7	Measles	M	1	.	.	.	1	1
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	.	.	.	2	.
		F	1	.	.	1	.	.
9	Malignant neoplasm of stomach	M	15	1	.	2	12	1
		F	9	1	.	6	2	.
10	Malignant neoplasm of small and large intestine including duodenum	M	14	.	1	8	5	.
		F	7	.	.	3	4	.
11	Malignant neoplasm of rectum	M	10	1	.	2	7	.
		F	1	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	5	.	.	1	4	1
		F	6	1	.	1	4	.
13	Malignant neoplasm of trachea, bronchus and lung	M	4	.	1	1	2	.
		F	1	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	5	1	.	2	2	.
16	Malignant neoplasm of uterus	F	1	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	9	1	.	4	4	.
		F	2	.	.	1	1	.
18	Other malignant neoplasms	M	9	.	.	3	6	.
		F	12	1	1	6	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	4	.	.	4	.	.
		F	2	1	.	.	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	4	1	.	2	1	.
		F	2	.	1	.	1	.
22	Cerebral haemorrhage	M	15	.	.	5	10	1
		F	24	1	.	4	19	2
23	Other vascular lesions affecting the central nervous system	M	21	.	.	3	18	1
		F	18	.	.	2	16	1



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY ROSCOMMON (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. In-firmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	7	.	.	2	5	.
		F	11	1	.	3	7	.
25	Chronic rheumatic heart disease	M	6	.	.	3	3	.
		F	2	.	.	.	2	.
26	Arteriosclerotic and degener- ative heart disease	M	130	.	8	32	90	.
		F	85	.	3	16	66	2
27	Other diseases of the heart	M	14	1	.	6	7	4
		F	5	1	1	.	3	.
28	Hypertension with heart disease	M	10	.	.	3	7	.
		F	5	.	.	1	4	.
29	Hypertension without heart disease	M	6	1	.	1	4	1
		F	8	.	.	1	7	.
30	Other diseases of circulatory system	M	6	.	.	2	4	1
		F	5	.	1	2	2	.
31	Influenza	M	3	.	.	1	2	.
		F	2	.	.	.	2	.
32	Pneumonia	M	10	1	.	3	6	.
		F	6	.	.	1	5	.
33	Bronchitis	M	15	.	1	3	11	4
		F	7	.	.	1	6	2
34	Other diseases of respiratory system	M	4	.	1	2	1	.
		F	1	.	.	.	1	.
35	Ulcer of stomach and duodenum	M	4	.	.	2	2	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
37	Nephritis and nephrosis	M	12	.	.	5	7	.
		F	8	.	1	2	5	.
38	Hyperplasia or prostate	M	9	1	3	4	1	.
39	Complications of pregnancy, childbirth and the puerperium	F	.	.	.	.	.	.
40	Congenital malformations	M	4	.	.	2	2	.
		F	1	1	.	.	.	.
41	Diseases of early infancy	M	9	2	.	4	3	1
		F	13	1	.	6	6	3
42	Senility	M	114	.	3	4	107	103
		F	123	.	3	2	118	114
43	Ill-defined causes	M	15	.	1	1	13	11
		F	9	.	.	.	9	6
44	Other defined diseases	M	25	1	2	13	9	1
		F	29	.	3	15	11	.
45	Accidents	M	9	1	.	3	5	1
		F	6	.	.	3	3	.
46	Suicide	M	1	.	.	1	.	.
		F	1	.	.	.	1	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	543	16	23	135	369	133
		F	435	11	17	88	319	132

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY SLIGO

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
1	Tuberculosis of respiratory system	M	16	8	1	3	4	.
		F	11	6	1	1	3	.
2	Tuberculosis,, other forms	M	6	3	.	3	.	.
		F	3	.	1	2	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	1	2	1
		F	2	.	.	.	2	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	2	.	.	.	2	.
8	Other infective and parasitic diseases	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
9	Malignant neoplasm of stomach	M	15	.	.	3	12	.
		F	11	1	.	3	7	.
10	Malignant neoplasm of small and large intestine including doudenum	M	3	.	.	1	2	.
		F	7	.	.	.	7	.
11	Malignant neoplasm of rectum	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	1	3	.
		F	3	.	.	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	2	1	.	1	.	.
		F	2	.	.	1	1	.
14	Other malignant neoplasms of respiratory system	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	10	1	.	6	3	.
16	Malignant neoplasm of uterus	F	.	.	.	.	.	.
17	Other malignant neoplasms of genito-urinary system	M	3	.	.	1	2	.
		F	2	1	.	.	1	.
18	Other malignant neoplasms	M	15	3	.	5	7	.
		F	9	2	.	5	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	1	.	1	1	.
		F	1	.	.	.	1	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
22	Cerebral haemorrhage	M	18	.	.	4	14	2
		F	14	.	.	3	11	.
23	Other vascular lesions affecting the central nervous system	M	13	.	.	1	12	1
		F	8	1	.	1	6	1

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY SLIGO (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	9	1	.	2	6	2
		F	9	.	1	2	6	2
25	Chronic rheumatic heart disease	M	1	.	1	.	.	.
		F	2	.	.	2	.	.
26	Arteriosclerotic and degenerative heart disease	M	116	3	5	25	83	2
		F	75	1	3	10	61	.
27	Other diseases of the heart	M	6	.	.	1	5	2
		F	9	.	.	2	7	1
28	Hypertension with heart disease	M	6	.	.	1	5	.
		F	7	.	2	3	2	.
29	Hypertension without heart disease	M	6	.	.	1	5	.
		F	4	.	.	3	1	.
30	Other diseases of circulatory system	M	13	.	1	4	8	.
		F	3	.	2	.	1	.
31	Influenza	M	4	.	.	.	4	.
		F	3	.	.	.	3	1
32	Pneumonia	M	24	1	3	14	6	.
		F	17	.	.	11	6	.
33	Bronchitis	M	6	.	.	.	6	2
		F	3	.	.	.	3	.
34	Other diseases of respiratory system	M	7	.	.	2	5	.
		F	3	.	.	.	3	2
35	Ulcer of stomach and duodenum	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	13	.	.	5	8	.
		F	6	.	.	3	3	.
38	Hyperplasia of prostate	M	9	.	.	6	3	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	2	.	.
40	Congenital malformations	M	5	1	.	2	2	.
		F	6	.	1	1	4	1
41	Diseases of early infancy	M	16	.	.	12	4	2
		F	10	.	.	4	6	2
42	Senility	M	77	.	.	4	73	67
		F	84	.	.	8	76	66
43	Ill-defined causes	M	14	.	.	.	14	8
		F	9	.	.	.	9	4
44	Other defined diseases	M	23	.	2	8	13	.
		F	36	.	2	8	26	3
45	Accidents	M	6	.	.	3	3	.
		F	11	.	1	4	6	1
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
	All causes	M	471	23	13	118	317	89
		F	385	13	14	86	272	84

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY CAVAN

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	14	8	1	4	1	.
		F	9	5	1	2	1	.
2	Tuberculosis, other forms	M	2	1	.	1	.	.
		F	5	3	.	1	1	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	3	.	.	.	3	1
		F	1	.	.	.	1	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	20	.	.	6	14	1
		F	13	.	.	5	8	.
10	Malignant neoplasm of small and large intestine including duodenum	M	3	.	.	.	3	.
		F	3	.	.	1	2	.
11	Malignant neoplasm of rectum	M	3	.	.	.	3	.
		F	3	.	.	1	2	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	6	.	.	.	6	1
		F	5	.	1	1	3	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	.	.	.	.	.
		F	3	.	.	.	3	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	8	1	.	.	7	.
16	Malignant neoplasm of uterus	F	4	.	.	1	3	.
17	Other malignant neoplasms of genito-urinary system	M	5	.	1	2	2	.
		F	3	2	.	1	.	.
18	Other malignant neoplasms	M	12	1	.	4	7	.
		F	5	1	.	.	4	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	3	.	.	1	2	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	3	.	.	3	.	.
		F	5	.	.	2	3	.
22	Cerebral haemorrhage	M	17	.	1	.	16	2
		F	21	1	.	4	16	1
23	Other vascular lesions affecting the central nervous system	M	21	1	2	5	13	3
		F	16	.	.	3	13	1



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY CAVAN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere	
24	Other diseases of nervous system and sense organs	M	12	.	1	8	3	.
		F	19	.	.	16	3	.
25	Chronic rheumatic heart disease	M	4	.	.	.	4	.
		F	6	.	.	.	6	.
26	Arteriosclerotic and degenerative heart disease	M	131	1	4	32	94	6
		F	74	1	6	17	50	4
27	Other diseases of the heart	M	10	.	.	3	7	1
		F	15	2	2	2	9	1
28	Hypertension with heart disease	M	2	.	1	.	1	.
		F	3	.	.	.	3	.
29	Hypertension without heart disease	M	11	.	.	5	6	.
		F	12	1	.	3	8	.
30	Other diseases of circulatory system	M	5	.	1	1	3	.
		F	8	.	1	2	5	.
31	Influenza	M	2	.	.	.	2	.
		F	5	.	.	1	4	1
32	Pneumonia	M	16	.	.	9	7	.
		F	8	.	.	2	6	.
33	Bronchitis	M	9	.	.	.	9	1
		F	11	.	.	.	11	1
34	Other diseases of respiratory system	M	3	.	.	1	2	.
		F	4	.	.	.	4	1
35	Ulcer of stomach and duodenum	M	3	.	.	1	2	1
		F	1	1	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	10	.	.	2	8	.
		F	4	.	.	2	2	.
38	Hyperplasia of prostate	M	11	.	.	4	7	.
39	Complications of pregnancy, childbirth and the puerperium	F	6	.	.	3	3	.
40	Congenital malformations	M	4	1	.	.	3	.
		F	4	1	.	1	2	.
41	Diseases of early infancy	M	21	1	.	10	10	2
		F	16	1	.	10	5	2
42	Senility	M	52	.	.	9	43	27
		F	58	.	.	9	49	40
43	Ill-defined causes	M	15	.	.	4	11	8
		F	13	1	.	.	12	6
44	Other defined diseases	M	28	4	1	3	20	.
		F	19	.	.	8	11	.
45	Accidents	M	7	1	.	2	4	.
		F	5	.	.	.	5	.
46	Suicide	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	471	19	13	121	318	54
		F	395	21	11	98	265	58

TABLE 21 (contd.) • DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING  
COUNTY DONEGAL

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	25	2	1	9	13	.
		F	21	2	1	10	8	1
2	Tuberculosis, other forms	M	11	2	.	2	7	2
		F	9	.	1	3	5	1
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	2	.	.	.	2	.
		F	2	.	.	.	2	.
5	Meningococcal infections	M	1	.	.	.	1	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	1	.	.	.	1	.
		F	1	.	.	1	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	3	.	1	.	2	.
		F	4	.	.	.	4	.
9	Malignant neoplasm of stomach	M	26	.	.	4	22	.
		F	18	.	.	4	14	.
10	Malignant neoplasm of small and large intestine including duodenum	M	9	.	.	1	8	.
		F	13	1	.	3	9	.
11	Malignant neoplasm of rectum	M	3	.	.	.	3	.
		F	3	.	.	.	3	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	.	4	.
		F	7	1	.	2	4	.
13	Malignant neoplasm of trachea, bronchus and lung	M	2	1	.	1	.	.
		F	4	.	.	1	3	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	2	.
		F	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	16	3	.	.	13	2
16	Malignant neoplasm of uterus	F	5	.	.	.	5	1
17	Other malignant neoplasms of genito-urinary system	M	7	1	.	1	5	1
		F	9	1	.	1	7	.
18	Other malignant neoplasms	M	22	2	2	.	18	4
		F	16	.	.	5	11	2
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F	.	.	.	.	.	.
21	Diabetes	M	5	.	.	2	3	.
		F	8	.	.	1	7	2
22	Cerebral haemorrhage	M	36	1	1	3	31	4
		F	40	.	1	2	37	4
23	Other vascular lesions affecting the central nervous system	M	54	.	2	9	43	13
		F	37	.	.	4	33	12

## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY DONEGAL (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un- certified	
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmarys	Elsewhere		
24	Other diseases of nervous system and sense organs	M	15	.	.	2	13	2	
		F	19	.	.	2	17	4	
25	Chronic rheumatic heart disease	M	5	.	.	1	4	.	
		F	5	.	.	.	5	.	
26	Arteriosclerotic and degenerative heart disease	M	203	3	14	19	167	23	
		F	138	9	5	17	107	19	
27	Other diseases of the heart	M	61	.	.	5	56	18	
		F	47	2	.	4	41	17	
28	Hypertension with heart disease	M	5	.	1	.	4	.	
		F	2	.	.	.	2	.	
29	Hypertension without heart disease	M	9	1	.	2	6	.	
		F	9	.	.	.	9	1	
30	Other diseases of circulatory system	M	12	.	.	1	11	1	
		F	6	.	1	3	2	.	
31	Influenza	M	13	.	.	.	13	2	
		F	11	.	.	.	11	3	
32	Pneumonia	M	23	.	.	2	21	3	
		F	32	.	1	2	29	3	
33	Bronchitis	M	17	.	.	2	15	1	
		F	9	.	.	1	8	1	
34	Other diseases of respiratory system	M	9	.	1	1	7	.	
		F	4	.	.	.	4	.	
35	Ulcer of stomach and duodenum	M	13	1	1	7	4	1	
		F	3	1	.	.	2	.	
36	Gastro-enteritis and diarrhoea under 2 years	M	3	.	.	.	3	1	
		F	1	.	.	.	1	.	
37	Nephritis and nephrosis	M	24	1	.	3	20	2	
		F	17	2	.	2	13	2	
38	Hyperplasia of prostate	M	29	.	1	18	10	.	
39	Complications of pregnancy, childbirth and the puerperium	F	8	.	.	3	5	.	
40	Congenital malformations	M	18	.	1	3	14	3	
		F	11	.	.	3	8	.	
41	Diseases of early infancy	M	30	.	.	8	22	3	
		F	18	1	.	5	12	2	
42	Senility	M	107	.	.	5	102	74	
		F	115	.	.	4	111	79	
43	Ill-defined causes	M	34	1	.	5	28	21	
		F	12	.	.	1	11	9	
44	Other defined diseases	M	43	1	1	10	31	6	
		F	34	3	.	7	24	9	
45	Accidents	M	29	1	.	4	24	.	
		F	18	.	.	6	12	.	
46	Suicide	M	3	.	.	.	3	.	
		F	.	.	.	.	.	.	
47	Other external causes	M	.	.	.	.	.	.	
		F	.	.	.	.	.	.	
All causes			M	921	18	27	132	744	185
			F	732	26	10	97	599	174

TABLE 21 (contd.) - DEATHS IN 1952 CLASSIFIED BY CAUSE AND PLACE OF OCCURRENCE AND SHOWING

## COUNTY MONAGHAN

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Uncertified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
1	Tuberculosis of respiratory system	M	6	2	.	.	4	.
		F	1	1	.	.	.	.
2	Tuberculosis, other forms	M	3	1	1	.	1	.
		F	1	1	.	.	.	.
3	Diphtheria	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
4	Whooping cough	M	2	.	.	1	1	1
		F	1	.	.	.	1	.
5	Meningococcal infections	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
9	Malignant neoplasm of stomach	M	13	1	.	4	8	.
		F	3	.	.	.	3	.
10	Malignant neoplasm of small and large intestine including duodenum	M	5	.	.	1	4	.
		F	2	.	.	.	2	.
11	Malignant neoplasm of rectum	M	2	.	.	.	2	1
		F	2	1	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	4	.	.	1	3	.
		F	4	.	1	1	2	.
13	Malignant neoplasm of trachea, bronchus and lung	M	1	1	.	.	.	.
		F	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.
		F	1	.	.	.	1	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.
		F	9	1	.	1	7	.
16	Malignant neoplasm of uterus	F	1	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	2	.	.	2	.	.
		F	1	.	.	.	1	.
18	Other malignant neoplasms	M	2	.	.	1	1	.
		F	6	2	.	2	2	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	1	.	.	1	.	.
		F	2	2	.	.	.	.
21	Diabetes	M	2	.	.	2	.	.
		F	2	.	.	2	.	.
22	Cerebral haemorrhage	M	10	1	1	.	8	.
		F	17	.	1	1	15	.
23	Other vascular lesions affecting the central nervous system	M	22	.	.	8	14	1
		F	26	.	.	7	19	.



## THE NUMBER OF UNCERTIFIED DEATHS IN EACH CAUSE FOR EACH COUNTY AND COUNTY BOROUGH

## COUNTY MONAGHAN (contd.)

Code No.	Causes of Death		Total Deaths	Place of Occurrence				Un-certified
				General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals District Hospitals & Co. Infirmaries	Elsewhere	
24	Other diseases of nervous system and sense organs	M	8	.	.	2	6	.
		F	2	.	.	1	1	.
25	Chronic rheumatic heart disease	M	5	.	.	3	2	.
		F	4	.	.	2	2	.
26	Arteriosclerotic and degenerative heart disease	M	113	.	2	26	85	2
		F	69	.	2	6	61	.
27	Other diseases of the heart.	M	14	1	1	8	4	.
		F	13	1	.	1	11	2
28	Hypertension with heart disease	M	3	.	.	1	2	.
		F	4	.	.	.	4	.
29	Hypertension without heart disease	M	3	.	.	1	2	.
		F	6	1	.	3	2	.
30	Other diseases of circulatory system	M	12	.	.	4	8	.
		F	7	.	1	2	4	.
31	Influenza	M	3	.	.	.	3	.
		F	2	.	.	.	2	.
32	Pneumonia	M	11	.	.	1	10	.
		F	9	.	.	1	8	.
33	Bronchitis	M	12	.	.	1	11	1
		F	12	.	.	2	10	2
34	Other diseases of respiratory system	M	3	.	.	1	2	.
		F	3	1	.	.	2	1
35	Ulcer of stomach and duodenum	M	2	1	.	1	.	.
		F	1	.	.	.	1	.
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	1	1	.
		F	.	.	.	.	.	.
37	Nephritis and nephrosis	M	8	.	.	1	7	.
		F	11	.	.	3	8	.
38	Hyperplasia of prostate	M	5	.	.	1	4	.
39	Complications of pregnancy, childbirth and the puerperium	F	2	.	.	1	1	.
40	Congenital malformations	M	3	1	.	1	1	.
		F	4	1	.	.	3	.
41	Diseases of early infancy	M	17	.	.	12	5	1
		F	10	1	.	5	4	.
42	Senility	M	32	.	.	5	27	15
		F	32	.	.	9	23	14
43	Ill-defined causes	M	9	.	.	3	6	4
		F	6	.	.	.	6	3
44	Other defined diseases	M	23	3	.	10	10	.
		F	24	3	.	13	8	1
45	Accidents	M	10	1	.	4	5	.
		F	9	.	1	5	3	.
46	Suicide	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.
		F	.	.	.	.	.	.
All causes		M	375	13	5	109	248	26
		F	310	16	6	68	220	23

TABLE 22 • DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

THE PRINCIPAL GROUPS OF CAUSES OF DEATH ADOPTED BY THE ARD CHLARAITHEOIR AND THEIR RELATION TO THE DETAILED INTERNATIONAL CLASSIFICATION

Causes of death	Numbers of Detailed International Classification
Tuberculosis of respiratory system	001-008
Tuberculosis, other forms	010-019
Other infective and parasitic diseases	020-138
Malignant neoplasms	140-199
Vascular lesions affecting central nervous system	330-334
Diseases of the heart	410-434
Other diseases of the circulatory system	400-402, 440-468
Diseases of the respiratory system	470-527
Senility	794
Other diseases	200-326, 340-398, 530-792, 795
Accidents and other external causes	E800-E999

TABLE 22 - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Note - For detailed International List Numbers of causes in each group see page 130

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
		TOTAL										
Tuberculosis of respiratory system	M	715	2	9	7	52	125	140	131	159	77	13
	F	492	1	3	13	81	134	101	60	56	32	11
Tuberculosis, other forms	M	208	13	43	32	38	20	21	18	10	12	1
	F	164	12	18	27	42	21	12	12	9	7	4
Other infective and parasitic diseases	M	205	55	37	19	9	3	18	14	23	19	8
	F	155	54	32	12	3	8	4	10	9	17	6
Malignant neoplasms	M	2,294	2	5	4	16	26	77	249	462	851	602
	F	1,888	1	3	1	8	28	129	285	417	574	442
Vascular lesions affecting central nervous system	M	1,367	7	1	2	6	8	30	83	199	487	544
	F	1,667	5	.	2	10	7	33	107	274	594	635
Diseases of the heart	M	5,473	1	4	8	17	39	129	405	777	1,769	2,324
	F	4,504	2	3	11	14	36	97	215	512	1,475	2,139
Other diseases of the circulatory system	M	881	3	.	7	4	16	20	66	116	292	357
	F	844	1	1	8	8	13	17	65	102	274	355
Diseases of the respiratory system	M	1,400	208	50	15	15	18	34	90	177	365	428
	F	1,059	174	63	21	8	15	20	60	84	216	398
Senility	M	1,714	.	.	.	.	.	.	.	.	146	1,568
	F	1,877	.	.	.	.	.	.	.	.	140	1,737
Other diseases	M	4,066	1,188	112	72	68	97	198	273	404	758	896
	F	3,270	902	95	55	64	101	160	258	361	677	597
Accidents and other external causes	M	595	19	29	46	63	61	59	62	93	90	73
	F	267	24	13	14	18	10	14	12	21	46	95
All causes	M	18,918	1,498	290	212	288	413	726	1,391	2,420	4,866	6,814
	F	16,187	1,176	231	164	256	373	587	1,084	1,845	4,052	6,419
POPULATION	M	1,506,597	32,630	127,601	276,216	231,122	196,036	196,284	165,296	126,374	103,266	51,772
	F	1,453,996	30,927	121,674	265,762	212,232	193,951	184,958	158,605	124,534	104,398	56,955
		LEINSTER										
Tuberculosis of respiratory system	M	336	.	6	4	20	63	59	63	82	35	4
	F	226	1	1	7	28	69	43	33	24	16	4
Tuberculosis, other forms	M	86	6	20	14	13	12	7	5	3	6	.
	F	72	7	8	10	16	12	4	6	5	3	1
Other infective and parasitic diseases	M	86	18	17	5	7	.	8	9	11	7	4
	F	56	18	9	3	2	4	3	4	4	5	4
Malignant neoplasms	M	1,025	2	1	2	5	9	42	137	225	351	251
	F	868	.	1	1	5	11	55	133	209	249	204
Vascular lesions affecting central nervous system	M	602	3	1	2	4	2	16	42	103	222	207
	F	797	2	.	2	2	4	18	50	137	284	298
Diseases of the heart	M	2,259	.	1	5	6	17	56	188	355	731	900
	F	2,037	.	.	5	8	19	51	93	271	654	936
Other diseases of the circulatory system	M	457	2	.	5	2	8	6	41	61	143	189
	F	476	.	1	4	3	9	9	29	54	158	209
Diseases of the respiratory system	M	612	104	17	7	7	6	17	50	90	175	139
	F	485	88	31	11	5	9	11	25	42	89	174
Senility	M	306	.	.	.	.	.	.	.	.	30	276
	F	360	.	.	.	.	.	.	.	.	30	330
Other diseases	M	1,658	556	45	29	32	35	80	108	194	293	286
	F	1,439	461	46	27	30	45	60	115	163	269	223
Accidents and other external causes	M	274	12	12	24	32	36	31	23	38	39	27
	F	114	15	7	6	9	6	8	5	9	17	32
All causes	M	7,701	703	120	97	128	188	322	666	1,162	2,032	2,283
	F	6,930	592	104	76	108	188	262	493	918	1,774	2,415
POPULATION	M	664,008	15,409	59,299	125,842	108,896	91,903	84,045	71,161	51,673	38,803	16,977
	F	672,568	14,476	56,771	121,265	106,796	96,449	85,713	72,209	54,979	42,397	21,513

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
MUNSTER												
Tuberculosis of respiratory system	M	240	1	2	1	23	37	48	42	54	27	5
	F	161	.	1	4	29	41	32	16	20	12	6
Tuberculosis, other forms	M	75	7	13	14	17	6	6	5	2	5	.
	F	54	4	8	9	12	7	4	4	2	2	2
Other infective and parasitic diseases	M	77	23	16	7	2	1	6	2	9	9	2
	F	59	19	12	5	1	3	.	3	4	10	2
Malignant neoplasms	M	744	.	2	1	4	12	22	65	147	292	199
	F	594	.	1	.	2	9	48	77	117	203	137
Vascular lesions affecting central nervous system	M	413	3	.	.	2	2	11	25	61	148	161
	F	501	3	.	.	6	1	11	32	72	188	188
Diseases of the heart	M	1,831	.	3	1	6	15	47	124	266	603	766
	F	1,456	1	3	4	5	8	27	70	146	501	691
Other diseases of the circulatory system	M	224	.	.	2	.	5	6	12	33	85	81
	F	209	1	.	3	4	4	6	20	28	57	86
Diseases of the respiratory system	M	448	60	20	4	4	5	12	26	60	104	153
	F	318	45	18	4	.	5	4	22	25	82	113
Senility	M	595	.	.	.	.	.	.	.	.	54	541
	F	685	.	.	.	.	.	.	.	.	61	624
Other diseases	M	1,328	396	38	22	15	38	52	91	121	252	303
	F	1,027	264	24	18	21	32	51	73	121	228	195
Accidents and other external causes	M	196	4	9	15	18	14	19	26	31	32	28
	F	77	5	3	5	6	3	4	2	7	17	25
All causes	M	6,171	494	103	67	91	135	229	418	784	1,611	2,239
	F	5,141	342	70	52	86	113	187	319	542	1,361	2,069
POPULATION	M	460,365	9,481	37,978	82,301	67,405	58,418	61,165	52,165	40,660	33,739	17,053
	F	438,505	9,244	36,282	79,137	59,706	56,354	57,111	49,362	39,300	33,707	18,302
CONNACHT												
Tuberculosis of respiratory system	M	94	1	1	1	8	19	22	18	15	8	1
	F	74	.	1	2	17	21	16	5	8	3	1
Tuberculosis, other forms	M	31	.	8	3	6	.	7	4	2	.	1
	F	23	1	1	6	6	1	4	.	2	2	.
Other infective and parasitic diseases	M	28	8	2	5	.	2	3	2	3	2	1
	F	30	15	7	3	.	.	1	3	1	.	.
Malignant neoplasms	M	372	.	1	.	6	4	11	29	64	151	106
	F	259	1	.	.	.	4	19	45	46	79	65
Vascular lesions affecting central nervous system	M	192	.	.	.	.	2	2	10	19	65	94
	F	212	.	.	.	1	.	1	18	37	64	91
Diseases of the heart	M	837	1	.	1	4	4	13	58	88	252	416
	F	640	1	.	2	.	5	15	28	65	196	328
Other diseases of the circulatory system	M	138	1	.	.	1	1	5	9	13	45	63
	F	102	.	.	.	1	.	2	8	13	43	35
Diseases of the respiratory system	M	219	31	6	2	2	5	5	10	16	57	85
	F	146	28	6	3	1	.	3	9	8	26	62
Senility	M	622	.	.	.	.	.	.	.	.	52	570
	F	627	.	.	.	.	.	.	.	.	41	586
Other diseases	M	671	135	23	16	14	13	43	48	64	136	179
	F	522	114	20	7	10	15	30	48	52	117	109
Accidents and other external causes	M	75	1	5	3	8	6	5	7	17	12	11
	F	44	3	2	2	1	1	1	4	3	7	20
All causes	M	3,279	178	46	31	49	56	116	195	301	780	1,527
	F	2,679	163	37	25	37	47	92	168	235	578	1,297
POPULATION	M	248,955	5,048	19,632	44,316	35,899	28,955	33,332	27,320	22,381	20,106	11,966
	F	222,940	4,706	18,479	42,699	29,797	26,395	27,208	24,037	19,576	18,484	11,559



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
ULSTER (part of)												
Tuberculosis of respiratory system	M	45	.	.	1	1	6	11	8	8	7	3
	F	31	.	.	.	7	3	10	6	4	1	.
Tuberculosis, other forms	M	16	.	2	1	2	2	1	4	3	1	.
	F	15	.	1	2	8	1	.	2	.	.	1
Other infective and parasitic diseases	M	14	6	2	2	.	.	1	1	.	1	1
	F	10	2	4	1	.	1	.	.	.	2	.
Malignant neoplasms	M	153	.	1	1	1	1	2	18	26	57	46
	F	167	.	1	.	1	4	7	30	45	43	36
Vascular lesions affecting central nervous system	M	160	1	.	.	.	2	1	6	16	52	82
	F	157	.	.	.	1	2	3	7	28	58	58
Diseases of the heart	M	546	.	.	1	1	3	13	35	68	183	242
	F	371	.	.	.	1	4	4	24	30	124	184
Other diseases of the circulatory system	M	62	.	.	.	1	2	3	4	9	19	24
	F	57	.	.	1	.	.	.	8	7	16	25
Diseases of the respiratory system	M	121	13	7	2	2	2	.	4	11	29	51
	F	110	13	8	3	2	1	2	4	9	19	49
Senility	M	191	.	.	.	.	.	.	.	.	10	181
	F	205	.	.	.	.	.	.	.	.	8	197
Other diseases	M	409	101	6	5	7	11	23	26	25	77	128
	F	282	63	5	3	3	9	19	22	25	63	70
Accidents and other external causes	M	50	2	3	4	5	5	4	6	7	7	7
	F	32	1	1	1	2	.	1	1	2	5	18
All causes	M	1,767	123	21	17	20	34	59	112	173	443	765
	F	1,437	79	20	11	25	25	46	104	150	339	638
POPULATION	M	133,269	2,692	10,692	23,757	18,922	16,760	17,742	14,650	11,660	10,618	5,776
	F	119,983	2,501	10,142	22,661	15,933	14,753	14,926	12,997	10,679	9,810	5,581

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. CARLOW												
Tuberculosis of respiratory system	M	8	.	.	.	1	1	3	2	1	.	.
	F	3	.	.	1	1	.	.	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	1	.	.
	F	2	.	.	1	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	3	1	.	.	.	.	.	2	.	.	.
	F	2	.	1	.	.	.	.	.	.	1	.
Malignant neoplasms	M	22	.	.	.	.	2	.	1	2	10	7
	F	23	.	.	1	.	1	3	6	4	6	2
Vascular lesions affecting central nervous system	M	13	.	.	.	.	1	.	1	1	3	7
	F	17	.	.	.	.	1	.	2	2	8	4
Diseases of the heart	M	70	.	.	.	2	.	.	3	5	28	32
	F	68	.	.	.	1	.	.	3	14	22	28
Other diseases of the circulatory system	M	5	.	.	.	.	.	.	1	.	.	4
	F	9	.	.	1	.	.	.	.	.	5	3
Diseases of the respiratory system	M	14	1	.	1	.	.	.	3	2	2	5
	F	14	4	.	.	.	1	.	.	1	2	6
Senility	M	17	.	.	.	.	.	.	.	.	.	17
	F	23	.	.	.	.	.	.	.	.	1	22
Other diseases	M	45	13	2	2	2	2	2	2	3	11	6
	F	47	19	2	.	1	1	2	3	4	7	8
Accidents and other external causes	M	9	1	1	.	.	1	1	1	2	1	1
	F	2	.	.	.	.	.	.	.	.	.	2
All Causes	M	207	16	3	3	5	7	6	16	17	55	79
	F	210	23	3	4	3	5	5	14	26	52	75
POPULATION	M	17,848	397	1,610	3,335	2,739	2,279	2,155	1,965	1,603	1,200	565
	F	16,314	360	1,496	3,296	2,210	2,015	2,002	1,778	1,441	1,105	611
DUBLIN CO. BOROUGH												
Tuberculosis of respiratory system	M	168	.	2	1	7	24	29	36	50	18	1
	F	84	.	.	3	16	21	14	14	8	6	2
Tuberculosis, other forms	M	24	3	6	4	4	2	2	2	.	1	.
	F	25	2	2	3	9	1	1	3	2	1	1
Other infective and parasitic diseases	M	32	6	5	2	3	.	3	4	5	3	1
	F	23	7	1	.	.	3	1	1	4	3	3
Malignant neoplasms	M	392	.	1	.	2	5	22	64	90	126	82
	F	356	.	.	.	3	5	23	71	85	82	87
Vascular lesions affecting central nervous system	M	233	.	.	.	2	1	9	24	52	81	64
	F	304	2	.	1	2	1	9	24	58	107	100
Diseases of the heart	M	722	.	.	3	2	6	23	91	145	229	223
	F	813	.	.	3	4	10	26	40	107	256	367
Other diseases of the circulatory system	M	183	.	.	1	.	4	3	23	40	62	50
	F	217	.	.	2	2	4	5	16	27	80	81
Diseases of the respiratory system	M	265	40	7	1	2	2	5	25	52	73	58
	F	202	35	12	4	2	2	2	16	14	46	69
Senility	M	16	.	.	.	.	.	.	.	.	4	12
	F	40	.	.	.	.	.	.	.	.	6	34
Other diseases	M	534	183	9	10	10	12	29	45	78	90	68
	F	481	142	16	7	11	15	24	44	71	95	56
Accidents and other external causes	M	98	5	2	10	11	12	12	11	16	12	7
	F	44	8	4	3	2	2	3	1	4	9	8
All causes	M	2,667	237	32	32	43	68	137	325	528	699	566
	F	2,589	196	35	26	51	64	108	230	380	691	808
POPULATION	M	244,006	5,694	21,090	46,826	45,079	35,199	30,727	26,110	17,810	11,106	4,365
	F	278,177	5,394	20,138	46,573	51,211	41,785	36,452	30,540	22,499	15,920	7,665

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
DUN LAOGHAIRE BORO.												
Tuberculosis of respiratory system	M	8	.	.	.	.	1	1	3	2	1	.
	F	3	.	.	.	.	1	.	1	1	.	.
Tuberculosis, other forms	M	4	.	1	2	.	.	1	.	.	.	.
	F	1	.	.	.	.	1	.	.	.	.	.
Other infective and parasitic diseases	M	1	.	.	.	.	.	.	.	1	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	42	.	.	.	.	.	1	8	15	7	11
	F	42	.	.	.	1	.	2	6	7	13	13
Vascular lesions affecting central nervous system	M	33	1	.	1	.	.	1	2	5	10	13
	F	39	.	.	.	.	.	.	1	5	15	18
Diseases of the heart	M	84	.	1	.	.	.	1	3	15	31	33
	F	89	.	.	.	.	.	.	4	11	20	54
Other diseases of the circulatory system	M	19	.	.	.	.	.	.	1	2	9	7
	F	18	.	.	.	.	.	1	1	2	3	11
Diseases of the respiratory system	M	17	4	1	.	.	.	.	2	2	.	8
	F	22	3	1	1	.	.	.	3	3	2	9
Senility	M	3	.	.	.	.	.	.	.	.	1	2
	F	5	.	.	.	.	.	.	.	.	.	5
Other diseases	M	64	22	1	2	2	1	5	4	6	14	7
	F	49	12	.	.	.	5	.	1	8	9	14
Accidents and other external causes	M	13	1	2	1	3	1	1	3	.	.	1
	F	9	2	.	.	1	.	.	.	1	3	2
All causes	M	288	28	6	6	5	3	11	26	48	73	82
	F	278	17	1	1	2	7	3	18	38	65	126
POPULATION	M	20,843	500	1,857	3,916	3,335	2,780	2,809	2,303	1,695	1,142	506
	F	27,077	502	1,792	4,050	4,671	3,874	3,562	3,135	2,535	1,901	1,055
DUBLIN CO. (REMAINDER)												
Tuberculosis of respiratory system	M	28	.	.	1	.	6	5	4	8	2	2
	F	23	.	.	1	2	7	6	3	2	2	.
Tuberculosis, other forms	M	12	.	5	.	5	2	.	.	.	.	.
	F	8	.	2	.	4	1	.	1	.	.	.
Other infective and parasitic diseases	M	5	1	2	1	.	.	1	.	.	.	.
	F	7	4	.	1	.	.	2	.	.	.	.
Malignant neoplasms	M	72	1	.	.	1	.	5	13	14	21	17
	F	71	.	1	.	.	1	8	12	14	26	9
Vascular lesions affecting central nervous system	M	35	2	.	.	.	.	1	1	4	7	20
	F	61	.	.	.	.	.	4	8	10	20	19
Diseases of the heart	M	150	.	.	1	1	1	4	12	16	50	65
	F	146	.	.	.	.	1	4	4	25	49	63
Other diseases of the circulatory system	M	40	2	.	1	.	1	.	5	1	9	21
	F	47	.	.	.	.	3	.	2	5	16	21
Diseases of the respiratory system	M	50	16	2	.	1	1	2	3	5	11	9
	F	43	13	2	3	2	1	2	1	1	4	14
Senility	M	10	.	.	.	.	.	.	.	.	1	9
	F	20	.	.	.	.	.	.	.	.	1	19
Other diseases	M	130	66	2	5	2	2	5	6	14	10	18
	F	124	55	1	2	4	6	4	12	8	16	16
Accidents and other external causes	M	31	3	1	3	3	5	4	3	5	1	3
	F	8	1	1	.	1	1	1	.	.	1	2
All causes	M	563	91	12	12	13	18	27	47	67	112	164
	F	558	73	7	7	13	21	31	43	65	136	163
POPULATION	M	61,277	1,878	6,954	12,639	9,283	9,330	8,287	5,718	3,585	2,561	1,042
	F	61,642	1,669	6,655	11,595	9,439	10,547	8,024	5,604	3,815	2,902	1,392

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. KILDARE												
Tuberculosis of respiratory system	M	10	.	.	.	1	4	.	2	3	.	.
	F	12	.	.	1	.	4	3	2	.	2	.
Tuberculosis, other forms	M	4	.	.	2	.	1	.	.	.	1	.
	F	7	.	3	1	.	2	.	.	1	.	.
Other infective and parasitic diseases	M	6	.	3	1	1	.	.	.	.	.	1
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	46	1	.	1	1	.	1	3	12	16	11
	F	35	.	.	.	.	.	.	3	8	11	13
Vascular lesions affecting central nervous system	M	23	.	.	.	.	.	1	1	5	10	6
	F	31	.	.	.	.	.	.	2	8	8	13
Diseases of the heart	M	126	.	.	.	.	3	2	8	15	42	56
	F	85	.	.	.	.	2	2	2	12	31	36
Other diseases of the circulatory system	M	18	.	.	.	.	.	1	3	.	6	8
	F	19	.	.	.	.	.	.	.	4	8	7
Diseases of the respiratory system	M	26	4	.	.	.	1	3	1	3	8	6
	F	27	6	4	1	.	.	.	.	5	2	9
Senility	M	15	.	.	.	.	.	.	.	.	4	11
	F	13	.	.	.	.	.	.	.	.	2	11
Other diseases	M	109	37	5	2	.	1	6	5	10	20	23
	F	66	27	3	3	1	2	5	3	10	4	8
Accidents and other external causes	M	22	.	.	2	3	6	3	.	1	3	4
	F	3	.	1	.	1	.	.	1	.	.	.
All causes	M	405	42	8	8	6	16	17	23	49	110	126
	F	299	33	11	6	2	10	10	14	48	68	97
POPULATION	M	36,364	824	3,429	6,927	6,548	5,145	4,479	3,695	2,474	1,943	900
	F	30,073	815	3,253	6,292	4,103	4,198	3,759	2,983	2,061	1,737	872
CO. KILKENNY												
Tuberculosis of respiratory system	M	15	.	.	.	2	3	.	2	5	3	.
	F	13	.	.	.	1	7	4	1	.	.	.
Tuberculosis, other forms	M	4	1	1	.	.	.	1	1	.	.	.
	F	3	2	.	1	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	.	.	.	.	2	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	39	.	.	.	.	.	2	1	9	17	10
	F	43	.	.	.	.	3	2	2	10	16	10
Vascular lesions affecting central nervous system	M	23	.	.	.	1	.	.	.	7	10	5
	F	26	.	.	.	.	.	.	2	4	10	10
Diseases of the heart	M	131	.	.	.	.	.	2	11	21	50	47
	F	95	.	.	.	1	.	3	6	15	34	36
Other diseases of the circulatory system	M	39	.	.	1	.	.	1	2	.	15	20
	F	28	.	1	.	.	.	1	1	.	8	17
Diseases of the respiratory system	M	31	6	1	1	1	.	1	3	2	10	6
	F	16	3	1	.	.	.	2	.	3	4	3
Senility	M	41	.	.	.	.	.	.	.	.	2	39
	F	37	.	.	.	.	.	.	.	.	2	35
Other diseases	M	90	27	6	.	.	2	3	3	10	19	20
	F	90	25	3	2	2	2	3	7	11	19	16
Accidents and other external causes	M	9	.	1	.	.	1	1	3	1	2	.
	F	5	.	.	.	.	1	.	.	.	.	4
All causes	M	425	34	9	2	4	6	13	27	55	128	147
	F	356	30	5	3	4	13	15	19	43	93	131
POPULATION	M	34,687	684	2,959	6,359	4,944	4,466	4,356	3,919	3,053	2,735	1,212
	F	30,548	664	2,737	5,824	3,905	3,890	3,776	3,456	2,763	2,346	1,187



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. LAOIGHIS												
Tuberculosis of respiratory system	M	13	.	.	.	4	5	1	2	.	1	.
	F	11	.	.	.	.	6	1	1	2	1	.
Tuberculosis, other forms	M	4	.	2	.	1	.	.	1	.	.	.
	F	1	.	.	.	.	.	.	.	.	1	.
Other infective and parasitic diseases	M	3	.	.	.	1	.	.	.	.	.	2
	F	3	.	2	.	.	1	.	.	.	.	.
Malignant neoplasms	M	45	.	.	.	.	.	4	5	10	14	12
	F	29	.	.	.	.	.	1	4	9	8	7
Vascular lesions affecting central nervous system	M	18	.	.	.	.	.	1	2	.	10	5
	F	23	.	.	1	.	.	2	1	3	7	9
Diseases of the heart	M	118	.	.	.	.	2	3	7	13	43	50
	F	80	.	.	.	.	1	2	3	16	26	32
Other diseases of the circulatory system	M	9	.	.	.	.	.	.	1	.	1	7
	F	8	.	.	.	.	.	.	.	.	2	6
Diseases of the respiratory system	M	16	3	.	.	.	.	1	.	2	4	6
	F	20	2	1	.	.	.	1	2	3	4	7
Senility	M	29	.	.	.	.	.	.	.	.	3	26
	F	33	.	.	.	.	.	.	.	.	1	32
Other diseases	M	73	20	4	.	2	2	1	4	11	14	15
	F	63	19	2	2	.	.	5	2	7	14	12
Accidents and other external causes	M	12	.	.	2	1	.	1	1	3	2	2
	F	8	2	.	.	.	1	.	.	3	.	2
All causes	M	340	23	6	2	9	9	12	23	39	92	125
	F	279	23	5	3	.	9	12	13	43	64	107
POPULATION	M	26,154	504	2,061	4,457	3,954	3,578	3,300	2,875	2,351	2,042	1,032
	F	22,276	466	1,958	4,227	2,954	2,829	2,723	2,484	1,953	1,724	958
CO. LONGFORD												
Tuberculosis of respiratory system	M	4	.	1	.	.	1	.	.	1	1	.
	F	5	.	.	.	.	2	2	.	1	.	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	1	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	1	1	.	.	.	.	.	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Malignant neoplasms	M	36	.	.	1	.	.	.	3	7	14	11
	F	14	.	.	.	1	.	.	2	5	3	3
Vascular lesions affecting central nervous system	M	27	.	1	.	.	.	2	.	3	9	12
	F	23	.	.	.	.	.	.	1	5	9	8
Diseases of the heart	M	70	.	.	.	.	.	4	1	8	18	39
	F	56	.	.	.	.	.	2	1	1	20	32
Other diseases of the circulatory system	M	14	.	.	.	.	.	.	.	2	3	9
	F	8	.	.	.	.	.	.	.	2	3	3
Diseases of the respiratory system	M	17	1	.	.	.	.	1	1	3	7	4
	F	9	.	.	.	.	.	.	.	1	3	5
Senility	M	20	.	.	.	.	.	.	.	.	1	19
	F	30	.	.	.	.	.	.	.	.	4	26
Other diseases	M	44	16	1	2	.	1	1	5	4	6	8
	F	41	11	1	.	1	.	1	8	3	8	8
Accidents and other external causes	M	4	.	.	1	1	.	.	.	.	2	.
	F	2	.	.	.	1	.	.	.	.	.	1
All causes	M	238	18	3	4	1	2	8	11	28	61	102
	F	189	11	1	.	4	2	5	12	18	50	86
POPULATION	M	18,388	352	1,530	3,151	2,544	2,387	2,418	2,043	1,672	1,464	827
	F	16,165	349	1,436	3,133	2,117	1,974	2,004	1,668	1,456	1,256	772

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. LOUTH												
Tuberculosis of respiratory system	M	18	.	.	1	1	3	3	6	2	2	.
	F	16	.	.	.	1	5	5	3	1	1	.
Tuberculosis, other forms	M	6	1	1	2	.	1	1	.	.	.	.
	F	6	1	.	.	1	2	1	1	.	.	.
Other infective and parasitic diseases	M	6	2	2	.	.	.	1	.	.	1	.
	F	2	.	.	.	1	.	.	.	.	1	.
Malignant neoplasms	M	60	.	.	.	.	1	.	6	14	25	14
	F	40	.	.	.	.	1	.	5	13	16	5
Vascular lesions affecting central nervous system	M	25	.	.	1	.	.	.	2	3	9	10
	F	33	.	.	.	.	.	.	.	5	12	16
Diseases of the heart	M	107	.	.	1	.	.	1	9	21	33	42
	F	104	.	.	1	1	2	1	7	11	38	43
Other diseases of the circulatory system	M	8	.	.	1	1	.	.	.	.	2	4
	F	10	.	.	.	.	.	.	1	3	2	4
Diseases of the respiratory system	M	31	3	1	.	.	1	1	2	5	13	5
	F	19	.	2	.	.	3	.	.	2	4	8
Senility	M	38	.	.	.	.	.	.	.	.	7	31
	F	44	.	.	.	.	.	.	.	.	5	39
Other diseases	M	86	29	1	1	2	3	5	7	6	13	19
	F	89	28	3	2	2	2	4	6	4	26	12
Accidents and other external causes	M	16	1	.	1	2	2	1	.	4	2	3
	F	6	2	.	1	.	.	.	1	.	.	2
All causes	M	401	36	5	8	6	11	13	32	55	107	128
	F	369	31	5	4	6	15	11	24	39	105	129
POPULATION	M	34,886	793	3,168	6,876	5,339	4,970	4,279	3,494	2,703	2,259	1,005
	F	33,885	726	3,020	6,094	5,081	5,017	4,239	3,492	2,825	2,266	1,125
CO. MEATH												
Tuberculosis of respiratory system	M	15	.	.	.	1	5	3	2	2	1	1
	F	14	.	.	.	2	4	3	2	.	3	.
Tuberculosis, other forms	M	5	.	.	2	.	1	.	.	1	1	.
	F	3	.	.	1	1	1	.	.	.	.	.
Other infective and parasitic diseases	M	2	1	.	1	.	.	.	.	.	.	.
	F	1	.	.	1	.	.	.	.	.	.	.
Malignant neoplasms	M	62	.	.	.	.	.	3	11	13	15	20
	F	47	.	.	.	.	.	2	7	16	12	10
Vascular lesions affecting central nervous system	M	38	.	.	.	.	.	.	5	5	13	15
	F	43	.	.	.	.	.	1	1	7	14	20
Diseases of the heart	M	127	.	.	.	.	1	3	10	16	39	58
	F	94	.	.	.	.	2	1	6	14	29	42
Other diseases of the circulatory system	M	31	.	.	1	.	1	1	.	4	10	14
	F	19	.	.	.	.	.	.	.	2	10	7
Diseases of the respiratory system	M	30	3	.	2	.	.	1	2	4	14	4
	F	17	3	1	1	.	1	1	.	1	3	6
Senility	M	18	.	.	.	.	.	.	.	.	1	17
	F	15	.	.	.	.	.	.	.	.	1	14
Other diseases	M	95	26	2	1	7	1	4	6	10	19	19
	F	72	27	3	.	1	2	5	5	7	13	9
Accidents and other external causes	M	15	.	1	.	3	2	2	.	1	5	1
	F	10	.	1	.	.	.	2	.	1	3	3
All causes	M	438	30	3	7	11	11	17	36	56	118	149
	F	335	30	5	3	4	10	15	21	48	88	111
POPULATION	M	34,980	806	3,032	6,440	5,071	4,552	4,539	3,833	3,070	2,550	1,087
	F	31,357	729	2,928	6,249	4,241	4,098	3,854	3,308	2,683	2,200	1,067

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. OFFALY												
Tuberculosis of respiratory system	M	7	.	1	.	.	2	3	1	.	.	.
	F	10	.	.	.	1	5	1	.	2	1	.
Tuberculosis, other forms	M	1	.	.	.	.	.	.	.	.	1	.
	F	2	.	.	.	1	1	.	.	.	.	.
Other infective and parasitic diseases	M	8	1	1	.	.	.	1	.	3	2	.
	F	3	3	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	41	.	.	.	1	.	2	5	6	18	9
	F	35	.	.	.	.	.	3	2	12	10	8
Vascular lesions affecting central nervous system	M	30	.	.	.	1	.	.	3	3	10	13
	F	23	.	.	.	.	.	1	.	6	9	7
Diseases of the heart	M	100	.	.	.	.	2	3	5	14	33	43
	F	68	.	.	.	1	.	.	1	8	19	39
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	1	1	5	3
	F	12	.	.	.	.	.	1	.	1	4	6
Diseases of the respiratory system	M	16	2	2	1	1	.	1	3	2	3	1
	F	22	3	.	.	1	.	1	.	2	3	12
Senility	M	37	.	.	.	.	.	.	.	.	3	34
	F	33	.	.	.	.	.	.	.	.	4	29
Other diseases	M	84	29	2	1	.	1	3	3	11	13	21
	F	81	26	2	2	1	2	.	4	10	17	17
Accidents and other external causes	M	11	1	.	.	1	3	1	1	1	2	1
	F	6	.	.	1	3	.	1	.	.	.	1
All causes	M	345	33	6	2	4	8	14	22	41	90	125
	F	295	32	2	3	8	8	8	7	41	67	119
CO. WESTMEATH												
Tuberculosis of respiratory system	M	16	.	.	1	1	5	4	.	4	1	.
	F	13	.	.	.	2	4	2	1	3	.	1
Tuberculosis, other forms	M	5	.	.	1	.	2	1	.	1	.	.
	F	3	.	1	.	.	.	.	.	2	.	.
Other infective and parasitic diseases	M	2	.	.	.	1	.	.	.	1	.	.
	F	1	.	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	54	.	.	.	.	1	1	6	11	19	16
	F	37	.	.	.	.	.	5	5	7	11	9
Vascular lesions affecting central nervous system	M	26	.	.	.	.	.	.	.	5	15	6
	F	33	.	.	.	.	1	.	1	4	11	16
Diseases of the heart	M	116	.	.	.	.	.	5	6	15	39	51
	F	58	.	.	.	.	.	.	1	6	19	32
Other diseases of the circulatory system	M	31	.	.	.	1	.	.	1	3	8	18
	F	21	.	.	.	.	2	.	1	3	4	11
Diseases of the respiratory system	M	20	4	.	.	1	.	.	.	3	3	9
	F	22	5	2	1	.	.	1	1	3	4	5
Senility	M	24	.	.	.	.	.	.	.	.	.	24
	F	23	.	.	.	.	.	.	.	.	1	22
Other diseases	M	92	26	3	3	.	1	7	4	7	25	16
	F	62	20	3	.	1	3	.	5	4	17	9
Accidents and other external causes	M	4	.	.	1	1	.	.	.	.	1	1
	F	6	.	.	.	.	.	1	1	.	1	3
All causes	M	390	30	3	6	5	9	18	17	50	111	141
	F	279	25	6	1	3	10	9	17	32	68	108
POPULATION												
	M	28,306	598	2,324	4,937	4,445	4,041	3,483	3,109	2,471	1,983	915
	F	24,238	559	2,354	4,701	3,272	3,260	2,813	2,569	2,087	1,713	910

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. WEXFORD												
Tuberculosis of respiratory system	M	18	.	2	.	1	2	5	2	3	3	.
	F	11	1	1	1	2	1	1	2	2	.	.
Tuberculosis, other forms	M	8	.	2	1	1	2	.	.	.	2	.
	F	6	1	.	2	.	.	1	1	.	1	.
Other infective and parasitic diseases	M	9	1	4	.	1	.	.	2	.	1	.
	F	6	1	4	1	.	.	.	.	.	.	.
Malignant neoplasms	M	75	.	.	.	.	.	.	9	14	30	22
	F	60	.	.	.	.	.	5	2	14	22	17
Vascular lesions affecting central nervous system	M	48	.	.	.	.	.	.	1	7	22	18
	F	80	.	.	.	.	1	1	4	11	32	31
Diseases of the heart	M	204	.	.	.	.	1	4	16	28	57	98
	F	175	.	.	1	.	1	8	9	20	51	85
Other diseases of the circulatory system	M	34	.	.	.	.	.	.	3	4	9	18
	F	46	.	.	1	1	.	.	4	3	8	29
Diseases of the respiratory system	M	44	8	1	.	1	.	1	3	4	17	9
	F	35	7	3	.	.	1	.	2	3	6	13
Senility	M	26	.	.	.	.	.	.	.	.	1	25
	F	37	.	.	.	.	.	.	.	.	2	35
Other diseases	M	124	34	6	.	3	6	5	8	12	26	24
	F	105	27	2	6	2	5	4	11	7	15	26
Accidents and other external causes	M	19	.	2	2	2	2	1	.	3	5	2
	F	4	.	.	1	.	1	.	1	.	.	1
All causes	M	609	43	17	3	9	13	16	44	75	173	216
	F	565	37	10	13	5	10	20	36	60	137	237
POPULATION	M	45,945	1,011	3,988	8,973	6,448	5,379	5,770	5,225	3,984	3,556	1,611
	F	44,087	958	3,956	8,635	5,546	5,387	5,631	4,949	3,862	3,360	1,803
CO. WICKLOW												
Tuberculosis of respiratory system	M	8	.	.	.	1	1	2	1	1	2	.
	F	8	.	.	.	.	2	1	3	1	.	1
Tuberculosis, other forms	M	7	1	2	.	2	1	1	.	.	.	.
	F	5	1	.	1	.	2	1	.	.	.	.
Other infective and parasitic diseases	M	5	4	.	.	.	.	.	.	1	.	.
	F	5	3	1	.	.	.	.	.	.	.	1
Malignant neoplasms	M	39	.	.	.	.	.	1	2	5	19	9
	F	36	.	.	.	.	.	1	6	5	13	11
Vascular lesions affecting central nervous system	M	30	.	.	.	.	.	1	.	3	13	13
	F	61	.	.	.	.	.	.	3	9	22	27
Diseases of the heart	M	134	.	.	.	1	1	1	6	23	39	63
	F	106	.	.	.	.	.	2	6	11	40	47
Other diseases of the circulatory system	M	16	.	.	.	.	2	.	.	4	4	6
	F	14	.	.	.	.	.	1	3	2	5	3
Diseases of the respiratory system	M	35	9	2	1	.	1	.	2	1	10	9
	F	17	4	2	.	.	.	1	.	.	2	8
Senility	M	12	.	.	.	.	.	.	.	.	2	10
	F	7	.	.	.	.	.	.	.	.	.	7
Other diseases	M	88	28	1	.	2	.	4	6	12	13	22
	F	69	23	5	1	3	.	3	4	9	9	12
Accidents and other external causes	M	11	.	2	1	1	1	3	.	1	1	1
	F	1	.	.	.	.	.	.	.	.	.	1
All causes	M	385	42	7	2	7	7	13	17	54	103	133
	F	329	31	8	2	3	4	10	25	37	91	118
POPULATION	M	31,587	728	2,877	6,046	4,863	4,024	3,934	3,563	2,552	2,084	916
	F	31,003	644	2,717	5,796	4,468	4,201	3,922	3,422	2,638	2,038	1,157



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. CLARE												
Tuberculosis of respiratory system	M	26	1	.	.	2	3	4	3	8	5	.
	F	15	.	.	.	4	5	2	1	1	.	2
Tuberculosis, other forms	M	14	1	4	2	3	.	2	1	1	.	.
	F	9	1	.	2	3	1	.	.	.	.	2
Other infective and parasitic diseases	M	7	4	.	.	.	.	.	.	3	.	.
	F	6	3	1	.	.	2	.	.	.	.	.
Malignant neoplasms	M	66	.	.	.	1	.	1	7	11	20	26
	F	60	.	1	.	.	3	7	7	9	20	13
Vascular lesions affecting central nervous system	M	30	.	.	.	.	.	.	2	4	13	11
	F	36	.	.	.	1	.	1	4	6	14	10
Diseases of the heart	M	143	.	.	.	1	1	4	8	16	52	61
	F	114	1	.	1	1	.	4	10	6	38	53
Other diseases of the circulatory system	M	13	.	.	.	.	1	2	.	1	4	5
	F	11	.	.	.	.	1	.	1	4	3	2
Diseases of the respiratory system	M	47	5	2	.	.	.	.	2	3	14	21
	F	30	5	1	.	.	1	.	2	2	6	13
Senility	M	94	.	.	.	.	.	.	.	.	8	86
	F	106	.	.	.	.	.	.	.	.	8	98
Other diseases	M	111	26	1	.	1	3	2	9	11	28	30
	F	76	14	4	.	1	3	2	8	8	18	18
Accidents and other external causes	M	16	.	.	1	4	1	2	1	3	1	3
	F	6	.	.	.	.	.	2	.	1	.	3
All causes	M	567	37	7	3	12	9	17	33	61	145	243
	F	469	24	7	3	10	16	18	33	37	107	214
POPULATION	M	43,473	850	3,384	7,236	5,992	5,328	5,827	5,141	4,129	3,600	1,986
	F	37,856	803	3,208	6,990	4,592	4,523	4,738	4,303	3,561	3,214	1,924
CORK CO. BORO.												
Tuberculosis of respiratory system	M	28	.	1	.	1	2	8	4	10	2	.
	F	9	.	.	.	1	.	3	.	3	2	.
Tuberculosis, other forms	M	2	1	.	.	.	1	.	.	.	.	.
	F	1	1	.	.	.	.	.	.	.	.	.
Other infective and parasitic diseases	M	11	9	.	.	.	.	.	.	.	1	1
	F	9	2	5	.	.	.	.	.	.	2	.
Malignant neoplasms	M	53	.	1	.	.	.	.	6	10	29	7
	F	61	.	.	.	.	.	7	7	17	19	11
Vascular lesions affecting central nervous system	M	38	1	.	.	.	.	.	9	10	8	10
	F	49	.	.	.	.	.	3	3	13	19	11
Diseases of the heart	M	142	.	.	.	.	1	3	9	27	50	52
	F	152	.	1	1	2	.	1	5	13	67	62
Other diseases of the circulatory system	M	21	.	.	.	.	1	.	.	3	11	6
	F	27	.	.	.	1	1	1	2	7	4	11
Diseases of the respiratory system	M	37	5	1	.	1	.	.	3	7	10	10
	F	36	7	2	.	.	1	1	2	2	11	10
Senility	M	7	.	.	.	.	.	.	.	.	.	7
	F	16	.	.	.	.	.	.	.	.	3	13
Other diseases	M	92	26	5	2	3	3	2	9	11	21	10
	F	78	23	4	2	.	1	5	7	6	20	10
Accidents and other external causes	M	10	.	1	1	2	.	.	2	1	2	1
	F	12	1	1	1	.	.	.	.	1	6	2
All causes	M	441	42	9	3	7	8	13	42	79	134	104
	F	450	34	13	4	4	3	21	26	62	153	130
POPULATION	M	34,715	817	3,021	6,700	5,929	4,796	4,263	3,737	2,599	2,008	845
	F	39,852	792	2,970	6,473	6,514	5,759	5,269	4,448	3,539	2,787	1,301

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. CORK												
Tuberculosis of respiratory system	M	73	.	.	.	8	6	19	17	14	6	3
	F	41	.	.	1	5	7	8	4	9	5	2
Tuberculosis, other forms	M	21	3	2	2	6	2	2	2	.	2	.
	F	18	.	3	5	3	3	.	2	2	.	.
Other infective and parasitic diseases	M	29	5	9	2	1	1	3	2	4	2	.
	F	16	6	2	1	1	1	.	1	.	4	.
Malignant neoplasms	M	227	.	.	.	2	3	11	19	45	87	60
	F	201	.	.	.	1	2	10	33	38	66	51
Vascular lesions affecting central nervous system	M	122	.	.	.	1	1	3	2	20	50	45
	F	167	.	.	.	2	1	3	9	19	67	66
Diseases of the heart	M	572	.	2	.	1	3	13	38	84	183	248
	F	495	.	.	1	.	3	4	24	53	172	238
Other diseases of the circulatory system	M	60	.	.	.	.	.	1	3	8	19	29
	F	52	.	.	2	.	2	.	5	4	14	25
Diseases of the respiratory system	M	138	12	6	1	.	1	4	9	23	32	50
	F	87	13	8	1	.	1	1	4	7	15	37
Senility	M	182	.	.	.	.	.	.	.	.	16	166
	F	195	.	.	.	.	.	.	.	.	11	184
Other diseases	M	372	90	11	9	2	15	25	30	31	74	85
	F	315	72	6	8	8	8	15	21	34	77	66
Accidents and other external causes	M	70	3	2	4	7	6	5	11	8	12	12
	F	15	2	.	1	.	.	1	.	1	5	5
All causes	M	1,866	113	32	18	28	38	86	133	237	483	698
	F	1,602	93	19	20	20	28	42	103	167	436	674
POPULATION												
	M	136,150	2,705	10,795	22,842	19,488	17,550	18,640	15,910	12,567	10,301	5,352
	F	130,567	2,622	10,157	22,077	17,374	17,073	17,570	15,242	12,144	10,572	5,736
CO. KERRY												
Tuberculosis of respiratory system	M	33	.	1	.	5	8	7	1	5	5	1
	F	28	.	.	.	5	6	10	5	.	2	.
Tuberculosis, other forms	M	10	.	4	.	1	1	.	2	.	2	.
	F	7	1	2	.	1	.	1	1	.	1	.
Other infective and parasitic diseases	M	10	3	1	3	.	.	.	.	.	3	.
	F	10	4	1	1	.	.	.	1	2	1	.
Malignant neoplasms	M	84	.	1	.	.	1	1	5	23	35	18
	F	60	.	.	.	.	.	6	11	16	17	10
Vascular lesions affecting central nervous system	M	61	1	.	.	.	.	3	3	5	21	28
	F	71	2	.	.	2	.	1	5	10	28	23
Diseases of the heart	M	236	.	.	.	2	3	6	19	28	75	103
	F	152	.	.	.	.	.	6	7	22	42	75
Other diseases of the circulatory system	M	44	.	.	.	.	2	1	3	6	20	12
	F	39	1	.	.	.	.	3	4	3	15	13
Diseases of the respiratory system	M	41	4	.	1	.	1	1	2	1	12	19
	F	48	5	.	.	.	2	.	6	3	9	23
Senility	M	131	.	.	.	.	.	.	.	.	13	118
	F	145	.	.	.	.	.	.	.	.	18	127
Other diseases	M	213	61	4	5	.	6	7	6	25	40	59
	F	153	35	2	2	4	6	11	11	18	34	30
Accidents and other external causes	M	24	.	.	2	1	3	6	2	3	5	2
	F	8	.	1	.	.	.	.	1	3	1	2
All causes	M	887	69	11	11	9	25	32	43	96	231	360
	F	721	48	6	3	12	14	38	52	77	168	303
POPULATION												
	M	66,507	1,249	5,196	11,906	9,162	8,102	9,618	7,278	6,039	5,148	2,809
	F	60,137	1,247	4,943	11,175	7,643	7,069	8,020	6,709	5,462	4,959	2,910

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
LIMERICK CO. BORO.												
Tuberculosis of respiratory system	M	13	.	.	.	2	3	1	4	3	.	.
	F	16	.	.	.	6	2	5	2	1	.	.
Tuberculosis, other forms	M	4	.	.	.	4	.	.	.	.	.	.
	F	2	.	1	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	6	1	3	.	.	.	.	.	2	.	.
	F	6	3	.	2	.	.	.	.	1	.	.
Malignant neoplasms	M	28	.	.	.	.	.	2	5	8	13	.
	F	27	.	.	.	.	1	2	6	4	13	1
Vascular lesions affecting central nervous system	M	20	.	.	.	.	.	2	1	6	7	4
	F	19	.	.	.	.	.	.	2	5	7	5
Diseases of the heart	M	95	.	.	.	1	2	2	15	18	35	22
	F	70	.	.	.	1	1	.	5	7	27	29
Other diseases of the circulatory system	M	6	.	.	.	.	.	.	2	.	2	2
	F	6	.	.	.	1	.	.	.	2	.	3
Diseases of the respiratory system	M	36	7	3	.	.	.	2	5	8	8	3
	F	16	1	3	.	.	.	.	2	.	8	2
Senility	M	3	.	.	.	.	.	.	.	.	1	2
	F	12	.	.	.	.	.	.	.	.	2	10
Other diseases	M	66	32	1	.	3	3	2	4	4	11	6
	F	63	19	.	1	1	3	3	6	9	10	11
Accidents and other external causes	M	11	1	1	2	.	.	1	2	3	.	1
	F	5	1	.	1	1	.	.	.	.	1	1
All causes	M	288	41	8	2	10	8	12	38	52	77	40
	F	242	24	4	4	11	7	10	23	29	68	62
CO. LIMERICK												
Tuberculosis of respiratory system	M	24	.	.	.	3	9	4	4	1	3	.
	F	15	.	1	2	1	7	1	.	1	1	1
Tuberculosis, other forms	M	6	1	1	1	.	.	2	.	1	.	.
	F	8	.	2	1	1	2	1	1	.	.	.
Other infective and parasitic diseases	M	5	.	2	.	.	.	.	.	.	2	1
	F	6	.	2	1	.	.	.	.	1	1	1
Malignant neoplasms	M	72	.	.	.	.	1	.	5	14	29	23
	F	60	.	.	.	1	1	6	2	10	21	19
Vascular lesions affecting central nervous system	M	27	.	.	.	.	.	.	.	6	6	15
	F	31	.	.	.	.	.	.	1	5	8	17
Diseases of the heart	M	164	.	.	.	.	.	3	15	19	58	69
	F	144	.	2	1	.	1	5	4	12	48	71
Other diseases of the circulatory system	M	22	.	.	.	.	.	1	1	5	10	5
	F	21	.	.	1	1	.	1	2	2	5	9
Diseases of the respiratory system	M	57	12	6	.	2	2	1	1	6	9	18
	F	28	3	1	.	.	.	.	.	4	11	9
Senility	M	83	.	.	.	.	.	.	.	.	11	72
	F	78	.	.	.	.	.	.	.	.	10	68
Other diseases	M	160	46	7	.	2	1	4	9	10	28	53
	F	112	23	3	4	2	3	6	7	14	25	25
Accidents and other external causes	M	19	.	1	1	.	1	2	.	5	6	3
	F	8	.	.	1	1	1	.	1	1	1	2
All causes	M	639	59	17	2	7	14	17	35	67	162	259
	F	511	26	11	11	7	15	20	18	50	131	222
POPULATION												
	M	47,588	948	4,137	8,979	6,804	5,836	6,259	5,090	4,177	3,532	1,826
	F	42,831	953	3,962	8,541	5,273	5,287	5,523	4,564	3,721	3,208	1,799



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. TIPPERARY N.R.												
Tuberculosis of respiratory system	M	11	.	.	.	.	2	2	2	2	3	.
	F	9	.	.	1	1	5	.	1	1	.	.
Tuberculosis, other forms	M	2	.	1	.	1	.	.	.	.	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	3	.	.	2	.	.	1	.	.	.	.
	F	2	.	.	.	.	.	.	.	.	2	.
Malignant neoplasms	M	45	.	.	.	.	2	2	5	5	15	16
	F	33	.	.	.	.	.	7	4	6	11	5
Vascular lesions affecting central nervous system	M	31	.	.	.	.	1	.	3	2	13	12
	F	31	.	.	.	.	.	3	2	.	11	15
Diseases of the heart	M	122	.	.	.	.	1	6	4	21	34	56
	F	78	.	.	.	.	1	2	3	11	29	32
Other diseases of the circulatory system	M	18	.	.	.	.	1	.	1	3	5	8
	F	18	.	.	.	.	.	.	1	3	6	8
Diseases of the respiratory system	M	21	4	2	.	.	.	.	.	3	3	9
	F	21	3	2	1	.	.	1	.	3	7	4
Senility	M	36	.	.	.	.	.	.	.	.	.	36
	F	65	.	.	.	.	.	.	.	.	4	61
Other diseases	M	92	35	3	2	1	3	2	8	7	14	17
	F	84	27	1	.	1	6	2	5	9	21	12
Accidents and other external causes	M	12	.	.	1	.	1	1	1	3	2	3
	F	7	1	.	1	.	1	.	.	.	.	4
All causes	M	393	39	6	5	2	11	14	24	46	89	157
	F	349	31	3	3	3	13	15	16	33	91	141
POPULATION	M	29,989	618	2,548	5,036	4,292	3,932	3,793	3,605	2,799	2,320	1,046
	F	27,020	604	2,287	4,947	3,761	3,496	3,424	2,958	2,431	2,041	1,071
CO. TIPPERARY S.R.												
Tuberculosis of respiratory system	M	13	.	.	.	1	.	2	4	5	1	.
	F	11	.	.	.	3	5	.	.	3	.	.
Tuberculosis, other forms	M	8	.	.	4	2	1	.	.	.	1	.
	F	3	1	.	1	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.
	F	2	1	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	75	.	.	.	1	2	1	7	12	33	19
	F	50	.	.	.	.	1	1	5	7	17	19
Vascular lesions affecting central nervous system	M	46	.	.	.	.	.	2	3	5	17	19
	F	49	1	.	.	.	.	.	4	9	21	14
Diseases of the heart	M	195	.	1	1	.	1	5	12	22	63	90
	F	133	.	.	.	.	1	4	3	15	35	75
Other diseases of the circulatory system	M	11	.	.	.	.	.	.	1	4	1	5
	F	18	.	.	.	.	.	.	3	2	5	8
Diseases of the respiratory system	M	35	4	.	.	1	1	2	2	4	10	11
	F	30	6	.	1	.	.	1	2	3	6	11
Senility	M	30	.	.	.	.	.	.	.	.	3	27
	F	29	.	.	.	.	.	.	.	.	1	28
Other diseases	M	114	45	2	1	2	2	4	4	13	20	21
	F	65	25	2	1	2	.	1	5	9	11	9
Accidents and other external causes	M	18	.	4	2	1	.	1	3	3	3	1
	F	10	.	1	.	2	.	1	.	.	2	4
All causes	M	545	49	7	8	8	7	17	36	68	152	193
	F	400	34	4	3	8	7	8	22	48	98	168
POPULATION	M	39,877	848	3,391	7,531	5,981	4,969	4,965	4,450	3,391	2,953	1,398
	F	36,427	883	3,433	6,944	4,692	4,577	4,469	4,078	3,202	2,721	1,428



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
WATERFORD CO. BORO.												
Tuberculosis of respiratory system	M	12	.	.	1	1	2	.	2	5	1	.
	F	8	.	.	.	3	2	2	.	.	.	1
Tuberculosis, other forms	M	3	.	.	3	.	.	.	.	.	.	.
	F	3	.	.	.	.	1	1	.	.	1	.
Other infective and parasitic diseases	M	2	1	.	.	.	.	.	.	.	1	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	29	.	.	1	.	2	3	3	6	6	8
	F	20	.	.	.	.	1	1	1	4	9	4
Vascular lesions affecting central nervous system	M	13	1	.	.	.	.	1	2	1	3	5
	F	23	.	.	.	.	.	.	1	3	4	15
Diseases of the heart	M	59	.	.	.	.	1	4	1	11	17	25
	F	48	.	.	.	1	1	.	4	3	16	23
Other diseases of the circulatory system	M	8	.	.	.	.	.	.	.	1	3	4
	F	10	.	.	.	.	.	.	1	.	4	5
Diseases of the respiratory system	M	15	2	.	1	.	.	.	1	3	3	5
	F	11	1	.	1	.	.	.	2	.	4	3
Senility	M	4	.	.	.	.	.	.	.	.	1	3
	F	9	.	.	.	.	.	.	.	.	2	7
Other diseases	M	45	16	1	2	.	2	1	2	4	6	11
	F	30	15	2	.	.	.	1	2	4	3	3
Accidents and other external causes	M	2	.	.	.	1	.	.	1	.	.	.
	F	2	.	.	.	1	.	.	.	.	.	1
All causes	M	192	20	1	8	2	7	9	12	31	41	61
	F	164	16	2	1	5	5	5	11	14	43	62
POPULATION	M	13,485	286	1,221	2,810	2,351	1,638	1,588	1,428	1,016	788	359
	F	15,206	298	1,230	2,941	2,622	1,942	1,816	1,636	1,254	977	490
CO. WATERFORD												
Tuberculosis of respiratory system	M	7	.	.	.	.	2	1	1	1	1	1
	F	9	.	.	.	.	2	1	3	1	2	.
Tuberculosis, other forms	M	5	1	1	2	.	1	.	.	.	.	.
	F	2	.	.	.	1	.	1	.	.	.	.
Other infective and parasitic diseases	M	4	.	1	.	1	.	2	.	.	.	.
	F	2	.	.	.	.	.	.	1	.	.	1
Malignant neoplasms	M	65	.	.	.	.	1	1	3	13	25	22
	F	22	.	.	.	.	.	1	1	6	10	4
Vascular lesions affecting central nervous system	M	25	.	.	.	1	.	.	.	2	10	12
	F	25	.	.	.	1	.	.	1	2	9	12
Diseases of the heart	M	103	.	.	.	1	2	1	3	20	36	40
	F	70	.	.	.	.	.	1	5	4	27	33
Other diseases of the circulatory system	M	21	.	.	2	.	.	1	1	2	10	5
	F	7	.	.	.	1	.	1	1	1	1	2
Diseases of the respiratory system	M	21	5	.	1	.	.	2	1	2	3	7
	F	11	1	1	.	.	.	.	2	1	5	1
Senility	M	25	.	.	.	.	.	.	.	.	1	24
	F	30	.	.	.	.	.	.	.	.	2	28
Other diseases	M	63	19	3	1	1	.	3	10	5	10	11
	F	51	11	.	.	2	2	5	1	10	9	11
Accidents and other external causes	M	14	.	.	1	2	2	1	3	2	1	2
	F	4	.	.	.	1	1	.	.	.	1	1
All causes	M	353	25	5	7	6	8	12	22	47	97	124
	F	233	12	1	.	6	5	10	15	25	66	93
POPULATION	M	24,478	483	1,945	4,252	3,515	3,051	3,191	2,875	2,249	1,941	976
	F	21,892	427	1,800	3,905	2,690	2,795	2,835	2,640	2,101	1,738	961

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. GALWAY												
Tuberculosis of respiratory system	M	25	.	.	1	2	7	7	3	4	1	.
	F	24	.	.	.	5	10	7	1	.	1	.
Tuberculosis, other forms	M	14	.	3	2	4	.	2	3	.	.	.
	F	7	.	.	4	1	1	.	.	.	1	.
Other infective and parasitic diseases	M	10	3	2	.	.	1	1	.	1	1	1
	F	14	5	5	2	.	.	1	.	1	.	.
Malignant neoplasms	M	131	.	.	.	4	.	4	12	27	46	38
	F	76	.	.	.	.	2	6	10	13	22	23
Vascular lesions affecting central nervous system	M	69	.	.	.	.	1	.	3	9	22	34
	F	70	.	.	.	.	.	.	8	11	22	29
Diseases of the heart	M	259	.	.	.	1	.	3	26	28	65	136
	F	210	1	.	1	.	1	5	8	21	64	109
Other diseases of the circulatory system	M	48	1	.	.	.	1	2	4	3	13	24
	F	26	.	.	.	.	.	1	1	2	10	12
Diseases of the respiratory system	M	59	9	1	1	.	1	2	3	3	17	22
	F	42	7	1	2	1	.	1	4	5	6	15
Senility	M	135	.	.	.	.	.	.	.	.	9	126
	F	164	.	.	.	.	.	.	.	.	10	154
Other diseases	M	185	39	8	1	5	3	12	15	16	37	49
	F	156	36	10	3	1	5	7	12	21	36	25
Accidents and other external causes	M	26	.	2	1	3	3	5	1	3	4	4
	F	8	.	.	1	1	1	1	2	.	2	.
All causes	M	961	52	16	6	19	17	38	70	94	215	434
	F	797	49	16	13	9	20	29	46	74	174	367
POPULATION	M	85,141	1,824	7,093	16,206	12,872	10,077	10,950	9,163	7,198	6,246	3,512
	F	75,063	1,678	6,560	15,238	10,602	9,121	9,191	7,952	5,997	5,434	3,290
CO. LEITRIM												
Tuberculosis of respiratory system	M	9	.	.	.	1	.	3	.	3	1	1
	F	3	.	1	.	1	.	.	.	1	.	.
Tuberculosis, other forms	M	2	.	1	.	.	.	1	.	.	.	.
	F	3	.	.	.	.	.	2	.	1	.	.
Other infective and parasitic diseases	M	2	.	.	2	.	.	.	.	.	.	.
	F	.	.	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	30	.	.	.	.	.	1	6	5	10	8
	F	20	.	.	.	.	.	2	6	3	4	5
Vascular lesions affecting central nervous system	M	22	.	.	.	.	1	.	1	2	8	10
	F	21	.	.	.	.	.	1	3	3	6	8
Diseases of the heart	M	94	.	.	1	.	2	2	10	13	26	40
	F	70	.	.	.	.	2	1	5	7	20	35
Other diseases of the circulatory system	M	10	.	.	.	.	.	.	.	1	4	5
	F	7	.	.	.	.	.	1	1	.	3	2
Diseases of the respiratory system	M	28	3	1	.	.	1	.	.	2	8	13
	F	13	1	2	1	.	.	.	1	.	2	6
Senility	M	55	.	.	.	.	.	.	.	.	4	51
	F	42	.	.	.	.	.	.	.	.	2	40
Other diseases	M	76	10	.	2	.	1	6	5	9	20	23
	F	53	13	1	.	.	1	4	4	4	17	9
Accidents and other external causes	M	2	.	.	.	.	.	.	.	1	.	1
	F	3	1	1	.	.	.	.	.	.	.	1
All causes	M	330	13	2	5	1	5	13	22	36	81	152
	F	235	15	5	1	1	3	11	20	19	54	106
POPULATION	M	22,374	377	1,471	3,659	3,018	2,704	3,115	2,672	2,260	1,926	1,172
	F	18,835	347	1,486	3,442	2,289	2,115	2,325	2,221	1,898	1,686	1,026

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. MAYO												
Tuberculosis of respiratory system	M	32	.	.	.	4	7	4	6	7	4	.
	F	27	.	.	1	5	6	6	3	5	1	.
Tuberculosis, other forms	M	6	.	1	.	1	.	3	.	.	.	1
	F	5	.	.	1	2	.	1	.	1	.	.
Other infective and parasitic diseases	M	7	1	.	3	.	.	1	.	1	1	.
	F	8	5	2	.	.	.	.	1	.	.	.
Malignant neoplasms	M	101	.	.	.	2	2	3	3	17	44	30
	F	75	.	.	.	.	1	5	15	13	16	25
Vascular lesions affecting central nervous system	M	34	.	.	.	.	.	1	2	3	9	19
	F	57	.	.	.	1	.	.	3	9	14	30
Diseases of the heart	M	211	.	.	.	1	1	4	12	18	69	106
	F	182	.	.	1	.	.	6	8	24	58	85
Other diseases of the circulatory system	M	33	.	.	.	1	.	1	1	2	14	14
	F	37	.	.	.	1	.	.	5	5	14	12
Diseases of the respiratory system	M	59	7	3	1	.	1	1	2	3	16	25
	F	49	11	1	.	.	.	1	.	1	9	26
Senility	M	241	.	.	.	.	.	.	.	.	23	218
	F	214	.	.	.	.	.	.	.	.	20	194
Other diseases	M	220	46	9	7	5	6	10	14	21	38	64
	F	158	33	4	3	3	5	12	12	11	31	44
Accidents and other external causes	M	30	.	3	1	3	2	.	6	7	5	3
	F	15	.	.	1	.	.	.	2	2	1	9
All causes	M	974	54	16	12	17	19	28	46	79	223	480
	F	827	49	7	7	12	12	31	49	71	164	425
POPULATION	M	73,345	1,562	6,073	13,405	10,413	7,995	9,859	7,613	6,487	6,050	3,888
	F	68,522	1,465	5,703	13,163	9,076	7,814	8,168	7,092	6,066	6,013	3,962
CO. ROSCOMMON												
Tuberculosis of respiratory system	M	12	.	.	.	1	2	3	4	.	2	.
	F	9	.	.	1	1	4	1	.	1	.	1
Tuberculosis, other forms	M	3	.	.	.	1	.	1	.	1	.	.
	F	5	.	.	1	3	.	.	.	.	1	.
Other infective and parasitic diseases	M	4	1	.	.	.	1	.	1	1	.	.
	F	3	2	.	.	.	.	.	1	.	.	.
Malignant neoplasms	M	66	.	1	.	.	.	2	3	13	30	17
	F	44	1	.	.	.	.	3	4	9	20	7
Vascular lesions affecting central nervous system	M	36	.	.	.	.	.	.	3	2	16	15
	F	42	.	.	.	.	.	.	2	10	15	15
Diseases of the heart	M	150	1	.	.	1	1	1	7	17	49	73
	F	92	.	.	.	.	1	1	3	10	28	49
Other diseases of the circulatory system	M	22	.	.	.	.	.	1	1	4	5	11
	F	18	.	.	.	.	.	.	1	3	8	6
Diseases of the respiratory system	M	32	3	1	.	2	1	1	1	4	6	13
	F	16	3	.	.	.	.	1	1	.	4	7
Senility	M	114	.	.	.	.	.	.	.	.	14	100
	F	123	.	.	.	.	.	.	.	.	5	118
Other diseases	M	94	17	3	2	4	1	10	8	12	21	16
	F	76	17	3	.	6	2	1	9	7	19	12
Accidents and other external causes	M	10	1	.	1	.	1	.	.	4	3	.
	F	7	1	1	.	.	.	.	.	1	1	3
All causes	M	543	23	5	3	9	7	19	28	58	146	245
	F	435	24	4	2	10	7	7	21	41	101	218
POPULATION	M	36,626	665	2,544	5,813	5,275	4,414	4,985	4,172	3,578	3,308	1,872
	F	31,476	585	2,429	5,676	4,115	3,733	3,798	3,544	3,005	2,771	1,820

TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. SLIGO												
Tuberculosis of respiratory system	M	16	1	1	.	.	3	5	5	1	.	.
	F	11	.	.	.	5	1	2	1	1	1	.
Tuberculosis, other forms	M	6	.	3	1	.	.	.	1	1	.	.
	F	3	1	1	.	.	.	1	.	.	.	.
Other infective and parasitic diseases	M	5	3	.	.	.	.	1	1	.	.	.
	F	5	3	.	1	.	.	.	1	.	.	.
Malignant neoplasms	M	44	.	.	.	.	2	1	5	2	21	13
	F	44	.	.	.	.	1	3	10	8	17	5
Vascular lesions affecting central nervous system	M	31	.	.	.	.	.	1	1	3	10	16
	F	22	.	.	.	.	.	.	2	4	7	9
Diseases of the heart	M	123	.	.	.	1	.	3	3	12	43	61
	F	86	.	.	.	.	1	2	4	3	26	50
Other diseases of the circulatory system	M	25	.	.	.	.	.	1	3	3	9	9
	F	14	.	.	.	.	.	.	.	3	8	3
Diseases of the respiratory system	M	41	9	.	.	.	1	1	4	4	10	12
	F	26	6	2	.	.	.	.	3	2	5	8
Senility	M	77	.	.	.	.	.	.	.	.	2	75
	F	84	.	.	.	.	.	.	.	.	4	80
Other diseases	M	96	23	3	4	.	2	5	6	6	20	27
	F	79	15	2	1	.	2	6	11	9	14	19
Accidents and other external causes	M	7	.	.	.	2	.	.	.	2	.	3
	F	11	1	.	.	.	.	.	.	.	3	7
All causes	M	471	36	7	5	3	8	18	29	34	115	216
	F	385	26	5	2	5	5	14	32	30	85	181
POPULATION	M	31,469	620	2,451	5,233	4,321	3,765	4,423	3,700	2,858	2,576	1,522
	F	29,044	631	2,301	5,180	3,715	3,612	3,726	3,228	2,610	2,580	1,461
CO CAVAN												
Tuberculosis of respiratory system	M	14	.	.	.	.	3	3	1	2	3	2
	F	9	.	.	.	2	.	2	3	1	1	.
Tuberculosis, other forms	M	2	.	2	.	.	.	.	.	.	.	.
	F	5	.	.	1	3	.	.	1	.	.	.
Other infective and parasitic diseases	M	5	2	1	1	.	.	.	.	.	.	1
	F	1	.	1	.	.	.	.	.	.	.	.
Malignant neoplasms	M	49	.	.	.	1	.	1	7	7	20	13
	F	47	.	.	.	.	.	1	11	10	20	5
Vascular lesions affecting central nervous system	M	38	.	.	.	.	1	.	1	2	18	16
	F	37	.	.	.	1	1	.	3	9	16	7
Diseases of the heart	M	145	.	.	1	.	1	4	11	16	48	64
	F	95	.	.	.	.	2	1	6	7	32	47
Other diseases of the circulatory system	M	18	.	.	.	1	.	.	.	2	9	6
	F	23	.	.	.	.	.	.	3	2	8	10
Diseases of the respiratory system	M	30	.	5	.	1	1	.	.	2	5	16
	F	28	2	1	.	2	.	.	1	3	6	13
Senility	M	52	.	.	.	.	.	.	.	.	4	48
	F	58	.	.	.	.	.	.	.	.	2	56
Other diseases	M	110	24	3	1	2	3	5	7	10	23	32
	F	87	20	1	.	.	3	6	5	8	25	19
Accidents and other external causes	M	8	1	.	.	.	.	1	1	1	1	3
	F	5	.	.	.	.	.	.	.	1	1	3
All causes	M	471	27	11	3	5	9	14	28	42	131	201
	F	395	22	3	1	8	6	10	33	41	111	160
POPULATION	M	36,187	679	2,719	6,096	5,245	4,641	4,777	4,074	3,377	2,982	1,597
	F	30,190	598	2,539	5,640	3,743	3,827	3,679	3,329	2,881	2,590	1,364



TABLE 22 (contd.) - DEATHS IN 1952 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of Death		AGE AT DEATH										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CO. DONEGAL												
Tuberculosis of respiratory system	M	25	.	.	.	1	3	6	7	5	3	.
	F	21	.	.	.	4	3	8	3	3	.	.
Tuberculosis, other forms	M	11	.	.	1	1	1	1	4	2	1	.
	F	9	.	1	1	4	1	.	1	.	.	1
Other infective and parasitic diseases	M	7	2	1	1	.	.	1	1	.	1	.
	F	7	1	3	1	.	1	.	.	.	1	.
Malignant neoplasms	M	75	.	1	1	.	1	1	10	12	26	23
	F	91	.	.	.	.	4	5	12	24	20	26
Vascular lesions affecting central nervous system	M	90	.	.	.	.	.	.	5	12	27	46
	F	77	.	.	.	.	1	2	1	10	27	36
Diseases of the heart	M	269	.	.	.	.	1	4	14	39	95	116
	F	190	.	.	.	1	1	.	14	14	64	96
Other diseases of the circulatory system	M	26	.	.	.	.	1	1	3	2	9	10
	F	17	.	.	1	.	.	.	2	3	5	6
Diseases of the respiratory system	M	62	7	1	1	1	1	.	3	3	21	24
	F	56	8	5	2	.	1	1	2	6	7	24
Senility	M	107	.	.	.	.	.	.	.	.	6	101
	F	115	.	.	.	.	.	.	.	.	5	110
Other diseases	M	217	54	2	4	3	5	10	11	11	38	79
	F	131	31	1	3	2	4	12	11	11	24	32
Accidents and other external causes	M	32	1	3	2	4	3	2	4	6	5	2
	F	18	1	1	1	2	.	.	1	1	.	11
All causes	M	921	64	8	10	10	16	26	62	92	232	401
	F	732	41	11	9	13	16	28	47	72	153	342
POPULATION	M	67,964	1,463	5,776	12,727	9,266	8,073	9,086	7,262	5,827	5,394	3,090
	F	63,566	1,369	5,475	12,169	8,396	7,645	7,962	6,669	5,498	5,210	3,173
CO. MONAGHAN												
Tuberculosis of respiratory system	M	6	.	.	1	.	.	2	.	1	1	1
	F	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis, other forms	M	3	.	.	.	1	1	.	.	1	.	.
	F	1	.	.	.	1	.	.	.	.	.	.
Other infective and parasitic diseases	M	2	2	.	.	.	.	.	.	.	1	.
	F	2	1	.	.	.	.	.	.	.	.	.
Malignant neoplasms	M	29	.	.	.	.	.	.	1	7	11	10
	F	29	.	1	.	1	.	1	7	11	3	5
Vascular lesions affecting central nervous system	M	32	1	.	.	.	1	1	.	2	7	20
	F	43	.	.	.	.	.	1	3	9	15	15
Diseases of the heart	M	132	.	.	.	1	1	5	10	13	40	62
	F	86	.	.	.	.	1	3	4	9	28	41
Other diseases of the circulatory system	M	18	.	.	.	.	1	2	1	5	1	8
	F	17	.	.	.	.	.	.	3	2	3	9
Diseases of the respiratory system	M	29	6	1	1	.	.	.	1	6	3	11
	F	26	3	2	1	.	.	1	1	.	6	12
Senility	M	32	.	.	.	.	.	.	.	.	.	32
	F	32	.	.	.	.	.	.	.	.	1	31
Other diseases	M	82	23	1	.	2	3	8	8	4	16	17
	F	64	12	3	.	1	2	1	6	6	14	19
Accidents and other external causes	M	10	.	.	2	1	2	1	1	.	1	2
	F	9	.	.	.	.	.	1	.	.	4	4
All causes	M	375	32	2	4	5	9	19	22	39	80	163
	F	310	16	6	1	4	3	8	24	37	75	136
POPULATION	M	29,118	550	2,197	4,934	4,411	4,046	3,879	3,314	2,456	2,242	1,089
	F	26,227	534	2,128	4,852	3,794	3,281	3,285	2,999	2,300	2,010	1,044

TABLE 23 - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Note - For detailed International List Numbers of causes in each code number see page 54

Code Number	Causes of Death		Total Aggregate U.D's	Total Aggregate R.D's	Aggregate U.D's Leinster	Aggregate R.D's Leinster	Aggregate U.D's Munster	Aggregate R.D's Munster	Aggregate U.D's Connacht	Aggregate R.D's Connacht	Aggregate U.D's Ulster (part of)	Aggregate R.D's Ulster (part of)
1	Tuberculosis of respiratory system	M. F.	324 185	391 307	217 111	119 115	85 58	155 103	14 14	80 60	8 2	37 29
2	Tuberculosis, other forms	M. F.	70 58	138 106	37 41	49 31	25 11	50 43	5 4	26 19	3 2	13 13
3	Diphtheria	M. F.	2 1	3 1	1 .	. .	1 1	1 1	. .	2 .	. .	. .
4	Whooping cough	M. F.	11 8	33 34	5 4	11 8	3 3	10 12	3 1	5 10	. .	7 4
5	Meningococcal infections	M. F.	8 5	10 4	3 1	3 2	5 2	6 1	. 2	. 1	. .	1 .
6	Acute poliomyelitis	M. F.	. .	8 4	. .	2 1	. .	3 2	. .	2 .	. .	1 1
7	Measles	M. F.	11 15	10 16	4 8	4 5	5 6	4 5	2 1	2 6	. .	. .
8	Other infective and parasitic diseases	M. F.	38 30	71 37	29 18	24 9	9 9	30 17	. 2	12 7	. 1	5 4
9	Malignant neoplasm of stomach	M. F.	169 131	387 251	113 89	131 92	43 30	120 81	9 8	81 48	4 4	55 30
10	Malignant neoplasm of small and large intestine including duodenum	M. F.	59 92	188 175	43 70	61 56	14 17	65 68	2 4	45 34	. 1	17 17
11	Malignant neoplasm of rectum	M. F.	42 40	134 46	28 24	42 10	13 14	52 19	1 .	32 11	. 2	8 6
12	Other malignant neoplasms of digestive organs and peritoneum	M. F.	100 88	176 137	72 58	42 48	24 27	84 51	4 2	36 23	. 1	14 15
13	Malignant neoplasm of trachea, bronchus and lung	M. F.	152 32	108 46	124 28	51 15	23 3	39 16	4 1	16 8	1 .	2 7
14	Other malignant neoplasms of respiratory system	M. F.	34 9	39 19	22 6	18 7	8 3	13 8	3 .	7 3	1 .	1 1
15	Malignant neoplasm of breast	M. F.	2 123	6 203	1 79	2 60	1 32	2 73	. 9	2 40	. 3	. 30
16	Malignant neoplasm of uterus	F.	59	87	45	35	14	35	. .	7 .	. .	10 .
17	Other malignant neoplasms of genito-urinary system	M. F.	81 54	178 57	53 33	52 14	24 18	70 17	4 2	42 14	. 1	14 12
18	Other malignant neoplasms	M. F.	128 75	311 164	80 51	90 48	40 21	109 47	7 2	77 43	1 1	35 26
19	Hodgkin's disease and leukaemia and aleukaemia	M. F.	23 22	65 40	12 17	19 13	9 4	23 21	1 1	17 6	1 .	6 .
20	Other neoplasms of lymphatic and haemato- poietic tissues	M. F.	8 5	9 3	3 2	1 2	3 1	5 .	1 .	2 1	1 2	1 .
21	Diabetes	M. F.	29 28	62 73	19 16	16 14	8 8	27 27	1 3	10 18	1 1	9 14
22	Cerebral haemorrhage	M. F.	197 295	419 509	125 189	145 175	61 90	144 178	9 11	69 83	2 5	61 73
23	Other vascular lesions affecting the central nervous system	M. F.	271 329	480 534	201 235	131 198	52 75	156 158	11 11	103 107	7 8	90 71
24	Other diseases of nervous system and sense organs	M. F.	105 136	271 280	70 89	79 93	29 41	97 93	5 5	61 55	1 1	34 39
25	Chronic rheumatic heart disease	M. F.	46 99	126 109	29 86	54 43	15 10	32 25	1 1	27 28	1 2	13 13
26	Arteriosclerotic and degenerative heart disease	M. F.	1,393 1,318	3,259 2,384	894 892	1,048 782	396 341	1,128 854	77 62	662 490	26 23	421 258
27	Other diseases of the heart	M. F.	193 221	456 373	114 133	120 101	73 82	187 144	3 2	67 57	3 4	82 71

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Total Aggregate U.D's	Total Aggregate R.D's	Aggregate U.D's Leinster	Aggregate R.D's Leinster	Aggregate U.D's Munster	Aggregate R.D's Munster	Aggregate U.D's Connacht	Aggregate R.D's Connacht	Aggregate U.D's Ulster (part of)	Aggregate R.D's Ulster (part of)
28	Hypertension with heart disease	M.	99	132	77	45	20	34	2	43	.	10
		F.	125	130	99	60	20	40	6	21	.	9
29	Hypertension without heart disease	M.	98	164	74	53	19	58	3	32	2	21
		F.	108	175	85	53	17	53	6	42	.	27
30	Other diseases of circulatory system	M.	113	275	81	127	24	69	5	53	3	26
		F.	126	180	90	89	30	49	1	26	5	16
31	Influenza	M.	13	107	10	30	1	29	2	30	.	18
		F.	18	100	13	32	3	26	.	26	2	16
32	Pneumonia	M.	179	351	119	97	47	124	12	81	1	49
		F.	176	273	122	90	37	85	11	55	6	43
33	Bronchitis	M.	229	349	163	111	62	127	2	75	2	36
		F.	139	223	98	71	38	84	1	38	2	30
34	Other diseases of respiratory system	M.	62	110	44	38	15	43	1	16	2	13
		F.	57	73	32	27	23	22	2	13	.	11
35	Ulcer of stomach and duodenum	M.	58	106	38	30	16	41	3	18	1	17
		F.	18	39	13	11	4	15	1	8	.	5
36	Gastro-enteritis and diarrhoea under 2 years	M.	34	54	11	16	22	21	.	13	1	4
		F.	28	44	12	19	16	13	.	11	.	1
37	Nephritis and nephrosis	M.	85	238	57	79	20	66	5	54	3	39
		F.	72	171	48	58	20	54	1	30	3	29
38	Hyperplasia of prostate	M.	48	218	26	49	17	69	3	57	2	43
39	Complications of pregnancy, childbirth, and the puerperium	F.	20	72	14	23	4	21	.	14	2	14
40	Congenital malformations	M.	84	164	57	61	19	56	5	25	3	22
		F.	63	121	44	48	14	31	4	24	1	18
41	Diseases of early infancy	M.	275	493	181	187	74	175	12	71	8	60
		F.	214	384	147	159	56	121	10	61	1	43
42	Senility	M.	106	1,608	53	253	44	551	6	616	3	188
		F.	216	1,661	89	271	92	593	24	603	11	194
43	Ill-defined causes	M.	124	392	80	115	39	119	4	101	1	57
		F.	102	261	68	74	26	86	4	74	4	27
44	Other defined diseases	M.	341	780	224	228	92	281	20	182	5	89
		F.	364	710	243	212	92	259	22	169	7	70
45	Accidents	M.	172	363	125	132	35	134	6	57	6	40
		F.	89	162	57	48	26	46	3	39	3	29
46	Suicide	M.	10	43	7	8	2	22	1	9	.	4
		F.	6	7	4	2	1	4	1	1	.	.
47	Other external causes	M.	2	5	1	1	1	2	.	2	.	.
		F.	1	2	1	2	.	.	.	.	.	.
AGES												
Under 1 year		M.	550	948	348	355	161	333	28	150	13	110
		F.	436	740	292	300	123	219	19	144	2	77
1 year and under 65 years		M.	2,279	3,461	1,542	1,141	595	1,232	100	694	42	394
		F.	1,745	2,795	1,188	961	440	929	77	564	40	341
65 years and over		M.	2,799	8,881	1,837	2,478	782	3,068	131	2,176	49	1,159
		F.	3,219	7,252	2,124	2,065	877	2,553	149	1,726	69	908
Total		M.	5,628	13,290	3,727	3,974	1,538	4,633	259	3,020	104	1,663
		F.	5,400	10,787	3,604	3,326	1,440	3,701	245	2,434	111	1,326
BIRTHS												
		M.	11,801	21,225	7,976	8,045	3,066	6,844	565	4,071	194	2,265
		F.	11,346	20,259	7,770	7,672	2,808	6,507	583	3,901	185	2,179
Population according to the Census of Population 1951		M.	488,978	1,017,619	330,657	333,351	121,117	339,248	26,656	222,299	10,548	122,721
		F.	551,757	902,239	375,061	297,507	136,173	302,332	28,397	194,543	12,126	107,857



TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carlow U.D.	Dublin C.B.	Dun Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.
1	Tuberculosis of respiratory system	M	2	168	8	2	.	4	1	6	5	.
		F	.	84	3	3	.	.	.	3	5	.
2	Tuberculosis, other forms	M	.	24	4	.	.	.	.	.	3	.
		F	1	25	1	.	1	1	.	3	2	.
3	Diphtheria	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
4	Whooping cough	M	.	2	.	.	.	.	.	.	3	.
		F	.	1	.	.	.	.	.	.	.	.
5	Meningococcal infections	M	.	3	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	4	.	.	.	.	.	.	.	.
		F	1	6	.	.	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	.	23	1	.	.	.	.	1	1	.
		F	1	15	1	.	.	.	.	.	.	.
9	Malignant neoplasm of stomach	M	1	76	7	.	2	3	1	3	5	1
		F	.	68	9	.	1	2	.	2	1	.
10	Malignant neoplasm of small and large intestine including duodenum	M	.	33	3	1	.	.	.	.	.	.
		F	.	48	8	1	1	2	.	2	2	.
11	Malignant neoplasm of rectum	M	.	20	3	.	.	.	.	1	.	.
		F	1	20	1	.	.	.	.	1	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	2	55	8	.	.	.	.	1	2	.
		F	3	40	5	1	1	.	.	2	.	1
13	Malignant neoplasm of trachea, bronchus and lung	M	1	94	13	1	1	2	1	4	1	.
		F	.	21	3	.	.	1	.	1	1	.
14	Other malignant neoplasms of respiratory system	M	.	16	3	.	.	1	.	.	.	.
		F	.	2	1	.	.	1	.	.	.	.
15	Malignant neoplasm of breast	M	.	1	.	.	.	.	.	.	.	.
		F	2	55	7	.	.	3	1	2	1	.
16	Malignant neoplasm of uterus	F	1	36	2	.	1	1	1	1	.	.
17	Other malignant neoplasms of genito-urinary system	M	1	39	3	.	.	.	.	1	2	.
		F	.	25	3	.	1	.	.	.	.	.
18	Other malignant neoplasms	M	.	58	2	.	.	1	.	4	6	.
		F	.	41	3	.	1	1	.	1	1	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	8	2	.	.	.	.	.	1	.
		F	.	14	1	.	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	2	1	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	1	.	.
21	Diabetes	M	.	16	1	.	1	.	.	.	1	.
		F	.	12	2	.	.	.	.	.	1	.
22	Cerebral haemorrhage	M	.	89	11	.	.	2	.	1	2	1
		F	.	130	14	2	3	2	.	.	8	2
23	Other vascular lesions affecting the central nervous system	M	.	144	22	1	2	1	2	3	5	2
		F	1	174	25	2	2	3	.	4	2	.
24	Other diseases of nervous system and sense organs	M	.	50	7	.	.	.	.	1	2	.
		F	.	60	6	.	.	3	2	2	5	1
25	Chronic rheumatic heart disease	M	.	26	1	.	.	.	.	.	.	1
		F	.	69	2	1	.	.	.	2	2	.
26	Arteriosclerotic and degenerative heart disease	M	9	621	68	8	8	15	11	16	33	5
		F	15	649	78	3	8	12	6	15	21	3
27	Other diseases of the heart	M	2	75	15	2	.	1	.	2	4	.
		F	6	95	9	1	1	1	1	2	5	.



TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carlow U.D.	Dublin C.R.	Dun Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.
28	Hypertension with heart disease	M	.	65	7	.	.	.	1	1	.	.
		F	2	85	5	.	.	.	.	1	2	.
29	Hypertension without heart disease	M	.	60	3	1	.	.	.	.	1	.
		F	.	71	7	1	.	.	.	.	.	.
30	Other diseases of circulatory system	M	.	58	9	1	.	7	.	2	1	.
		F	.	61	6	.	2	1	.	.	.	.
31	Influenza	M	..	5	.	.	.	.	1	.	.	.
		F	.	7	.	1	.	.	1	1	.	.
32	Pneumonia	M	.	90	5	.	.	1	3	3	2	.
		F	1	95	11	2	.	3	.	1	3	.
33	Bronchitis	M	.	141	7	1	1	1	.	1	2	1
		F	.	79	7	.	1	.	.	4	.	.
34	Other diseases of respiratory system	M	.	29	5	.	.	.	.	2	1	.
		F	.	21	4	1	.	1	.	.	3	.
35	Ulcer of stomach and duodenum	M	.	25	3	1	.	1	.	.	2	.
		F	.	9	.	1	.	1	.	1	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	5	.	.	1	.	.	.	.	.
		F	.	8	.	.	.	1	.	.	.	.
37	Nephritis and nephrosis	M	2	39	5	1	.	.	.	1	4	.
		F	3	34	3	.	.	1	.	2	2	1
38	Hyperplasia of prostate	M	.	13	3	.	.	3	.	.	1	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	7	4	1	.	.	.	.	.	.
40	Congenital malformations	M	.	42	3	1	1	.	.	1	2	.
		F	.	29	1	.	.	2	1	3	4	.
41	Diseases of early infancy	M	1	117	20	2	.	2	3	4	7	.
		F	6	96	10	1	1	3	2	6	4	.
42	Senility	M	.	16	3	2	2	5	1	7	9	.
		F	2	40	5	.	3	6	.	9	15	1
43	Ill-defined causes	M	2	59	2	1	1	1	.	3	2	.
		F	4	48	2	.	.	2	.	2	1	.
44	Other defined diseases	M	3	158	17	2	3	2	1	4	3	1
		F	3	163	20	2	1	7	.	8	7	1
45	Accidents	M	2	91	13	2	1	.	.	5	1	.
		F	.	40	9	.	1	.	.	1	2	.
46	Suicide	M	1	6	.	.	.	.	.	.	.	.
		F	.	3	.	.	.	.	.	.	.	.
47	Other external causes	M	.	1	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
AGES												
Under 1 year	M	3	237	28	3	4	3	4	8	13	.	.
	F	10	196	17	3	1	8	4	12	8	.	.
1 year and under 65 years	M	8	1,165	104	9	9	17	11	30	44	4	.
	F	17	894	70	9	9	15	2	26	29	2	.
65 years and over	M	18	1,265	156	18	11	33	11	40	57	8	.
	F	26	1,499	191	12	20	38	9	45	63	8	.
Total	M	29	2,667	288	30	24	53	26	78	114	12	.
	F	53	2,589	278	24	30	61	15	83	100	10	.
BIRTHS												
BIRTHS	M	76	5,859	502	58	45	141	44	184	247	30	.
	F	81	5,678	456	49	44	145	54	208	241	24	.
Population according to the Census of Population, 1951	M	3,752	244,006	20,843	1,905	1,881	5,183	1,921	8,223	9,816	966	.
	F	3,915	278,177	27,077	1,847	1,850	5,389	1,924	8,556	9,862	1,159	.

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		An Uainmh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.
1	Tuberculosis of respiratory system	M	2	.	2	1	3	6	.	3	.	4
		F	2	1	1	1	1	.	1	2	.	3
2	Tuberculosis, other forms	M	1	.	.	.	.	1	.	2	.	1
		F	.	1	.	.	1	1	1	1	.	1
3	Diphtheria	M	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.	2	.
5	Meningococcal infections	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	1	1	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
9	Malignant neoplasm of stomach	M	1	.	2	2	.	2	2	4	.	.
		F	1	.	.	1	.	1	.	2	.	1
10	Malignant neoplasm of small and large intestine including duodenum	M	1	.	.	.	.	.	.	.	3	2
		F	.	.	.	.	1	.	1	.	1	2
11	Malignant neoplasm of rectum	M	.	.	.	.	2	.	1	1	.	.
		F	.	.	.	.	.	1	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	.	.	.	.	1	.	3	.	.
		F	.	1	.	.	.	.	2	2	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	1	.	.	1	.	1	.	1	.	1
		F	.	.	.	.	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.	.	1
15	Malignant neoplasm of breast	M	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	1	1	1	1	1	.	.
16	Malignant neoplasm of uterus	F	.	.	1	.	.	.	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	1	.	.	1	.	.	1	1	1	2
		F	.	.	.	1	.	.	.	2	.	1
18	Other malignant neoplasms	M	.	1	.	.	1	1	1	3	2	.
		F	.	.	1	.	.	.	.	1	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	1	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	1	.	.	.	.	.
22	Cerebral haemorrhage	M	2	.	1	3	1	2	.	6	1	2
		F	4	.	1	3	1	2	3	4	2	7
23	Other vascular lesions affecting the central nervous system	M	3	1	1	1	2	4	1	2	1	3
		F	.	.	.	.	1	4	4	4	3	5
24	Other diseases of nervous system and sense organs	M	.	.	.	.	3	.	2	2	.	1
		F	.	1	1	1	2	.	.	1	1	3
25	Chronic rheumatic heart disease	M	.	.	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	.	2	3	2
26	Arteriosclerotic and degenerative heart disease	M	7	4	5	8	11	10	10	19	6	14
		F	6	2	3	6	6	6	6	21	11	7
27	Other diseases of the heart	M	.	.	.	1	2	1	1	4	1	3
		F	1	.	.	1	1	2	.	3	1	1

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		An Uaimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No.1 U.D.
28	Hypertension with heart disease	M	.	.	.	.	.	.	1	1	.	1
		F	1	.	1	.	.	.	.	2	.	.
29	Hypertension without heart disease	M	.	.	.	4	.	2	.	1	1	1
		F	.	1	.	1	2	.	.	2	.	.
30	Other diseases of circulatory system	M	.	.	.	.	.	2	.	1	.	.
		F	2	.	.	.	4	2	1	7	.	4
31	Influenza	M	.	.	.	.	.	1	1	.	2	.
		F	.	.	.	.	.	1	.	1	1	.
32	Pneumonia	M	.	.	2	1	1	3	.	.	4	3
		F	.	.	1	1	2	.	.	.	1	1
33	Bronchitis	M	.	.	.	.	2	2	.	2	.	2
		F	.	1	.	2	2	.	.	2	.	.
34	Other diseases of respiratory system	M	1	.	.	.	1	.	1	.	.	4
		F	.	.	.	.	.	.	.	.	.	2
35	Ulcer of stomach and duodenum	M	1	.	.	.	.	.	2	1	2	.
		F	.	.	.	.	.	.	.	.	.	1
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	1	.	.	3	.	1	.	.
		F	.	.	.	1	1	1	.	.	.	.
37	Nephritis and nephrosis	M	.	.	2	.	.	.	.	.	.	2
		F	.	.	.	.	2	.	.	.	.	.
38	Hyperplasia of prostate	M	.	.	1	.	.	.	.	1	.	4
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	.	.	.	.	1	.	1	.
40	Congenital malformations	M	.	.	.	1	.	1	1	1	1	2
		F	.	.	.	2	1	.	.	1	.	.
41	Diseases of early infancy	M	.	1	2	5	2	3	2	4	.	5
		F	.	.	.	6	1	1	3	2	3	2
42	Senility	M	.	1	1	1	3	1	1	.	.	.
		F	.	.	2	1	.	.	1	1	1	2
43	Ill-defined causes	M	.	.	1	1	1	.	1	1	.	2
		F	.	.	2	.	1	.	.	.	2	3
44	Other defined diseases	M	2	.	2	4	2	4	3	8	.	4
		F	.	1	1	8	4	4	1	7	.	4
45	Accidents	M	.	1	1	2	.	.	.	1	2	2
		F	1	.	.	2	.	.	.	.	.	1
46	Suicide	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	1	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
AGES												
Under 1 year	M		1	1	3	6	4	8	3	7	2	7
	F		.	.	1	10	4	3	3	3	6	3
1 year and under 65 years	M		13	2	10	11	15	16	12	28	7	20
	F		6	6	6	12	9	6	10	26	10	15
65 years and over	M		9	6	11	20	19	28	19	39	19	38
	F		13	4	10	19	23	20	13	42	18	36
TOTAL	M		23	9	24	37	38	52	34	74	28	65
	F		19	10	17	41	36	29	26	71	34	54
BIRTHS												
	M		41	10	33	87	139	75	50	134	58	125
	F		44	13	35	67	129	74	55	120	78	140
Population according to the Census of Population, 1951	M		1,979	650	1,553	3,012	4,531	2,919	2,211	5,807	2,416	5,603
	F		2,292	659	1,732	3,153	4,484	3,029	2,692	6,172	2,787	6,459

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Malin U.D.
1	Tuberculosis of respiratory system	M	.	1	2	.	1	28	2	.	2	2
		F	1	.	1	.	1	9	1	.	.	2
2	Tuberculosis, other forms	M	1	3	1	.	1	2	.	.	.	.
		F	1	.	.	.	1	1	.	.	.	.
3	Diphtheria	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
4	Whooping cough	M	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	4	.	.	.	.
		F	.	.	.	.	.	2	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	2	.	.	.	.
		F	.	.	.	.	.	3	.	.	.	.
8	Other infective and parasitic diseases	M	1	.	.	.	.	4	.	.	.	.
		F	.	.	.	.	.	2	.	.	.	.
9	Malignant neoplasm of stomach	M	1	1	1	.	3	11	1	.	.	3
		F	.	.	.	.	2	10	1	3	.	.
10	Malignant neoplasm of small and large intestine including duodenum	M	.	.	.	1	1	4	.	1	.	1
		F	1	1	.	1	.	7	.	.	.	.
11	Malignant neoplasm of rectum	M	.	.	.	.	.	2	.	.	.	.
		F	.	.	.	.	.	4	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	1	.	1	1	8	2	.	1	2
		F	.	.	.	1	1	14	.	1	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	1	.	.	.	.	9	.	.	.	.
		F	1	.	.	.	.	1	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	2	.	.	.	.	1	.	.	1	1
		F	.	.	.	.	.	2	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	1	.	.	.	.
		F	2	2	.	.	2	12	.	.	.	.
16	Malignant neoplasm of uterus	F	.	.	1	.	.	2	.	.	1	.
17	Other malignant neoplasms of genito-urinary system	M	.	1	.	.	.	4	.	.	.	.
		F	.	.	.	1	2	5	1	1	.	.
18	Other malignant neoplasms	M	.	2	.	.	.	13	.	1	.	.
		F	1	.	.	.	1	4	1	.	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	.	1	1	1	.	.	.
		F	1	.	.	.	.	2	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	1	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
21	Diabetes	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	2	.	.	.	.
22	Cerebral haemorrhage	M	1	.	1	.	1	18	.	.	1	2
		F	1	1	.	.	4	24	1	.	.	1
23	Other vascular lesions affecting the central nervous system	M	.	1	.	1	.	20	.	1	1	1
		F	1	.	1	1	2	25	3	.	2	1
24	Other diseases of nervous system and sense organs	M	2	.	.	1	.	8	1	.	.	1
		F	.	2	1	1	1	11	.	.	.	1
25	Chronic rheumatic heart disease	M	.	.	1	.	.	5	.	.	.	.
		F	2	.	.	.	.	7	.	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	6	9	1	2	9	121	3	5	4	7
		F	8	8	.	3	12	120	2	5	1	8
27	Other diseases of the heart	M	.	3	1	.	2	16	1	1	.	1
		F	2	2	1	1	3	25	.	.	1	1



TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Mallow U.D.
28	Hypertension with heart disease	M	.	.	1	.	1	9	.	.	.	.
		F	.	.	.	.	2	6	.	.	.	1
29	Hypertension without heart disease	M	.	.	.	.	.	4	1	.	.	.
		F	.	1	.	.	.	7	.	1	.	.
30	Other diseases of circulatory system	M	.	.	.	1	.	8	.	.	1	2
		F	.	1	.	.	.	14	1	.	.	1
31	Influenza	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
32	Pneumonia	M	1	1	1	.	1	14	1	1	1	1
		F	.	1	.	.	2	13	.	.	.	.
33	Bronchitis	M	.	.	1	2	3	21	.	2	.	.
		F	.	1	.	.	3	11	1	.	.	1
34	Other diseases of respiratory system	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	1	12	.	1	.	.
35	Ulcer of stomach and duodenum	M	.	.	.	1	.	10	.	.	.	.
		F	.	.	.	.	.	2	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	1	.	.	.	3	.	.	.	.
		F	.	.	.	.	.	2	.	.	.	1
37	Nephritis and nephrosis	M	1	.	1	.	.	5	.	2	.	.
		F	.	2	.	.	.	9	.	.	.	.
38	Hyperplasia of prostate	M	.	.	1	.	.	10	1	.	.	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	.	.	.	.	1	.	.	.
40	Congenital malformations	M	.	.	.	.	.	6	.	.	.	.
		F	.	.	.	.	.	3	.	.	.	.
41	Diseases of early infancy	M	1	2	2	.	1	18	1	.	.	.
		F	.	2	.	.	2	18	2	.	.	.
42	Senility	M	.	3	1	1	.	7	9	.	.	1
		F	.	6	8	3	.	16	3	4	.	.
43	Ill-defined causes	M	2	.	1	.	1	12	.	1	.	1
		F	1	.	1	.	1	8	.	.	.	1
44	Other defined diseases	M	1	6	.	2	1	17	2	.	1	2
		F	1	1	.	1	4	21	.	1	2	3
45	Accidents	M	1	1	.	1	1	9	.	.	.	1
		F	.	1	.	.	.	12	1	.	.	.
46	Suicide	M	.	.	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
AGES												
	Under 1 year	M	3	5	3	.	1	42	1	.	1	.
		F	.	4	.	1	4	34	4	.	.	1
	1 year and under 65 years	M	7	13	7	4	15	161	10	8	6	13
		F	9	9	4	2	12	133	2	4	2	8
	65 years and over	M	12	19	7	10	13	238	16	7	6	15
		F	15	20	10	10	31	283	13	13	5	14
	TOTAL	M	22	37	17	14	29	441	27	15	13	28
		F	24	33	14	13	47	450	19	17	7	23
BIRTHS												
		M	38	86	40	26	43	869	48	10	23	55
		F	35	72	18	13	67	821	43	7	21	54
	Population according to the Census of Population, 1951	M	1,480	2,849	1,506	1,283	2,581	34,715	1,888	805	1,054	2,693
		F	1,846	3,248	1,648	1,459	3,130	39,852	2,129	1,125	1,223	2,890

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.
1	Tuberculosis of respiratory system	M	.	.	4	3	2	5	13	3	.	.
		F	1	.	1	1	2	3	16	2	.	3
2	Tuberculosis, other forms	M	1	.	1	1	.	2	4	.	.	1
		F	1	.	.	1	.	1	2	.	.	.
3	Diphtheria	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	1	1	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.	3	.	.	.
		F	.	.	.	.	.	.	2	.	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	2	2	.	.	.
		F	.	.	2	.	1	.	3	.	1	.
9	Malignant neoplasm of stomach	M	2	.	3	.	.	1	2	.	1	3
		F	.	.	1	1	.	3	2	.	.	1
10	Malignant neoplasm of small and large intestine including duodenum	M	.	.	.	.	.	.	4	.	.	.
		F	1	.	.	.	.	1	3	.	.	.
11	Malignant neoplasm of rectum	M	.	.	.	1	.	.	2	2	.	1
		F	.	1	.	.	.	.	2	.	.	1
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	.	.	1	1	1	.	.	.	.
		F	.	.	.	.	.	1	3	.	1	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	.	.	.	.	.	6	.	.	1
		F	.	.	.	.	.	.	.	.	.	1
14	Other malignant neoplasms of respiratory system	M	1	.	.	2	.	1	1	.	.	.
		F	.	.	1	.	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	1	.	.	8	.	.	1
16	Malignant neoplasm of uterus	F	.	.	.	1	.	1	4	2	.	.
17	Other malignant neoplasms of genito-urinary system	M	.	1	1	.	.	.	6	2	.	.
		F	.	.	1	1	.	1	2	.	.	.
18	Other malignant neoplasms	M	.	.	1	.	.	.	7	2	1	1
		F	1	1	1	.	1	1	3	1	.	1
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	.	1	.	.	1	.	.	.
		F	.	.	.	1	.	.	1	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
21	Diabetes	M	.	.	.	1	.	.	3	1	.	.
		F	1	.	.	.	.	1	2	.	.	.
22	Cerebral haemorrhage	M	.	.	2	.	.	4	9	2	.	2
		F	1	.	2	4	2	2	13	2	.	4
23	Other vascular lesions affecting the central nervous system	M	.	1	2	2	1	2	11	1	.	1
		F	1	.	2	5	.	6	6	4	.	2
24	Other diseases of nervous system and sense organs	M	.	.	.	2	.	2	5	1	.	1
		F	.	.	3	.	.	2	10	3	.	.
25	Chronic rheumatic heart disease	M	.	.	1	.	.	.	2	.	1	.
		F	.	.	.	.	.	.	1	.	.	1
26	Arteriosclerotic and degenerative heart disease	M	7	6	10	7	4	18	61	8	1	9
		F	5	3	6	9	3	15	45	6	5	5
27	Other diseases of the heart	M	.	.	.	2	1	4	32	1	.	2
		F	1	.	1	.	.	7	24	5	.	.

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.
28	Hypertension with heart disease	M	.	.	1	1	1	.	1	.	.	1
		F	.	.	.	1	.	2	2	.	.	.
29	Hypertension without heart disease	M	.	1	1	2	.	1	3	.	.	1
		F	.	.	.	2	1	1	1	.	.	.
30	Other diseases of circulatory system	M	.	1	1	.	.	1	2	2	.	.
		F	.	.	.	1	.	.	3	.	2	.
31	Influenza	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	2	.	.	.	.	.	.
32	Pneumonia	M	.	3	1	1	.	.	14	.	1	1
		F	.	1	.	1	.	1	7	3	.	1
33	Bronchitis	M	.	.	1	.	.	1	16	1	.	1
		F	.	.	.	1	1	2	7	.	.	.
34	Other diseases of respiratory system	M	.	.	.	1	.	1	6	.	.	.
		F	.	.	.	1	.	1	2	1	.	1
35	Ulcer of stomach and duodenum	M	.	.	.	2	.	1	.	.	.	.
		F	.	.	.	.	.	1	1	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	2	10	.	.	.
		F	.	.	.	.	.	.	8	.	.	2
37	Nephritis and nephrosis	M	.	2	.	.	.	1	5	.	.	.
		F	1	1	1	1	.	.	3	.	.	.
38	Hyperplasia of prostate	M	.	.	1	.	.	1	.	.	.	.
39	Complications of pregnancy, childbirths, and the puerperium	F	1	.	.	.	.	.	2	.	.	.
40	Congenital malformations	M	1	.	.	.	1	2	5	.	.	.
		F	.	.	.	1	2	.	2	.	.	.
41	Diseases of early infancy	M	.	.	1	2	3	5	8	.	3	7
		F	.	.	2	2	.	3	7	2	.	2
42	Senility	M	1	.	4	.	1	4	3	1	.	1
		F	.	1	8	1	1	1	12	1	1	9
43	Ill-defined causes	M	2	.	.	1	1	.	9	3	1	.
		F	3	.	.	.	.	.	7	1	1	.
44	Other defined diseases	M	1	.	.	.	5	6	19	2	.	.
		F	.	2	2	7	1	7	20	1	.	2
45	Accidents	M	1	.	.	.	1	1	10	.	1	1
		F	.	.	.	.	.	.	5	.	.	1
46	Suicide	M	.	.	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
AGES												
Under 1 year	M	1	.	1	2	4	11	41	.	4	7	
	F	.	.	2	6	1	5	24	3	.	4	
1 year and under 65 years	M	5	2	11	15	5	20	130	9	4	14	
	F	8	2	9	11	7	25	88	12	3	13	
65 years and over	M	11	13	24	16	13	39	117	23	2	14	
	F	10	8	24	29	7	35	130	19	8	21	
TOTAL	M	17	15	36	33	22	70	288	32	10	35	
	F	18	10	35	46	15	65	242	34	11	38	
BIRTHS		M	28	18	47	57	35	130	687	61	28	79
	F	29	22	53	51	35	108	600	54	19	84	
Population according to the Census of Population, 1951		M	1,331	1,054	2,196	3,088	1,478	5,260	24,103	2,136	888	3,013
	F	1,497	1,287	2,556	3,210	1,671	5,785	26,717	2,284	1,076	3,263	

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.
1	Tuberculosis of respiratory system	M	3	.	2	.	.	12	.	5	1	1
		F	2	1	2	.	2	8	2	3	4	1
2	Tuberculosis, other forms	M	2	.	1	1	1	3	.	2	.	.
		F	.	.	1	.	.	3	1	1	1	.
3	Diphtheria	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
4	Whooping cough	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.	.	2	.	.
		F	.	.	.	.	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.	.	2	.	.
		F	.	.	.	1	.	.	.	1	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	1	.	.	1	.
		F	.	.	.	.	.	.	.	1	.	.
9	Malignant neoplasm of stomach	M	.	2	1	1	.	7	.	4	1	1
		F	.	.	1	1	.	4	.	6	1	1
10	Malignant neoplasm of small and large intestine including duodenum	M	1	.	.	.	.	1	.	1	.	1
		F	.	.	1	.	.	2	.	2	.	.
11	Malignant neoplasm of rectum	M	.	.	1	1	.	3	.	1	.	.
		F	1	.	1	.	1	3	.	.	.	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	.	.	.	4	1	.	1	1	1
		F	.	.	1	.	.	4	.	1	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	.	1	1	.	5	1	2	.	.
		F	.	.	1	.	.	.	.	1	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	.	.	.	.	3	.	.
		F	.	.	.	.	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	1	3	.	3	.	4
16	Malignant neoplasm of uterus	F	1	.	1	.	.	.	.	.	.	.
17	Other malignant neoplasms of genito-urinary system	M	1	.	.	.	2	6	.	3	.	.
		F	.	1	1	.	.	1	1	.	.	.
18	Other malignant neoplasms	M	.	.	1	2	3	6	1	2	3	.
		F	1	.	1	.	.	3	.	1	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	.	1	.	2	1	.	.	.	.
		F	.	.	.	.	.	.	.	1	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	1	.	.	.	.
21	Diabetes	M	.	.	.	.	.	2	.	.	.	1
		F	.	.	.	.	1	1	.	1	1	.
22	Cerebral haemorrhage	M	.	1	5	.	1	12	.	3	1	1
		F	2	.	6	.	2	19	1	8	.	.
23	Other vascular lesions affecting the central nervous system	M	.	.	1	3	1	1	.	7	.	1
		F	5	1	1	2	1	4	.	4	.	1
24	Other diseases of nervous system and sense organs	M	.	.	2	.	2	3	.	2	.	1
		F	1	.	1	2	1	1	.	3	1	1
25	Chronic rheumatic heart disease	M	1	.	.	.	.	4	.	1	.	.
		F	1	.	.	.	.	.	1	.	.	.
26	Arteriosclerotic and degenerative heart disease	M	7	8	16	18	4	51	3	36	3	7
		F	2	8	14	11	4	41	4	21	13	2
27	Other diseases of the heart	M	.	.	2	.	.	4	.	2	.	.
		F	1	.	2	.	.	7	.	1	.	.



TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dangarvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.
28	Hypertension with heart disease	M	.	.	.	.	1	3	.	1	.	.
		F	.	.	.	2	.	4	.	2	1	.
29	Hypertension without heart disease	M	.	1	.	1	1	2	.	2	.	.
		F	.	.	.	1	1	1	.	2	.	1
30	Other diseases of circulatory system	M	.	.	1	1	.	3	.	3	.	.
		F	1	.	.	1	.	5	.	.	.	.
31	Influenza	M	.	.	.	.	.	.	.	2	.	.
		F	.	.	.	.	.	1	.	.	.	.
32	Pneumonia	M	.	.	2	.	.	4	.	1	1	1
		F	.	.	1	.	2	3	.	3	2	.
33	Bronchitis	M	.	.	3	1	1	8	.	1	.	.
		F	2	2	.	.	.	6	.	1	.	.
34	Other diseases of respiratory system	M	.	.	1	2	.	3	.	.	.	.
		F	.	.	2	.	.	1	.	1	.	.
35	Ulcer of stomach and duodenum	M	.	.	.	1	1	.	.	3	.	.
		F	.	.	.	.	.	.	.	.	.	1
36	Gastro-enteritis and diarrhoea under 2 years	M	2	.	.	.	.	4	.	.	.	.
		F	.	.	.	.	.	3	.	.	.	.
37	Nephritis and nephrosis	M	.	.	1	.	1	2	.	1	1	1
		F	.	1	.	.	1	.	.	1	.	.
38	Hyperplasia of prostate	M	.	.	.	.	.	3	.	1	1	1
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	.	.	.	.	.	.	.	.
40	Congenital malformations	M	.	1	.	.	1	2	.	2	.	.
		F	.	.	1	.	.	5	.	2	1	.
41	Diseases of early infancy	M	3	2	5	1	1	9	1	3	.	1
		F	.	.	3	1	3	7	2	6	.	.
42	Senility	M	.	.	2	.	1	4	.	3	2	.
		F	.	.	3	1	4	9	6	2	2	4
43	Ill-defined causes	M	1	1	2	.	2	.	.	2	1	1
		F	.	.	2	.	.	1	.	.	.	.
44	Other defined diseases	M	2	1	3	2	1	19	1	7	3	3
		F	2	.	1	3	.	11	3	11	1	1
45	Accidents	M	1	1	1	1	1	2	2	2	2	.
		F	.	1	3	.	.	2	.	.	.	1
46	Suicide	M	.	.	.	1	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	1	.	.
47	Other external causes	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
AGES												
Under 1 year	M		5	3	6	1	2	20	1	6	1	2
	F		.	2	6	2	4	16	2	9	.	.
1 year and under 65 years	M		11	4	26	19	13	70	8	40	8	8
	F		6	4	20	6	7	43	7	35	12	4
65 years and over	M		8	11	23	18	17	102	1	65	12	13
	F		17	9	25	18	13	105	12	49	17	14
TOTAL	M		24	18	55	38	32	192	10	111	21	23
	F		23	15	51	26	24	164	21	93	29	18
BIRTHS	M		70	19	139	65	64	339	42	238	75	26
	F		56	22	133	48	58	320	35	253	74	43
Population according to the Census of Population, 1951	M		2,223	1,290	5,076	2,454	2,668	13,485	2,988	10,374	3,000	2,508
	F		2,534	1,539	5,395	2,694	2,755	15,206	2,608	10,942	3,220	2,780

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Westport U.D.	Sligo U.D.	Cavan U.D.	Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
1	Tuberculosis of respiratory system	M	1	6	2	1	.	3	1	.	1	.
		F	.	4	1	.	1	.	.	.	.	.
2	Tuberculosis, other forms	M	.	3	1	1	.	.	.	.	1	.
		F	.	1	1	.	.	.	.	.	.	1
3	Diphtheria	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
4	Whooping cough	M	.	3	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	.	.
5	Meningococcal infections	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
6	Acute poliomyelitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
7	Measles	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
8	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	1	.
9	Malignant neoplasm of stomach	M	.	3	1	.	.	.	2	1	.	.
		F	.	.	1	.	.	1	1	.	.	1
10	Malignant neoplasm of small and large intestine including duodenum	M	.	.	.	.	.	.	.	.	.	.
		F	.	2	.	.	1	.	.	.	.	.
11	Malignant neoplasm of rectum	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	.	.	.	.	.	1	.
12	Other malignant neoplasms of digestive organs and peritoneum	M	.	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	1	.	.	.
13	Malignant neoplasm of trachea, bronchus and lung	M	.	1	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
14	Other malignant neoplasms of respiratory system	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
15	Malignant neoplasm of breast	M	.	.	.	.	.	.	.	.	.	.
		F	.	2	.	.	.	2	1	.	.	.
16	Malignant neoplasm of uterus	F	.	.	.	.	.	.	.	.	.	.
17	Other malignant neoplasms of genito-urinary system	M	.	1	.	.	.	.	.	.	.	.
		F	.	1	.	.	.	.	.	.	1	.
18	Other malignant neoplasms	M	1	.	.	.	1	.	.	.	.	.
		F	.	1	.	.	.	.	1	.	.	.
19	Hodgkin's disease and leukaemia and aleukaemia	M	.	1	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
20	Other neoplasms of lymphatic and haematopoietic tissues	M	.	1	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	1	1	.	.
21	Diabetes	M	.	.	.	.	.	1	.	.	.	.
		F	1	.	1	.	.	.	.	.	.	.
22	Cerebral haemorrhage	M	.	4	1	.	1	.	.	.	.	.
		F	.	2	.	1	.	2	1	.	1	.
23	Other vascular lesions affecting the central nervous system	M	.	3	.	2	1	.	.	1	1	2
		F	5	1	1	.	1	.	1	2	1	2
24	Other diseases of nervous system and sense organs	M	.	2	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	1	.	.	.	.
25	Chronic rheumatic heart disease	M	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	2
26	Arteriosclerotic and degenerative heart disease	M	6	22	5	1	4	2	4	4	1	5
		F	6	16	3	4	3	2	1	1	5	4
27	Other diseases of the heart	M	1	.	.	.	1	.	.	1	1	.
		F	.	1	1	.	1	1	.	.	.	1

TABLE 23 (contd.) - DEATHS IN 1952, CLASSIFIED BY CAUSE AND BY SEX FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE AND SHOWING THE NUMBER OF DEATHS AT AGES UNDER 1 YEAR, 1-64 YEARS, 65 YEARS AND OVER AND THE NUMBER OF BIRTHS AND THE POPULATION

Code Number	Causes of Death		Westport U.D.	Sligo U.D.	Cavan U.D.	Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
28	Hypertension with heart disease	M	.	1	.	.	.	.	.	.	.	.
		F	.	3	.	.	.	.	.	.	.	.
29	Hypertension without heart disease	M	.	1	.	.	1	.	.	.	.	1
		F	1	2	.	.	.	.	.	.	.	.
30	Other diseases of circulatory system	M	.	2	1	1	.	.	.	.	.	1
		F	.	1	2	.	.	.	.	2	.	1
31	Influenza	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	1	.	1	.	.	.	.	.
32	Pneumonia	M	.	9	.	.	.	.	.	.	1	.
		F	.	6	1	1	1	1	1	.	.	1
33	Bronchitis	M	.	1	.	.	.	.	.	1	1	.
		F	.	.	.	.	.	.	.	.	.	2
34	Other diseases of respiratory system	M	.	1	.	1	.	.	.	.	.	1
		F	.	1	.	.	.	.	.	.	.	.
35	Ulcer of stomach and duodenum	M	.	.	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
36	Gastro-enteritis and diarrhoea under 2 years	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
37	Nephritis and nephrosis	M	1	1	1	.	1	.	.	.	.	1
		F	.	.	.	.	1	.	.	.	1	1
38	Hyperplasia of prostate	M	.	.	.	.	.	.	.	1	1	.
39	Complications of pregnancy, childbirth, and the puerperium	F	.	.	1	.	.	.	1	.	.	.
40	Congenital malformations	M	.	3	.	1	1	1	.	.	.	.
		F	.	1	.	1	.	.	.	.	.	.
41	Diseases of early infancy	M	.	7	1	.	.	1	2	3	.	1
		F	.	2	.	.	.	.	1	.	.	.
42	Senility	M	.	1	2	.	.	.	.	.	1	.
		F	4	6	.	3	1	2	.	2	2	1
43	Ill-defined causes	M	.	.	1	.	.	.	.	.	.	.
		F	1	3	2	.	.	1	.	.	.	1
44	Other defined diseases	M	.	6	.	.	.	1	2	.	.	2
		F	.	6	1	.	.	.	1	2	.	3
45	Accidents	M	.	.	1	2	.	1	.	.	.	2
		F	.	2	.	.	1	.	.	1	.	1
46	Suicide	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
47	Other external causes	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
AGES												
Under 1 year	M	.	18	1	1	1	3	2	4	.	.	1
	F	1	7	.	1	.	.	1	.	.	.	.
1 year and under 65 years	M	4	32	10	5	4	5	5	2	1	4	11
	F	2	17	8	1	5	6	8	3	.	2	7
65 years and over	M	6	34	7	5	7	4	9	8	8	5	4
	F	16	41	10	8	7	7	3	3	8	11	15
TOTAL	M	10	84	18	11	12	12	12	13	13	9	16
	F	19	65	18	10	12	13	12	12	11	13	22
BIRTHS	M	28	156	33	35	13	31	17	17	21	27	
	F	39	139	35	29	15	32	14	18	23	19	
Population according to the Census of Population, 1951	M	1,426	6,360	1,675	1,428	764	1,472	894	1,044	1,240	2,031	
	F	1,678	7,169	1,880	1,611	916	1,532	1,151	1,129	1,215	2,692	

TABLE 24 - INFANT MORTALITY - TOTAL DEATHS UNDER 1 YEAR

Detailed Inter- national List Nos.	Causes of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS					
							1	2	3	4	5	6
010	Tuberculosis of meninges and central nervous system	M F	8 11	. .	. .	. .	. .	. .	. .	. .	. .	. .
001-009	Tuberculosis, other forms	M	7	. .	. .	. .	. .	. .	. .	. .	. .	. .
011-019		F	2	. .	. .	. .	. .	. .	. .	1 .	. .	. .
020-029	Syphilis and its sequelae	M F	2 1	. .	1 .	1 .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	32 31	. .	. .	. .	. .	. .	. .	. .	. .	. .
030-055	Other infective and parasitic diseases	M F	21 22	. .	. .	. .	. .	. .	. .	. .	. .	1 .
340	Meningitis, except mening- ococcal and tuberculous	M F	12 8	. .	. .	. .	. .	. .	. .	. .	. .	. .
330-334	Diseases of the nervous system and sense organs	M F	19 12	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	10 5	. .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	167 149	. .	. .	. .	. .	. .	. .	. .	. .	. .
500-502	Bronchitis	M F	21 17	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475	Other diseases of the respiratory system	M F	10 3	. .	. .	. .	1 .	. .	1 .	. .	. .	. .
571,764	Gastro-enteritis and colitis and diarrhoea of the newborn	M F	77 65	1 .	. .	1 .	. .	. .	. .	. .	. .	1 .
530-570	Other diseases of the digestive system	M F	25 10	1 .	. .	1 .	. .	. .	1 .	. .	1 .	. .
750-759	Congenital malformations	M F	211 156	13 9	18 18	31 27	10 6	10 7	8 4	5 3	1 -	2 4
760-761	Birth injuries	M F	107 83	6 8	25 29	31 37	28 11	11 13	9 5	6 7	2 1	1 .
762	Postnatal asphyxia and atelectasis	M F	123 86	12 7	37 26	49 33	22 20	20 9	8 3	5 3	3 3	. 3
763	Pneumonia of newborn	M F	47 47	. .	. 1	. 1	3 3	2 4	5 1	2 1	1 4	. .
765-768	Other infections of the newborn	M F	2 3	. .	. 1	. 1	. .	. .	1 .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	177 133	7 5	16 17	23 22	12 9	16 5	6 9	6 2	5 4	4 4
769.5- 773.5	With mention of immaturity	M F	107 61	5 4	22 13	27 17	10 5	20 7	6 5	5 3	3 2	3 .
774	Immaturity with mention of any other subsidiary condition	M F	7 6	. .	2 .	2 .	. .	1 2	. .	1 .	. 1	. .
776	Immaturity unqualified	M F	198 179	6 9	66 51	72 60	35 22	18 17	15 12	7 4	5 8	2 6
780.2	Convulsions	M F	42 30	. 2	1 .	1 2	. .	. .	1 .	2 .	1 .	. 1
	Other causes	M F	66 56	1 5	. 2	1 7	3 1	2 .	3 2	1 2	2 .	. .
All causes		M F	1,498 1,176	52 49	188 158	240 207	124 77	100 64	64 41	40 27	24 23	12 20



## OF AGE IN 1952, CLASSIFIED BY SEX, AGE AND CAUSE

Total under 7	7-13	14-20	21-27	Total under 4 wks.	MONTHS											Detailed Inter- national List Nos.
					4 wks. and under 2	2	3	4	5	6	7	8	9	10	11	
.	.	.	.	.	.	.	1	.	.	.	2	.	2	1	2	010
.	.	.	.	.	.	.	1	.	.	3	2	.	2	2	1	
1	.	.	.	1	.	2	.	1	.	.	.	1	3	.	.	001-009
1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	011-019
.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	6	7	2	4	4	2	1	4	.	2	.	056
.	.	.	.	.	4	4	7	2	.	2	5	4	.	3	.	
1	.	.	1	1	1	3	3	4	.	.	1	3	.	4	1	030-055
1	2	.	.	3	.	3	.	2	.	6	3	.	1	2	2	057-138
.	1	1	1	3	.	.	.	.	2	3	.	2	.	1	1	340
.	.	.	.	.	1	2	1	.	1	1	.	.	.	1	1	
.	1	.	.	1	4	1	.	2	3	3	2	1	1	1	.	330-334
.	.	.	.	.	4	.	.	1	.	4	2	1	.	.	.	341-398
.	1	.	.	1	2	4	.	.	.	.	.	.	2	1	.	480-483
.	.	.	.	.	.	1	2	.	1	.	.	1	.	.	.	
.	.	.	.	.	47	27	28	24	7	8	9	3	5	5	4	490-493
.	.	.	.	.	25	30	29	10	10	11	6	10	9	3	6	
.	.	.	.	.	3	1	3	6	1	.	1	2	1	1	2	500-502
.	.	.	2	2	4	2	1	3	1	1	2	.	.	1	.	
2	1	.	.	3	2	.	2	.	1	1	.	.	1	.	.	470-475
.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	510-527
1	2	2	5	10	29	11	12	6	1	3	.	1	2	1	1	571,764
1	2	2	2	7	13	11	7	11	5	5	1	2	1	1	1	
3	1	1	3	8	2	4	2	2	1	3	2	.	.	1	.	530-570
1	.	.	.	1	4	1	.	1	2	1	.	.	.	.	.	573-587
67	17	14	11	109	34	14	19	6	5	8	1	7	4	3	1	750-759
51	22	12	14	99	18	8	13	5	3	2	3	1	2	.	2	
88	10	3	.	101	4	.	.	.	.	1	.	1	.	.	.	760-761
74	6	.	.	80	2	.	1	.	.	.	.	.	.	.	.	
107	7	2	1	117	3	2	.	.	1	.	.	.	.	.	.	762
74	3	.	1	78	2	1	3	.	.	.	.	1	.	1	.	
13	15	11	8	47	.	.	.	.	.	.	.	.	.	.	.	763
14	11	11	11	47	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	765-768
1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	
72	16	9	8	105	28	19	11	6	2	2	3	.	.	1	.	769.0-
55	16	5	6	82	19	4	15	4	1	3	1	.	1	3	.	773.0
74	9	10	5	98	6	2	1	.	.	.	.	.	.	.	.	769.5-
39	7	2	4	52	4	1	1	2	1	.	.	.	.	.	.	773.5
4	1	1	.	6	.	.	.	.	.	.	.	.	1	.	.	774
3	.	1	.	4	1	.	1	.	.	.	.	.	.	.	.	
154	17	11	7	189	3	4	1	.	.	.	1	.	.	.	.	776
129	17	10	6	162	10	4	2	1	.	.	.	.	.	.	.	
5	3	2	3	13	7	3	4	5	3	6	1	.	.	.	.	780.2
3	4	.	2	9	9	3	1	.	2	1	.	2	.	2	1	
12	2	2	2	18	10	8	11	4	6	1	2	1	3	2	.	
12	6	3	.	21	9	1	7	2	3	3	1	3	2	2	2	
604	104	68	56	832	192	112	101	70	37	41	26	26	25	24	12	
459	97	48	49	653	129	78	91	44	31	43	26	25	19	21	16	

TABLE 25 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER 1 YEAR IN 1952  
CLASSIFIED BY SEX AND CAUSE FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS

Inter- national List Nos.	Causes of Death		Total		Dublin Co. Borough and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	. .	8 11	. .	2 2	. .	. 1	. .	4 4	. .	. .	. .	6 4
001-009	Tuberculosis, other forms	M F	. 1	7 1	. .	1 .	. .	1 .	. .	. .	. .	2 .	. 1	3 1
020-029	Syphilis and its sequelae	M F	1 1	1 .	1 .	. .	1 .	. .	. .	. .	. .	. .	1 .	. .
056	Whooping cough	M F	. .	32 31	. .	2 1	. .	1 2	. .	5 2	. .	1 3	. .	23 23
030-055	Other infective and parasitic diseases	M F	1 3	20 19	. 1	3 5	. .	9 3	. 1	. 1	. .	1 1	1 1	7 9
340	Meningitis except menin- gococcal and tuberculous	M F	3 .	9 8	2 .	2 1	. .	1 .	. .	1 .	. 2	. .	1 .	5 5
330-334	Diseases of the nervous system and sense organs	M F	1 .	18 12	. .	2 3	. .	4 .	. .	1 1	. .	1 3	1 .	10 5
480-483	Influenza	M F	1 .	9 5	. .	. .	. .	1 .	. .	. .	. 1	. .	1 .	8 4
490-493	Pneumonia	M F	. .	167 149	. .	35 37	. .	11 6	. .	11 4	. .	7 8	. .	103 94
500-502	Bronchitis	M F	. 2	21 15	. .	7 .	. .	1 3	. .	. .	. 2	. .	. 2	13 10
470-475	Other diseases of the respiratory system	M F	3 1	7 2	. .	2 1	. .	1 .	. .	. .	. .	1 .	3 1	3 1
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	10 7	67 58	. 1	4 6	1 .	15 12	. .	3 1	. .	7 6	9 6	38 33
530-570	Other diseases of the digestive system	M F	8 1	17 9	2 .	3 .	. 1	. .	1 .	. .	. 2	1 .	5 1	13 6
750-759	Congenital malformations	M F	109 99	102 57	16 18	21 9	8 4	3 4	9 9	3 3	8 5	6 2	68 63	69 39
760-761	Birth injuries	M F	101 80	6 3	30 14	2 2	3 3	. .	6 7	. .	7 7	. .	55 49	4 1
762	Postnatal asphyxia and atelectasis	M F	117 78	6 8	38 20	3 1	8 5	. 1	4 5	. .	8 3	. 1	59 45	3 5
763	Pneumonia of newborn	M F	47 47	. .	11 17	. .	3 2	. .	5 3	. .	2 1	. .	26 24	. .
765-768	Other infections of the newborn	M F	1 3	1 .	. 2	1 .	. .	. .	. .	. .	. 1	. .	1 .	. .
	Other and ill-defined diseases of early infancy:-													
769.0- 773.0	Without mention of immaturity	M F	105 82	72 51	9 8	3 5	1 3	5 2	6 2	4 3	9 9	6 2	80 60	54 39
769.5- 773.5	With mention of immaturity	M F	98 52	9 9	22 10	. 2	6 2	2 1	2 1	1 .	7 6	2 1	61 33	4 5
774	Immaturity with mention of any other subsidiary condition	M F	6 4	1 2	. .	. .	. .	. .	1 .	. .	. .	. .	5 4	1 2
776	Immaturity unqualified	M F	189 162	9 17	18 22	. 3	7 12	. 1	13 10	. .	18 12	2 2	133 106	7 11
780.2	Convulsions	M F	13 9	29 21	1 2	4 3	3 .	3 2	1 .	2 1	2 1	3 4	6 6	17 11
	Other causes	M F	18 21	48 35	5 7	13 10	2 2	2 2	. 1	. 2	. .	2 3	11 11	31 18
All causes		M F	832 653	666 523	155 122	110 91	42 33	61 41	48 39	31 22	61 45	42 43	526 414	442 326

TABLE 26 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE CHILDREN IN 1952 UNDER ONE YEAR OF AGE,  
CLASSIFIED BY SEX, AGE AND CAUSE

Inter- national List No.	Causes of Death		Total under 1 year	DAYS			Total under 4 weeks	MONTHS		
				Under 1 day	1 and under 7	7 and under 28		4 wks. and under 3 months	3 and under 6 months	6 and under 12 months
010	Tuberculosis of meninges and central nervous system	M F	1 .	. .	. .	. .	. .	. .	. .	1 .
001-009 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	2 .	. .	. .	. .	. .	. .	2 .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	. .	. .	. .	. .	. .	. .	. .
340	Meningitis except meningococcal and tuberculous	M F	. .	. .	. .	. .	. .	. .	. .	. .
330-334 341-398	Diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	12 5	. .	. .	. .	. .	6 3	2 1	4 1
500-502	Bronchitis	M F	1 1	. .	. .	. .	. .	. .	1 1	. .
470-475 510-527	Other diseases of the respiratory system	M F	1 .	. .	. .	1 .	1 .	. .	. .	. .
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	4 1	. .	. .	1 .	1 .	3 .	. 1	. .
530-570 573-587	Other diseases of the digestive system	M F	3 .	. .	. .	2 .	2 .	. .	1 .	. .
750-759	Congenital malformations	M F	4 2	. .	1 .	1 1	2 1	1 .	. .	1 1
760-761	Birth injuries	M F	5 3	2 .	2 3	1 .	5 3	. .	. .	. .
762	Post-natal asphyxia and atelectasis	M F	3 6	1 1	2 4	. 1	3 6	. .	. .	. .
763	Pneumonia of newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .
765-768	Other infections of the newborn	M F	. .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-									
769.0- 773.0	Without mention of immaturity	M F	12 10	. 2	3 1	3 .	6 3	4 2	2 5	. .
769.5- 773.5	With mention of immaturity	M F	2 2	2 .	. 1	. 1	2 2	. .	. .	. .
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	. .	. .	. .	. .	. .	. .
776	Immaturity unqualified	M F	4 6	1 3	. 1	2 1	3 5	. 1	1 .	. .
780.2	Convulsions	M F	4 .	. .	. .	1 .	1 .	2 .	1 .	. .
	Other causes	M F	7 6	1 3	2 1	. 2	3 6	2 .	2 .	. .
	All causes	M F	65 42	7 9	10 11	12 6	29 26	18 6	12 8	6 2

TABLE 27 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed Inter- national List Nos.	Causes of Death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (pt. of)	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	. .	8 11	. .	5 7	. .	3 3	. .	. 1	. .	. .
001-009 011-019	Tuberculosis, other forms	M F	. 1	7 1	. 1	1 .	. .	5 1	. .	1 .	. .	. .
020-029	Syphilis and its sequelae	M F	1 1	1 .	1 1	. .	. .	1 .	. .	. .	. .	. .
056	Whooping cough	M F	. .	32 31	. .	8 8	. .	11 13	. .	7 8	. .	6 2
030-055 057-138	Other infective and parasitic diseases	M F	1 3	20 19	. 1	9 8	. .	11 6	1 2	. 5	. .	. .
340	Meningitis, except mening- ococcal and tuberculous	M F	3 .	9 8	2 .	5 4	1 .	2 4	. .	2 .	. .	. .
330-334 341-398	Diseases of the nervous system and sense organs	M F	1 .	18 12	. .	7 3	1 .	7 7	. .	1 2	. .	3 .
480-483	Influenza	M F	1 .	9 5	. .	3 2	1 .	4 1	. .	1 1	. .	1 1
490-493	Pneumonia	M F	. .	167 149	. .	77 79	. .	52 35	. .	27 24	. .	11 11
500-502	Bronchitis	M F	. 2	21 15	. 1	17 4	. 1	1 8	. .	3 2	. .	. 1
470-475 510-527	Other diseases of the respiratory system	M F	3 1	7 2	2 1	5 1	. .	2 .	. .	. 1	1 .	. .
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	10 7	67 58	3 4	17 25	3 1	38 25	2 2	9 7	2 .	3 1
530-570 573-587	Other diseases of the digestive system	M F	8 1	17 9	6 .	9 6	2 1	6 3	. .	1 .	. .	1 .
750-759	Congenital malformations	M F	109 99	102 57	53 56	49 27	28 21	35 13	16 10	9 12	12 12	9 5
760-761	Birth injuries	M F	101 80	6 3	57 49	2 2	23 16	2 .	9 9	2 1	12 6	. .
762	Postnatal asphyxia and atelectasis	M F	117 78	6 8	62 46	3 3	39 19	. 2	11 10	1 1	5 3	2 2
763	Pneumonia of newborn	M F	47 47	. .	28 30	. .	9 8	. .	7 7	. .	3 2	. .
765-768	Other infections of the newborn	M F	1 3	1 .	1 3	1 .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	105 82	72 51	42 37	24 23	39 28	31 11	16 12	9 12	8 5	8 5
769.5- 773.5	With mention of immaturity	M F	98 52	9 9	53 26	3 4	33 20	4 3	6 3	. 1	6 3	2 1
774	Immaturity with mention of any other subsidiary condition	M F	6 4	1 2	3 1	1 1	1 .	. .	2 1	. 1	. 2	. .
776	Immaturity unqualified	M F	189 162	9 17	86 72	2 9	63 63	5 7	19 12	1 1	21 15	1 .
780.2	Convulsions	M F	13 9	29 21	4 5	10 9	7 .	11 7	2 4	6 4	. .	2 1
	Other causes	M F	18 21	48 35	12 13	30 20	4 5	9 10	1 2	6 5	1 1	3 .
	All Causes	M F	832 653	666 523	415 347	288 245	254 183	240 159	92 74	86 89	71 49	52 30



## UNDER 1 YEAR IN 1952, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (Remainder of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	.	.	2	.	.	.	.	.	.	.	1	.	.	010
.	.	.	2	.	.	.	.	.	.	.	2	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	001-009
.	.	.	.	.	.	.	.	.	.	.	.	.	.	011-019
.	.	1	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	2	.	.	.	.	.	.	.	.	.	.	056
.	.	.	1	.	.	.	2	.	.	.	.	.	.	
.	1	.	3	.	.	.	1	.	.	.	.	.	.	030-055
.	.	1	5	.	.	.	2	.	.	.	.	.	.	057-138
.	.	2	2	.	.	.	.	.	.	.	.	.	1	340
.	.	.	1	.	.	.	2	.	.	.	.	.	.	
.	.	.	1	.	1	.	3	.	1	.	.	.	.	330-334
.	.	.	3	.	.	.	.	.	.	.	.	.	.	341-398
.	1	.	.	.	.	.	.	.	1	.	.	.	1	480-483
.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	1	.	32	.	3	.	11	.	3	.	4	.	.	490-493
.	3	.	34	.	3	.	13	.	3	.	3	.	2	
.	.	.	7	.	.	.	4	.	.	.	1	.	2	500-502
.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	1	.	1	1	.	.	.	1	.	.	.	470-475
.	.	.	1	.	.	.	.	1	.	.	.	.	.	510-527
.	1	.	4	.	.	1	.	1	1	.	1	.	2	571,764
.	1	1	6	.	.	.	5	1	3	.	1	.	1	
.	1	2	3	.	.	.	3	1	1	1	.	.	.	530-570
.	.	.	.	.	.	.	1	.	1	.	.	.	.	573-587
.	2	16	19	.	2	5	3	3	6	2	1	2	4	750-759
1	1	17	9	1	.	7	6	1	3	5	2	1	.	
2	.	25	2	5	.	5	.	1	.	3	.	1	.	760-761
1	.	13	2	1	.	5	.	2	.	1	.	2	.	
.	.	32	3	6	.	9	.	1	.	2	.	1	.	762
1	.	17	1	3	.	10	.	4	.	.	1	1	.	
1	.	9	.	2	.	7	.	2	.	1	.	.	.	763
1	.	17	.	.	.	4	.	.	.	1	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	765-768
.	.	2	.	.	.	.	.	.	.	.	.	.	.	
.	1	8	3	1	.	7	3	5	1	4	2	.	1	769.0-
3	1	8	4	.	1	1	.	3	.	3	.	2	2	773.0
2	1	19	.	3	.	8	.	6	.	1	.	1	.	769.5-
2	.	10	2	.	.	1	.	3	1	1	.	1	.	773.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	1	.	.	.	.	1	
1	.	16	.	2	.	11	.	2	.	7	.	5	.	776
2	.	17	3	5	.	10	.	2	.	9	1	6	.	
1	.	1	4	.	.	.	.	2	1	.	.	.	1	780.2
1	3	2	3	.	.	1	.	.	1	.	.	1	1	
1	.	4	13	1	.	3	6	.	3	2	.	.	1	
1	.	6	8	1	2	1	2	.	1	.	.	.	2	
8	8	135	102	20	8	57	34	24	18	24	10	10	13	
13	10	111	85	11	6	40	33	18	15	20	10	14	9	

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List Nos.	Causes of Death		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	. .	. .	. .	1 1	. .	. .	. .	. .	. .	. .
001-009 011-019	Tuberculosis, other forms	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
020-029	Syphilis and its sequelae	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
056	Whooping cough	M F	. .	. .	. .	1 .	. .	. .	. .	1 3	. .	. .
030-055 057-138	Other infective and parasitic diseases	M F	. .	1 .	. .	1 .	. .	1 .	. .	. .	. .	. .
340	Meningitis, except meningococcal and tuberculous	M F	. .	. 1	. .	1 .	. .	. .	. .	1 .	. .	. .
330-334 341-398	Diseases of the nervous system and sense organs	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
480-483	Influenza	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
490-493	Pneumonia	M F	. .	1 .	. .	3 .	. .	3 3	. .	2 3	. .	3 5
500-502	Bronchitis	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
470-475 510-527	Other diseases of the respiratory system	M F	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M F	. .	. .	. .	. .	. 1	2 3	1 .	2 2	. .	1 1
530-570 573-587	Other diseases of the digestive system	M F	. .	. .	1 .	. .	1 .	1 1	. .	. 1	. .	. .
750-759	Congenital malformations	M F	3 1	2 2	3 7	3 1	6 2	1 1	2 4	1 .	2 4	. 1
760-761	Birth injuries	M F	1 1	. .	2 4	. .	2 3	. .	1 4	. .	2 4	. .
762	Postnatal asphyxia and atelectasis	M F	3 .	. .	3 3	. .	2 3	. .	. 1	. .	2 .	. .
763	Pneumonia of newborn	M F	. 2	. .	1 1	. .	. 1	. .	1 2	. .	. .	. .
765-768	Other infections of the newborn	M F	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	1 2	1 1	2 1	1 5	3 4	2 2	4 .	1 3	1 2	4 2
769.5- 773.5	With mention of immaturity	M F	. .	. .	. .	. .	. .	. .	6 4	2 .	. .	. 1
774	Immaturity with mention of any other subsidiary condition	M F	. .	. .	1 .	. .	. .	. .	. .	. .	2 .	1 .
776	Immaturity unqualified	M F	4 1	. .	8 4	. .	3 5	1 1	4 2	1 2	11 4	. .
780.2	Convulsions	M F	. .	. .	. .	2 .	. .	. .	. .	1 .	. .	. .
	Other causes	M F	. .	1 .	. 2	1 2	. .	2 .	1 1	1 .	. 1	. .
	All Causes	M F	12 7	6 4	22 22	14 9	17 19	13 11	20 18	13 14	20 15	10 10

## UNDER 1 YEAR IN 1952, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	.	.	1	.	.	.	.	.	2	.	.	.	.	010
.	1	.	1	.	1	.	1	.	.	.	1	.	.	001-009
1	.	.	.	.	2	.	1	.	1	.	.	.	.	011-019
.	.	.	.	.	.	.	1	.	.	.	.	.	.	020-029
.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	3	.	4	.	.	.	4	.	2	.	.	056
.	.	.	2	.	2	.	1	.	5	.	4	.	1	
.	.	.	1	.	.	.	8	.	1	.	1	.	1	030-055
.	1	.	.	.	1	.	1	.	1	.	.	.	2	057-138
.	.	.	.	.	.	.	.	1	1	.	.	.	1	340
.	.	.	.	.	1	.	.	.	1	.	2	.	.	
.	1	.	.	.	.	.	2	.	1	.	1	.	1	330-334
.	.	.	.	.	.	.	.	.	1	.	4	.	.	341-398
.	1	.	.	.	.	.	1	.	1	.	1	.	.	480-483
.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	4	.	7	.	5	.	4	.	11	.	3	.	6	490-493
.	4	.	3	.	5	.	4	.	9	.	4	.	1	
.	1	.	2	.	.	.	.	.	.	.	.	.	.	500-502
1	2	.	1	.	.	.	3	.	4	.	.	.	.	
.	2	.	.	.	.	.	.	.	.	.	.	.	1	470-475
.	.	.	.	.	.	.	.	.	.	.	.	.	.	510-527
.	3	.	.	1	2	.	2	.	4	1	7	1	9	571,764
.	2	1	.	.	1	.	2	1	3	.	1	.	8	
.	.	.	.	.	1	.	.	.	1	2	1	.	.	530-570
.	2	.	.	.	.	.	.	.	.	.	1	.	.	573-587
5	.	4	5	1	2	4	.	6	11	3	5	3	2	750-759
3	1	2	.	3	1	.	2	5	5	2	2	1	1	
.	.	7	.	1	.	1	.	6	.	5	1	2	.	760-761
.	.	8	.	1	.	2	.	7	.	2	.	.	.	
.	.	1	.	5	.	7	.	12	.	6	.	.	.	762
1	.	2	1	.	.	4	1	5	1	2	.	.	.	
3	.	1	.	1	.	2	.	2	.	.	.	1	.	763
1	.	.	.	.	.	2	.	4	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-768
1	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	3	1	1	2	2	1	.	12	6	4	2	.	3	769.0-
6	1	2	1	.	.	2	.	6	4	4	3	1	2	773.0
6	.	1	.	1	.	2	1	9	1	5	1	1	1	769.5-
3	.	1	.	.	.	1	.	7	.	1	1	.	.	773.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
7	.	5	.	5	1	4	.	10	2	13	1	.	.	776
3	.	2	2	5	.	6	.	19	2	9	.	3	1	
.	.	.	1	.	.	.	.	1	2	.	2	3	3	780.2
.	1	.	.	.	1	.	.	.	.	.	1	.	1	
.	1	.	1	1	.	1	.	1	4	.	2	1	1	
.	2	.	1	1	1	1	1	.	3	1	1	1	1	
26	17	20	22	18	19	22	20	60	53	39	30	12	29	
20	17	19	12	10	14	18	16	54	39	22	26	6	18	

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List Nos.	Causes of Death		LIMERICK COUNTY		TIPPERARY (North Riding)		TIPPERARY (South Riding)		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M	.	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001-009	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	1
011-019		F	.	.	.	.	.	1	.	.	.	.
020-029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.
030-055	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.
057-138		F	.	.	.	.	.	1	.	.	.	.
340	Meningitis except meningococcal and tuberculous	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
330-334	Diseases of the nervous system and sense organs	M	.	.	.	.	.	1	.	1	1	.
341-398		F	.	.	.	1	.	1	.	.	.	.
480-483	Influenza	M	1	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490-493	Pneumonia	M	.	9	.	4	.	4	.	1	.	5
		F	.	2	.	3	.	5	.	1	.	1
500-502	Bronchitis	M	.	.	.	.	.	.	.	1	.	.
		F	1	.	.	.	.	1	.	.	.	.
470-475	Other diseases of the respiratory system	M	.	1	.	.	.	.	.	.	.	.
510-527		F	.	.	.	.	.	.	.	.	.	.
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M	.	4	.	2	.	3	.	4	.	1
		F	.	5	.	3	.	.	.	2	.	.
530-570	Other diseases of the digestive system	M	.	1	.	.	.	.	.	.	.	2
573-587		F	1	.	.	1	.	.	.	1	.	.
750-759	Congenital malformations	M	4	4	1	2	2	6	1	1	3	2
		F	2	.	1	.	2	.	3	1	2	1
760-761	Birth injuries	M	1	1	2	.	4	.	.	.	1	.
		F	.	.	3	.	.	.	1	.	.	.
762	Postnatal asphyxia and atelectasis	M	4	.	2	.	1	.	1	.	1	.
		F	2	.	3	.	1	.	1	.	1	.
763	Pneumonia of newborn	M	.	.	1	.	2	.	.	.	.	.
		F	.	.	1	.	.	.	.	.	.	.
765-768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	10	4	3	6	6	5	.	2	1	1
		F	4	.	2	.	7	1	.	.	2	1
769.5-773.5	With mention of immaturity	M	2	.	3	.	6	.	3	.	1	.
		F	1	1	2	.	6	.	1	1	1	.
774	Immaturity with mention of any other subsidiary condition	M	1	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	7	.	10	.	6	1	3	.	5	.
		F	4	.	6	2	5	2	3	.	3	.
780.2	Convulsions	M	2	1	.	3	1	.	.	.	.	.
		F	.	1	.	1	.	1	.	1	.	.
	Other causes	M	.	.	.	.	.	1	.	1	.	.
		F	.	2	1	1	.	.	.	.	.	.
	All Causes	M	32	27	22	17	28	21	8	12	13	12
		F	15	11	19	12	21	13	9	7	9	3



## UNDER 1 YEAR IN 1952, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	010
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	001-009 011-019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	3	.	.	.	1	.	.	.	3	.	2	.	2	.	2	056
.	1	.	.	.	3	.	2	.	2	.	.	.	1	.	1	
1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	030-055 057-138
.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	340
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	330-334 341-398
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	480-483
.	1	.	.	.	1	.	.	.	.	.	1	.	1	.	.	
.	9	.	2	.	5	.	2	.	9	.	.	.	5	.	6	490-493
.	5	.	1	.	9	.	3	.	6	.	1	.	7	.	3	
.	1	.	1	.	1	.	1	.	.	.	.	.	1	.	.	500-502
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	470-475 510-527
2	4	.	.	.	4	.	1	.	.	.	.	1	2	1	1	571,764
.	3	.	1	2	2	.	1	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	530-570 573-587
6	4	1	1	3	2	4	.	2	2	1	2	9	7	2	.	750-759
2	6	1	1	3	3	1	.	3	2	4	.	7	4	1	1	
3	.	1	.	3	1	.	1	2	.	6	.	4	.	2	.	760-761
4	.	1	.	1	.	2	1	1	.	3	.	3	.	.	.	
1	.	1	.	5	.	1	1	3	.	.	1	4	.	1	1	762
4	1	.	.	3	.	.	.	3	.	1	.	2	2	.	.	
2	.	.	.	3	.	.	.	2	.	1	.	2	.	.	.	763
1	.	.	.	5	.	.	.	1	.	1	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-768
1	5	3	1	4	1	5	.	3	2	3	3	5	4	.	1	769.0- 773.0
3	3	2	4	1	2	5	2	1	1	2	3	2	1	1	1	
2	.	2	.	2	.	.	.	2	.	.	1	2	1	4	.	769.5- 773.5
.	1	.	.	1	.	.	.	.	.	.	.	.	1	3	.	
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.	
5	.	2	.	9	1	1	.	2	.	6	.	7	1	8	.	776
3	.	.	.	5	.	2	1	2	.	5	.	6	.	4	.	
1	.	.	.	1	3	.	2	.	1	.	.	.	2	.	.	780.2
2	1	.	.	2	2	.	1	.	.	.	.	.	1	.	.	
.	2	.	.	.	1	.	2	1	1	.	1	1	2	.	.	
.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	
25	27	8	5	30	24	12	11	17	19	17	10	36	28	18	14	
20	29	7	8	24	25	10	14	13	13	17	5	22	19	10	6	

TABLE 28 - NUMBER OF CASES OF INFECTIOUS DISEASES NOTIFIED

COUNTY OR COUNTY BOROUGH	Acute Anterior Polomyelitis	Cerebro spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Measles	Ophthalmia Neonatorum
COUNTY BOROUGH												
Cork	.	5	134	5	9	.	20	7	1	7	748	.
Dublin	10	33	623	2	27	3	133	164	51	33	3,514	3
Limerick	.	.	2	1	.	.	6	.	.	1	224	.
Waterford	.	2	39	.	2	.	5	5	.	.	52	.
COUNTIES												
CARLOW												
Urban	.	.	.	.	.	.	.	.	.	.	11	.
Rural	.	.	2	1	.	.	2	1	.	.	135	.
CAVAN												
Urban	.	.	4	.	.	.	.	10	.	2	2	.
Rural	.	.	1	3	.	.	8	9	.	2	130	.
CLARE												
Urban	.	.	2	.	.	.	.	.	.	.	6	.
Rural	2	2	2	.	.	.	.	4	.	.	271	.
CORK												
Urban	.	1	1	.	.	.	1	.	.	.	91	.
Rural	15	4	56	4	8	.	7	5	.	.	344	.
DONEGAL												
Urban	.	.	.	.	.	.	.	.	.	.	15	.
Rural	4	6	2	.	.	.	11	20	.	.	151	.
DUBLIN												
Urban	1	3	63	3	1	.	10	1	2	3	344	1
Rural	5	9	125	6	25	.	18	21	11	4	932	1
GALWAY												
Urban	1	1	20	.	.	.	1	.	.	.	230	.
Rural	1	16	24	1	.	.	7	13	.	.	276	.
KERRY												
Urban	.	.	.	1	.	.	4	.	.	.	.	.
Rural	4	2	7	.	.	.	1	3	.	1	10	.
KILDARE												
Urban	.	.	.	.	.	.	1	.	.	.	13	.
Rural	3	.	.	.	.	.	1	.	1	.	83	1
KILKENNY												
Urban	3	1	1	.	.	.	.	.	.	.	5	.
Rural	3	1	.	.	.	.	2	.	.	.	53	.
LAOIS												
Rural	.	.	.	3	.	.	3	.	.	.	233	.
LEITRIM												
Rural	1	.	.	2	.	.	1	.	.	.	1	.
LIMERICK												
Rural	2	.	8	1	.	.	4	.	.	6	462	.
LONGFORD												
Urban	.	.	6	.	.	.	.	.	.	.	1	.
Rural	.	.	4	.	.	.	1	.	.	.	1	.
LOUTH												
Urban	1	.	4	.	.	.	2	.	.	.	8	.
Rural	2	4	3	.	.	1	.	1	.	.	10	.

## TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1952

COUNTY OR COUNTY BOROUGH	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Salmonella infection	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's disease	Whooping Cough	Other notifi- able Infectious Diseases
COUNTY BOROUGH													
Cork	.	1	.	1	.	4	216	.	.	.	.	44	.
Dublin	4	.	7	711	3	237	458	34	10	.	.	2,063	2A, 1B
Limerick	.	.	.	.	.	1	50	1	.	.	.	64	.
Waterford	.	.	.	.	.	9	21	.	.	.	.	16	.
COUNTIES													
CARLOW													
Urban	.	.	.	6	.	.	12	.	.	1	.	1	.
Rural	.	.	.	5	.	.	28	.	.	.	.	13	.
CAVAN													
Urban	.	.	.	2	.	2	32	.	.	.	.	.	.
Rural	.	2	1	11	.	.	66	2	.	.	.	44	.
CLARE													
Urban	.	.	.	.	.	.	12	.	.	.	.	34	.
Rural	.	.	.	.	.	.	24	3	.	.	.	86	.
CORK													
Urban	.	1	.	.	.	1	44	.	.	.	.	22	.
Rural	2	2	1	.	.	.	273	.	1	3	7	112	.
DONEGAL													
Urban	.	.	.	.	.	.	36	.	.	1	.	.	.
Rural	.	.	.	45	.	.	219	.	.	3	.	71	1A
DUBLIN													
Urban	1	.	1	39	.	10	52	2	.	.	.	70	1B
Rural	.	.	2	132	.	.	196	35	.	1	.	478	.
GALWAY													
Urban	1	.	.	1	.	16	88	.	.	6	.	4	.
Rural	.	.	1	.	.	.	46	2	.	8	2	71	.
KERRY													
Urban	.	1	.	.	.	.	19	.	.	1	1	9	.
Rural	.	2	1	.	.	.	9	.	.	3	1	46	.
KILDARE													
Urban	.	1	.	.	.	2	51	.	.	.	.	1	.
Rural	.	.	.	.	.	.	69	.	.	.	.	13	2A
KILKENNY													
Urban	.	.	.	3	.	5	267	1	.	.	.	.	.
Rural	1	1	.	4	.	.	65	.	.	.	2	4	.
LAOIS													
Rural	.	.	.	3	.	.	9	.	.	.	.	105	.
LEITRIM													
Rural	.	.	.	.	.	.	19	4	.	4	.	1	.
LIMERICK													
Rural	.	.	.	.	.	.	49	.	.	3	.	93	1B
LONGFORD													
Urban	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural	.	.	.	.	.	.	11	.	.	1	.	18	.
LOUTH													
Urban	.	.	1	2	.	1	22	.	.	.	.	3	.
Rural	.	.	.	1	.	.	42	.	.	.	.	4	.

TABLE 28 (contd.) - NUMBER OF CASES OF INFECTIOUS DISEASES

COUNTY OR COUNTY BOROUGH	Acute Anterior Polomyelitis	Cerebro spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Measles	Ophthalmia Neonatorum
MAYO												
Urban	2	.	.	.	.	.	.	.	.	.	73	.
Rural	18	3	.	.	.	.	.	.	.	2	94	.
MEATH												
Urban	.	.	2	.	.	.	.	.	.	.	3	.
Rural	.	.	14	.	.	.	.	.	.	.	94	.
MONAGHAN												
Urban	.	2	.	.	.	.	1	1	.	.	47	.
Rural	1	1	.	.	1	.	3	1	.	.	42	.
OFFALY												
Urban	1	.	1	.	.	.	1	7	.	.	12	.
Rural	3	.	12	.	1	.	4	16	.	3	51	.
ROSCOMMON												
Rural	1	3	2	1	.	.	.	9	.	.	134	.
SLIGO												
Urban	.	.	64	2	.	.	4	1	.	.	8	.
Rural	.	.	.	.	.	.	2	.	.	1	33	.
TIPPERARY (N.R.)												
Urban	.	1	.	.	.	.	1	1	.	.	1	.
Rural	1	.	.	1	.	.	2	2	.	.	81	.
TIPPERARY (S.R.)												
Urban	1	2	.	.	.	.	1	.	.	.	94	.
Rural	1	1	5	.	.	.	7	1	.	.	74	.
WATERFORD												
Urban	1	1	7	.	.	.	.	.	.	4	15	.
Rural	2	.	3	.	1	.	1	28	5	1	55	.
WESTMEATH												
Urban	.	.	.	.	.	.	.	.	.	.	20	.
Rural	.	.	1	.	.	.	3	2	.	.	430	.
WEXFORD												
Urban	.	1	4	2	.	.	.	.	.	.	163	.
Rural	6	1	1	.	.	1	5	2	.	.	338	.
WICKLOW												
Urban	.	.	4	1	.	.	3	3	.	.	15	.
Rural	.	.	3	.	.	.	1	1	2	.	158	.
ALL COUNTY BOROUGHES	10	40	798	8	38	3	164	176	52	41	4,538	3
ALL URBAN DISTRICTS	11	13	183	9	1	.	30	24	2	9	1,177	1
ALL RURAL DISTRICTS	75	53	275	23	36	2	94	139	19	20	4,676	2
TOTAL	96	106	1,256	40	75	5	288	339	73	70	10,391	8

(a) Brucellosis

(b) Malaria



## NOTIFIED TO THE DEPARTMENT OF HEALTH, DURING THE YEAR, 1952

COUNTY OR COUNTY BOROUGH	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Salmonella Infection	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weill's disease	Whooping Cough	Other notifi- able Infectious Diseases
MAYO													
Urban	.	.	.	.	.	.	11	.	.	.	.	21	.
Rural	1	.	.	.	.	.	17	.	.	2	.	26	.
MEATH													
Urban	.	.	.	.	.	.	5	.	.	.	.	21	.
Rural	.	.	.	.	.	.	51	.	.	1	.	68	.
MONAGHAN													
Urban	.	.	.	.	.	4	2	.	.	.	.	.	.
Rural	.	1	.	.	.	.	1	1	.	.	2	.	.
OFFALY													
Urban	.	.	.	3	3	.	14	2	.	.	.	1	.
Rural	.	1	1	.	.	.	11	.	.	.	.	64	.
ROSCOMMON													
Rural	.	1	.	.	.	.	17	.	.	.	.	67	.
SLIGO													
Urban	.	.	.	.	.	4	7	.	.	.	.	125	.
Rural	.	.	.	.	.	.	15	.	.	.	.	42	.
TIPPERARY (N.R.)													
Urban	.	.	.	.	.	.	.	.	.	.	.	2	.
Rural	1	1	.	3	.	.	13	1	.	2	2	18	.
TIPPERARY (S.R.)													
Urban	.	1	.	.	.	1	21	.	.	.	.	11	.
Rural	.	.	.	.	.	.	18	.	.	5	.	32	3A
WATERFORD													
Urban	.	1	.	.	.	14	.	.	.	.	.	16	.
Rural	.	.	.	4	.	.	15	5	.	.	.	117	.
WESTMEATH													
Urban	.	.	.	.	.	.	1	.	.	.	.	.	.
Rural	1	.	.	.	.	.	48	.	.	2	.	62	.
WEXFORD													
Urban	.	.	.	15	.	.	92	.	.	.	.	1	.
Rural	.	.	.	3	.	.	121	.	.	.	.	47	.
WICKLOW													
Urban	.	.	.	.	.	15	5	.	.	.	.	47	.
Rural	2	1	.	.	.	.	20	.	.	.	.	86	.
ALL COUNTY BOROUGHs	4	1	7	712	3	251	745	35	10	.	.	2,187	2A 1B
ALL URBAN DISTRICTS	2	5	2	71	3	75	793	5	.	9	1	389	1B
ALL RURAL DISTRICTS	8	12	7	211	.	.	1,472	53	1	38	16	1,788	6A 1B
TOTAL	14	18	16	994	6	326	3,010	93	11	47	17	4,364	8A 3B

(a) Brucellosis

(b) Malaria









